

Sequential P Systems with Active Membranes Working on Sets



Michal Kováč, Damas Gruska

Faculty of Mathematics, Physics and Informatics, Comenius University, Bratislava,
Slovakia



30.9.2015

- 1 Overview of formal models
 - P systems
 - Using sets instead of multisets
- 2 Sequential active set membrane systems
 - Original semantics
 - Modified membrane creation semantics

Membrane structure





Membrane structure





- Multisets

Membrane structure



- Multisets
- Rewriting rules

Membrane structure



- Multisets
- Rewriting rules
- Passive vs. Active

Computation

- Maximal parallel vs. sequential

Computation

- Maximal parallel vs. sequential
- Language
 - Generating mode: language of sequences of objects sent out from the skin membrane
 - Accepting mode: accept the given configuration if the system can halt

Using sets instead of multisets

- How realistic is the counting?
- Effectiveness of verification techniques

Set membrane systems

- Alhazov [Alhazov, 2006]: multiplicities of objects are ignored

Set membrane systems

- Alhazov [Alhazov, 2006]: multiplicities of objects are ignored
 - maximal parallel \Rightarrow deterministic

Set membrane systems

- Alhazov [Alhazov, 2006]: multiplicities of objects are ignored
 - maximal parallel \Rightarrow deterministic
 - equivalent to finite state machines

Set membrane systems

- Alhazov [Alhazov, 2006]: multiplicities of objects are ignored
 - maximal parallel \Rightarrow deterministic
 - equivalent to finite state machines
 - with active membranes universal

Set membrane systems

- Alhazov [Alhazov, 2006]: multiplicities of objects are ignored
 - maximal parallel \Rightarrow deterministic
 - equivalent to finite state machines
 - with active membranes universal
- Kleijn, Koutny [Kleijn and Koutny, 2011]: “min-enabled”
computational step = sequential

Set membrane systems

- Alhazov [Alhazov, 2006]: multiplicities of objects are ignored
 - maximal parallel \Rightarrow deterministic
 - equivalent to finite state machines
 - with active membranes universal
- Kleijn, Koutny [Kleijn and Koutny, 2011]: “min-enabled” computational step = sequential
 - equivalent to finite state machines

Set membrane systems

- Alhazov [Alhazov, 2006]: multiplicities of objects are ignored
 - maximal parallel \Rightarrow deterministic
 - equivalent to finite state machines
 - with active membranes universal
- Kleijn, Koutny [Kleijn and Koutny, 2011]: “min-enabled” computational step = sequential
 - equivalent to finite state machines
- Properties:
 - No conflict (objects can participate as reactants in as many rules as they want).
 - If an object is used as a reactant for at least one rule, it is consumed.

Sequential active set membrane systems

- $\Pi = (\Sigma, C_0, R_0, \dots R_{m-1})$

Sequential active set membrane systems

- $\Pi = (\Sigma, C_0, R_0, \dots, R_{m-1})$
- $C = (T, l, c)$
 - $l : V(T) \rightarrow \{0, \dots, m-1\}$
 - $c : V(T) \rightarrow 2^\Sigma$

Sequential active set membrane systems

- $\Pi = (\Sigma, C_0, R_0, \dots, R_{m-1})$
- $C = (T, l, c)$
 - $l : V(T) \rightarrow \{0, \dots, m-1\}$
 - $c : V(T) \rightarrow 2^\Sigma$
- Rewriting rules
 - $u \rightarrow w$
 - $u \rightarrow w\delta$
 - $u \rightarrow [{}_j v_1]_j v_2,$
 where $u \subseteq \Sigma, |u| \geq 1, v_1, v_2 \subseteq \Sigma$ and $w \subseteq (\Sigma \times \{\cdot, \uparrow, \downarrow\})$

Register machine

- Registers with non-negative values r_1, r_2, \dots
- Labeled instructions $i : op$, where op is:
 - $add(j, k)$
 - $sub(j, k, l)$
 - $halt$
- State = (instruction pointer, values of registers)
- Step: modify the register value, move the instruction pointer

Simulation of a register machine


Simulation of a register machine (2 registers, 3 instructions):

- 1 : *sub*(1, 2, 3)
- 2 : *add*(2, 1)
- 3 : *halt*

Example simulation

Skin membrane (6 rules):

- $x_1 \rightarrow x_1 \downarrow_1$, $x_2 \rightarrow x_2 \downarrow_2$
- $x_2 t_2 \rightarrow [{}_2 y_1 t_2]_2$
- $x_1 t_1 \rightarrow x_3$
- $y_1 \rightarrow x_1$, $y_2 \rightarrow x_2$



Membrane 1 (4 rules):

- $x_1 \rightarrow x_1 \downarrow_1$
- $x_1 t_1 \rightarrow y_2 t_1 \delta$
- $y_1 \rightarrow y_1 \uparrow$, $y_2 \rightarrow y_2 \uparrow$


Membrane 2 (4 rules):

- $x_2 \rightarrow x_2 \downarrow_2$
- $x_2 t_2 \rightarrow [{}_2 y_1 t_2]_2$
- $y_1 \rightarrow y_1 \uparrow$, $y_2 \rightarrow y_2 \uparrow$

Example simulation

Skin membrane (6 rules):

- $x_1 \rightarrow x_1 \downarrow_1$, $x_2 \rightarrow x_2 \downarrow_2$
- $x_2 t_2 \rightarrow [{}_2 y_1 t_2]_2$
- $x_1 t_1 \rightarrow x_3$
- $y_1 \rightarrow x_1$, $y_2 \rightarrow x_2$



Membrane 1 (4 rules):

- $x_1 \rightarrow x_1 \downarrow_1$
- $x_1 t_1 \rightarrow y_2 t_1 \delta$
- $y_1 \rightarrow y_1 \uparrow$, $y_2 \rightarrow y_2 \uparrow$


Membrane 2 (4 rules):

- $x_2 \rightarrow x_2 \downarrow_2$
- $x_2 t_2 \rightarrow [{}_2 y_1 t_2]_2$
- $y_1 \rightarrow y_1 \uparrow$, $y_2 \rightarrow y_2 \uparrow$

Example simulation

Skin membrane (6 rules):

- $x_1 \rightarrow x_1 \downarrow_1$, $x_2 \rightarrow x_2 \downarrow_2$
- $x_2 t_2 \rightarrow [{}_2 y_1 t_2]_2$
- $x_1 t_1 \rightarrow x_3$
- $y_1 \rightarrow x_1$, $y_2 \rightarrow x_2$



Membrane 1 (4 rules):

- $x_1 \rightarrow x_1 \downarrow_1$
- $x_1 t_1 \rightarrow y_2 t_1 \delta$
- $y_1 \rightarrow y_1 \uparrow$, $y_2 \rightarrow y_2 \uparrow$


Membrane 2 (4 rules):

- $x_2 \rightarrow x_2 \downarrow_2$
- $x_2 t_2 \rightarrow [{}_2 y_1 t_2]_2$
- $y_1 \rightarrow y_1 \uparrow$, $y_2 \rightarrow y_2 \uparrow$

Example simulation

Skin membrane (6 rules):

- $x_1 \rightarrow x_1 \downarrow_1$, $x_2 \rightarrow x_2 \downarrow_2$
- $x_2 t_2 \rightarrow [{}_2 y_1 t_2]_2$
- $x_1 t_1 \rightarrow x_3$
- $y_1 \rightarrow x_1$, $y_2 \rightarrow x_2$



Membrane 1 (4 rules):

- $x_1 \rightarrow x_1 \downarrow_1$
- $x_1 t_1 \rightarrow y_2 t_1 \delta$
- $y_1 \rightarrow y_1 \uparrow$, $y_2 \rightarrow y_2 \uparrow$


Membrane 2 (4 rules):

- $x_2 \rightarrow x_2 \downarrow_2$
- $x_2 t_2 \rightarrow [{}_2 y_1 t_2]_2$
- $y_1 \rightarrow y_1 \uparrow$, $y_2 \rightarrow y_2 \uparrow$

Example simulation

Skin membrane (6 rules):

- $x_1 \rightarrow x_1 \downarrow_1$, $x_2 \rightarrow x_2 \downarrow_2$
- $x_2 t_2 \rightarrow [{}_2 y_1 t_2]_2$
- $x_1 t_1 \rightarrow x_3$
- $y_1 \rightarrow x_1$, $y_2 \rightarrow x_2$



Membrane 1 (4 rules):

- $x_1 \rightarrow x_1 \downarrow_1$
- $x_1 t_1 \rightarrow y_2 t_1 \delta$
- $y_1 \rightarrow y_1 \uparrow$, $y_2 \rightarrow y_2 \uparrow$


Membrane 2 (4 rules):

- $x_2 \rightarrow x_2 \downarrow_2$
- $x_2 t_2 \rightarrow [{}_2 y_1 t_2]_2$
- $y_1 \rightarrow y_1 \uparrow$, $y_2 \rightarrow y_2 \uparrow$

Example simulation

Skin membrane (6 rules):

- $x_1 \rightarrow x_1 \downarrow_1$, $x_2 \rightarrow x_2 \downarrow_2$
- $x_2 t_2 \rightarrow [{}_2 y_1 t_2]_2$
- $x_1 t_1 \rightarrow x_3$
- $y_1 \rightarrow x_1$, $y_2 \rightarrow x_2$



Membrane 1 (4 rules):

- $x_1 \rightarrow x_1 \downarrow_1$
- $x_1 t_1 \rightarrow y_2 t_1 \delta$
- $y_1 \rightarrow y_1 \uparrow$, $y_2 \rightarrow y_2 \uparrow$


Membrane 2 (4 rules):

- $x_2 \rightarrow x_2 \downarrow_2$
- $x_2 t_2 \rightarrow [{}_2 y_1 t_2]_2$
- $y_1 \rightarrow y_1 \uparrow$, $y_2 \rightarrow y_2 \uparrow$

Example simulation

Skin membrane (6 rules):

- $x_1 \rightarrow x_1 \downarrow_1$, $x_2 \rightarrow x_2 \downarrow_2$
- $x_2 t_2 \rightarrow [2y_1 t_2]_2$
- $x_1 t_1 \rightarrow x_3$
- $y_1 \rightarrow x_1$, $y_2 \rightarrow x_2$



Membrane 1 (4 rules):

- $x_1 \rightarrow x_1 \downarrow_1$
- $x_1 t_1 \rightarrow y_2 t_1 \delta$
- $y_1 \rightarrow y_1 \uparrow$, $y_2 \rightarrow y_2 \uparrow$


Membrane 2 (4 rules):

- $x_2 \rightarrow x_2 \downarrow_2$
- $x_2 t_2 \rightarrow [2y_1 t_2]_2$
- $y_1 \rightarrow y_1 \uparrow$, $y_2 \rightarrow y_2 \uparrow$

Example simulation

Skin membrane (6 rules):

- $x_1 \rightarrow x_1 \downarrow_1$, $x_2 \rightarrow x_2 \downarrow_2$
- $x_2 t_2 \rightarrow [{}_2 y_1 t_2]_2$
- $x_1 t_1 \rightarrow x_3$
- $y_1 \rightarrow x_1$, $y_2 \rightarrow x_2$



Membrane 1 (4 rules):

- $x_1 \rightarrow x_1 \downarrow_1$
- $x_1 t_1 \rightarrow y_2 t_1 \delta$
- $y_1 \rightarrow y_1 \uparrow$, $y_2 \rightarrow y_2 \uparrow$


Membrane 2 (4 rules):

- $x_2 \rightarrow x_2 \downarrow_2$
- $x_2 t_2 \rightarrow [{}_2 y_1 t_2]_2$
- $y_1 \rightarrow y_1 \uparrow$, $y_2 \rightarrow y_2 \uparrow$

Example simulation

Skin membrane (6 rules):

- $x_1 \rightarrow x_1 \downarrow_1$, $x_2 \rightarrow x_2 \downarrow_2$
- $x_2 t_2 \rightarrow [{}_2 y_1 t_2]_2$
- $x_1 t_1 \rightarrow x_3$
- $y_1 \rightarrow x_1$, $y_2 \rightarrow x_2$



Membrane 1 (4 rules):

- $x_1 \rightarrow x_1 \downarrow_1$
- $x_1 t_1 \rightarrow y_2 t_1 \delta$
- $y_1 \rightarrow y_1 \uparrow$, $y_2 \rightarrow y_2 \uparrow$


Membrane 2 (4 rules):

- $x_2 \rightarrow x_2 \downarrow_2$
- $x_2 t_2 \rightarrow [{}_2 y_1 t_2]_2$
- $y_1 \rightarrow y_1 \uparrow$, $y_2 \rightarrow y_2 \uparrow$

Example simulation

Skin membrane (6 rules):

- $x_1 \rightarrow x_1 \downarrow_1$, $x_2 \rightarrow x_2 \downarrow_2$
- $x_2 t_2 \rightarrow [{}_2 y_1 t_2]_2$
- $x_1 t_1 \rightarrow x_3$
- $y_1 \rightarrow x_1$, $y_2 \rightarrow x_2$



Membrane 1 (4 rules):

- $x_1 \rightarrow x_1 \downarrow_1$
- $x_1 t_1 \rightarrow y_2 t_1 \delta$
- $y_1 \rightarrow y_1 \uparrow$, $y_2 \rightarrow y_2 \uparrow$


Membrane 2 (4 rules):

- $x_2 \rightarrow x_2 \downarrow_2$
- $x_2 t_2 \rightarrow [{}_2 y_1 t_2]_2$
- $y_1 \rightarrow y_1 \uparrow$, $y_2 \rightarrow y_2 \uparrow$

Example simulation

Skin membrane (6 rules):

- $x_1 \rightarrow x_1 \downarrow_1$, $x_2 \rightarrow x_2 \downarrow_2$
- $x_2 t_2 \rightarrow [{}_2 y_1 t_2]_2$
- $x_1 t_1 \rightarrow x_3$
- $y_1 \rightarrow x_1$, $y_2 \rightarrow x_2$



Membrane 1 (4 rules):

- $x_1 \rightarrow x_1 \downarrow_1$
- $x_1 t_1 \rightarrow y_2 t_1 \delta$
- $y_1 \rightarrow y_1 \uparrow$, $y_2 \rightarrow y_2 \uparrow$


Membrane 2 (4 rules):

- $x_2 \rightarrow x_2 \downarrow_2$
- $x_2 t_2 \rightarrow [{}_2 y_1 t_2]_2$
- $y_1 \rightarrow y_1 \uparrow$, $y_2 \rightarrow y_2 \uparrow$

Example simulation

Skin membrane (6 rules):

- $x_1 \rightarrow x_1 \downarrow_1$, $x_2 \rightarrow x_2 \downarrow_2$
- $x_2 t_2 \rightarrow [{}_2 y_1 t_2]_2$
- $x_1 t_1 \rightarrow x_3$
- $y_1 \rightarrow x_1$, $y_2 \rightarrow x_2$



Membrane 1 (4 rules):

- $x_1 \rightarrow x_1 \downarrow_1$
- $x_1 t_1 \rightarrow y_2 t_1 \delta$
- $y_1 \rightarrow y_1 \uparrow$, $y_2 \rightarrow y_2 \uparrow$


Membrane 2 (4 rules):

- $x_2 \rightarrow x_2 \downarrow_2$
- $x_2 t_2 \rightarrow [{}_2 y_1 t_2]_2$
- $y_1 \rightarrow y_1 \uparrow$, $y_2 \rightarrow y_2 \uparrow$

Example simulation

Skin membrane (6 rules):

- $x_1 \rightarrow x_1 \downarrow_1$, $x_2 \rightarrow x_2 \downarrow_2$
- $x_2 t_2 \rightarrow [{}_2 y_1 t_2]_2$
- $x_1 t_1 \rightarrow x_3$
- $y_1 \rightarrow x_1$, $y_2 \rightarrow x_2$



Membrane 1 (4 rules):

- $x_1 \rightarrow x_1 \downarrow_1$
- $x_1 t_1 \rightarrow y_2 t_1 \delta$
- $y_1 \rightarrow y_1 \uparrow$, $y_2 \rightarrow y_2 \uparrow$


Membrane 2 (4 rules):

- $x_2 \rightarrow x_2 \downarrow_2$
- $x_2 t_2 \rightarrow [{}_2 y_1 t_2]_2$
- $y_1 \rightarrow y_1 \uparrow$, $y_2 \rightarrow y_2 \uparrow$

Example simulation

Skin membrane (6 rules):

- $x_1 \rightarrow x_1 \downarrow_1$, $x_2 \rightarrow x_2 \downarrow_2$
- $x_2 t_2 \rightarrow [2y_1 t_2]_2$
- $x_1 t_1 \rightarrow x_3$
- $y_1 \rightarrow x_1$, $y_2 \rightarrow x_2$



Membrane 1 (4 rules):

- $x_1 \rightarrow x_1 \downarrow_1$
- $x_1 t_1 \rightarrow y_2 t_1 \delta$
- $y_1 \rightarrow y_1 \uparrow$, $y_2 \rightarrow y_2 \uparrow$


Membrane 2 (4 rules):

- $x_2 \rightarrow x_2 \downarrow_2$
- $x_2 t_2 \rightarrow [2y_1 t_2]_2$
- $y_1 \rightarrow y_1 \uparrow$, $y_2 \rightarrow y_2 \uparrow$

Example simulation

Skin membrane (6 rules):

- $x_1 \rightarrow x_1 \downarrow_1$, $x_2 \rightarrow x_2 \downarrow_2$
- $x_2 t_2 \rightarrow [{}_2 y_1 t_2]_2$
- $x_1 t_1 \rightarrow x_3$
- $y_1 \rightarrow x_1$, $y_2 \rightarrow x_2$



Membrane 1 (4 rules):

- $x_1 \rightarrow x_1 \downarrow_1$
- $x_1 t_1 \rightarrow y_2 t_1 \delta$
- $y_1 \rightarrow y_1 \uparrow$, $y_2 \rightarrow y_2 \uparrow$


Membrane 2 (4 rules):

- $x_2 \rightarrow x_2 \downarrow_2$
- $x_2 t_2 \rightarrow [{}_2 y_1 t_2]_2$
- $y_1 \rightarrow y_1 \uparrow$, $y_2 \rightarrow y_2 \uparrow$

Example simulation

Skin membrane (6 rules):

- $x_1 \rightarrow x_1 \downarrow_1$, $x_2 \rightarrow x_2 \downarrow_2$
- $x_2 t_2 \rightarrow [{}_2 y_1 t_2]_2$
- $x_1 t_1 \rightarrow x_3$
- $y_1 \rightarrow x_1$, $y_2 \rightarrow x_2$



Membrane 1 (4 rules):

- $x_1 \rightarrow x_1 \downarrow_1$
- $x_1 t_1 \rightarrow y_2 t_1 \delta$
- $y_1 \rightarrow y_1 \uparrow$, $y_2 \rightarrow y_2 \uparrow$

Membrane 2 (4 rules):

- $x_2 \rightarrow x_2 \downarrow_2$
- $x_2 t_2 \rightarrow [{}_2 y_1 t_2]_2$
- $y_1 \rightarrow y_1 \uparrow$, $y_2 \rightarrow y_2 \uparrow$

Example simulation

Skin membrane (6 rules):


- $x_1 \rightarrow x_1 \downarrow_1$, $x_2 \rightarrow x_2 \downarrow_2$
- $x_2 t_2 \rightarrow [{}_2 y_1 t_2]_2$
- $x_1 t_1 \rightarrow x_3$
- $y_1 \rightarrow x_1$, $y_2 \rightarrow x_2$

Membrane 1 (4 rules):

- $x_1 \rightarrow x_1 \downarrow_1$
- $x_1 t_1 \rightarrow y_2 t_1 \delta$
- $y_1 \rightarrow y_1 \uparrow$, $y_2 \rightarrow y_2 \uparrow$

Membrane 2 (4 rules):


- $x_2 \rightarrow x_2 \downarrow_2$
- $x_2 t_2 \rightarrow [{}_2 y_1 t_2]_2$
- $y_1 \rightarrow y_1 \uparrow$, $y_2 \rightarrow y_2 \uparrow$



Example simulation

Skin membrane (6 rules):

- $x_1 \rightarrow x_1 \downarrow_1$, $x_2 \rightarrow x_2 \downarrow_2$
- $x_2 t_2 \rightarrow [{}_2 y_1 t_2]_2$
- $x_1 t_1 \rightarrow x_3$
- $y_1 \rightarrow x_1$, $y_2 \rightarrow x_2$



Membrane 1 (4 rules):

- $x_1 \rightarrow x_1 \downarrow_1$
- $x_1 t_1 \rightarrow y_2 t_1 \delta$
- $y_1 \rightarrow y_1 \uparrow$, $y_2 \rightarrow y_2 \uparrow$

Membrane 2 (4 rules):

- $x_2 \rightarrow x_2 \downarrow_2$
- $x_2 t_2 \rightarrow [{}_2 y_1 t_2]_2$
- $y_1 \rightarrow y_1 \uparrow$, $y_2 \rightarrow y_2 \uparrow$

Issues with original semantics

- Two issues:
 - 1 Explicit membrane creation rule

Issues with original semantics

- Two issues:
 - 1 Explicit membrane creation rule
 - 2 Sending an object to a child membrane


Issues with original semantics

- Two issues:
 - 1 Explicit membrane creation rule
 - 2 Sending an object to a child membrane
- Alternatives:
 - 1 Inject-or-create (no explicit membrane creation rule)

Issues with original semantics


- Two issues:
 - 1 Explicit membrane creation rule
 - 2 Sending an object to a child membrane
- Alternatives:
 - 1 Inject-or-create (no explicit membrane creation rule)
 - 2 Wrap-or-create

Inject-or-create semantics




Inject-or-create semantics


$$a \rightarrow a \downarrow_2$$




Inject-or-create semantics



$a \rightarrow a \downarrow_3$



Wrap-or-create semantics




Skin membrane:

- $x_1 t_1 \rightarrow x_3 t_1$
- $x_1 s_1 \rightarrow x_1 \downarrow_1$
- $x_2 s_2 \rightarrow [2 s_2]_2 s_2 x_1$
- $x_2 t_2 \rightarrow [2 t_2]_2 s_2 x_1$

Membrane 1:

- $x_1 \rightarrow x_2 \delta$

Wrap-or-create semantics




Skin membrane:

- $x_1 t_1 \rightarrow x_3 t_1$
- $x_1 s_1 \rightarrow x_1 \downarrow 1$
- $x_2 s_2 \rightarrow [2 s_2]_2 s_2 x_1$
- $x_2 t_2 \rightarrow [2 t_2]_2 s_2 x_1$

Membrane 1:

- $x_1 \rightarrow x_2 \delta$

Wrap-or-create semantics




Skin membrane:

- $x_1 t_1 \rightarrow x_3 t_1$
- $x_1 s_1 \rightarrow x_1 \downarrow_1$
- $x_2 s_2 \rightarrow [{}_2 s_2]_2 s_2 x_1$
- $x_2 t_2 \rightarrow [{}_2 t_2]_2 s_2 x_1$

Membrane 1:

- $x_1 \rightarrow x_2 \delta$

Wrap-or-create semantics




Skin membrane:

- $x_1 t_1 \rightarrow x_3 t_1$
- $x_1 s_1 \rightarrow x_1 \downarrow_1$
- $x_2 s_2 \rightarrow [{}_2 s_2]_2 s_2 x_1$
- $x_2 t_2 \rightarrow [{}_2 t_2]_2 s_2 x_1$

Membrane 1:

- $x_1 \rightarrow x_2 \delta$

Wrap-or-create semantics




Skin membrane:

- $x_1 t_1 \rightarrow x_3 t_1$
- $x_1 s_1 \rightarrow x_1 \downarrow_1$
- $x_2 s_2 \rightarrow [{}_2 s_2]_2 s_2 x_1$
- $x_2 t_2 \rightarrow [{}_2 t_2]_2 s_2 x_1$

Membrane 1:

- $x_1 \rightarrow x_2 \delta$

Wrap-or-create semantics




Skin membrane:

- $x_1 t_1 \rightarrow x_3 t_1$
- $x_1 s_1 \rightarrow x_1 \downarrow_1$
- $x_2 s_2 \rightarrow [{}_2 s_2]_2 s_2 x_1$
- $x_2 t_2 \rightarrow [{}_2 t_2]_2 s_2 x_1$

Membrane 1:

- $x_1 \rightarrow x_2 \delta$

Wrap-or-create semantics




Skin membrane:

- $x_1 t_1 \rightarrow x_3 t_1$
- $x_1 s_1 \rightarrow x_1 \downarrow_1$
- $x_2 s_2 \rightarrow [2 s_2]_2 s_2 x_1$
- $x_2 t_2 \rightarrow [2 t_2]_2 s_2 x_1$

Membrane 1:

- $x_1 \rightarrow x_2 \delta$

Wrap-or-create semantics



Skin membrane:

- $x_1 t_1 \rightarrow x_3 t_1$
- $x_1 s_1 \rightarrow x_1 \downarrow_1$
- $x_2 s_2 \rightarrow [2 s_2]_2 s_2 x_1$
- $x_2 t_2 \rightarrow [2 t_2]_2 s_2 x_1$

Membrane 1:

- $x_1 \rightarrow x_2 \delta$

Comparison of membrane creation semantics

semantics	membranes	time	alphabet
original	$O(n)$	$O(n)$	$2 * \#instr. + \#reg.$
original	$O(\log(n))$	$O(\log(n))$	$3 * \#instr. + 5$
inject-or-create	$O(\log(n))$	$O(\log(n))$	$3 * \#instr. + 5$
wrap-or-create	$O(n)$	$O(1)$	$\#instr. + 2 * \#reg.$



Alhazov, A. (2006).

P systems without multiplicities of symbol-objects.
Information Processing Letters, 100(3):124–129.



Kleijn, J. and Koutny, M. (2011).

Membrane systems with qualitative evolution rules.
Fundam. Inf., 110(1-4):217–230.

Thanks for your attention!