

Cybersecurity Daily Newsletter

Vol. 005 | 2026-09-09 09:00 WIB

Top 5 Highlights

- New Android RAT uses worm to target exposed ADB services
- Mars Security launches real-time threat intelligence to detection platform
- MikroTik routers targeted by active SSH zero-day exploitation
- Broadcom patches critical VMware Workstation and Fusion VM escape vulnerabilities
- Madagascar strengthens digital identity program with new cybercrime laws

Threat Intelligence (10)

01. New Android RAT uses worm to target exposed ADB services

The RAT employs a concealed loader and a worm that actively scans for exposed Android Debug Bridge (ADB) services to install itself on vulnerable devices.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.scworld.com/brief/new-android-rat-uses-worm-to-target-exposed-adb-services>

02. Attackers Use Multi-Hop Google Redirects for Phishing Campaign

Threat actors are abusing multiple Google services to evade detection, ultimately harvesting credentials or installing ScreenConnect remote access.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: <https://www.darkreading.com/cyberattacks-data-breaches/attackers-multi-hop-google-redirects-phishing-campaign>

03. ClickFix Campaigns Abuse Legitimate Services for Persistent Access

Two separate attacks demonstrate how threat actors are finding new ways to compromise organizations by using the popular social engineering tactic.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources:

<https://www.darkreading.com/endpoint-security/clickfix-campaigns-legitimate-services-persistent-access>

04. Reflectiz Launches Agentic Pentesting for Websites: Up to 10x Coverage vs Conventional Pentests

Specialized team of AI agents that discover, attack, and validate web vulnerabilities, leveraging pre-existing site context to eliminate noise and speed remediation. Reflectiz, the continuous web exposure management company, today launched a multi-agent penetration testing platform for websites. Multiple specialized AI agents discover, attack, and validate...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.csoonline.com/article/4219697/reflectiz-launches-agentic-pentesting-for-websites-up-to-10x-coverage-vs-conventional-pentests.html>

05. Autonomous AI Agents Compromise Thousands of Credentials in Under Six Hours

Threat actors are continuing to leverage artificial intelligence (AI) to streamline their operations, with one financially motivated hacking group employing an autonomous, multi-agent attack framework to carry out a large-scale credential harvesting campaign within six hours. Google Threat Intelligence Group (GTIG) said it has observed attackers with divers...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://thehackernews.com/2026/09/autonomous-ai-agents-compromise.html>

06. AI Coding Tools Now a Prime Target for Threat Actors, Google Warns

Google warned that the rapid integration of AI-assisted coding tools has significantly expanded software supply chain risks

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Audit build pipelines, rotate CI/CD secrets, enforce package integrity controls, and review developer workstation hardening.

Sources: <https://www.infosecurity-magazine.com/news/ai-coding-tools-threat-actors/>

07. WeChat Zero-Click Worm Took Over Accounts on iPhone and Android via Incoming Calls

Researchers at the security firm Calif have built a worm that takes over a WeChat account via an incoming call and demonstrated it spreading among three test phones. The person being called does not have to answer or touch their phone for it to work, but the caller must already be one of their WeChat contacts. Calif reported the flaw to Tencent in July and...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://thehackernews.com/2026/09/wechat-zero-click-worm-took-over.html>

08. THost9 Android RAT Pairs Packed Loader With ADB Worm

THost9 hides its payload and uses ADB to spread across exposed Android devices and containers

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.infosecurity-magazine.com/news/thost9-android-rat-packed-loader/>

09. BigBear 2.0 phishing campaign hijacks Microsoft 365 sessions after MFA

A phishing-as-a-service operation targeting Microsoft 365 users has harvested thousands of session cookies that could be used to hijack authenticated sessions after victims complete multifactor authentication, CloudSEK said. The cybersecurity firm said in a report that it uncovered the operation, known as BigBear 2.0, in June after gaining access to its adm...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: <https://www.csoonline.com/article/4219606/bigbear-2-0-phishing-campaign-hijacks-microsoft-365-sessions-after-mfa.html>

10. HVNC Backdoor Targets LATAM Organizations with Fake Tax and DocuSign Lures

Editor's note: The analysis is authored by Moises Cerqueira, malware researcher & threat hunter. You can find Moises on LinkedIn and X. Fake tax documents are being used to target organizations across LATAM, delivering a custom HVNC backdoor built for stealthy, persistent access. Once installed, the malware can give attackers hidden remote control, steal br...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://any.run/cybersecurity-blog/hvnc-backdoor-targets-latam/>

Latest Vulnerabilities (10)

01. Mars Security launches real-time threat intelligence to detection platform

The platform, developed by former military red team operators, systematically ingests threat reports from sources like CISA, Mandiant, and Microsoft.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.scworld.com/brief/mars-security-launches-real-time-threat-intelligence-to-detection-platform>

02. MikroTik routers targeted by active SSH zero-day exploitation

The MikroTrick attack chain exploits two critical vulnerabilities: CVE-2026-67276, an SSH authentication bypass, and CVE-2026-86060, an SSH session privilege escalation.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.scworld.com/brief/mikrotik-routers-targeted-by-active-ssh-zero-day-exploitation>

03. Broadcom patches critical VMware Workstation and Fusion VM escape vulnerabilities

The first vulnerability, CVE-2026-59346, is a critical integer-overflow flaw within the VMXNET3 virtual network adapter.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.scworld.com/brief/broadcom-patches-critical-vmware-workstation-and-fusion-vm-escape-vulnerabilities>

04. Microsoft Plugs Nearly 1,000 Security Holes

Microsoft Corp. today issued updates to plug at least 974 security holes in its Windows operating systems and other software, by far its biggest single patch batch ever. Microsoft says artificial intelligence is helping to speed the discovery of vulnerabilities, but security experts warn that many organizations already are struggling to prioritize the more...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://krebsonsecurity.com/2026/09/microsoft-plugs-nearly-1000-security-holes/>

05. Patch Tuesday Sets Another Record With 974 CVEs

Attackers are actively exploiting two of the vulnerabilities and another 58 are more likely to be exploited, according to Microsoft.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.darkreading.com/vulnerabilities-threats/patch-tuesday-another-record-974-cves>

06. OpenAI's Artifactory opened covert data-stealing channel alongside Hugging Face attack

Researchers disclosed the cross-account trick the same day rogue agents exploited another zero-day for admin access

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.theregister.com/security/2026/09/08/openais-artifactory-opened-covert-data-stealing-channel-alongside-hugging-face-attack/5295124>

07. The EU CRA's Real Question: What Shipped, and When Did You Know?

The EU Cyber Resilience Act's vulnerability reporting requirements take effect September 11, giving software vendors as little as 24 hours to report actively exploited flaws. ActiveState explains why knowing exactly what shipped and when vulnerabilities were discovered will be critical to meeting the new requirements. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.bleepingcomputer.com/news/security/the-eu-cras-real-question-what-shipped-and-when-did-you-know/>

08. Hackers breach F5 BIG-IP APM devices to deploy Linux rootkit

A Linux rootkit targeting devices in F5 BIG-IP APM environments can intercept PHP file loading and inject a fileless web shell directly into memory, avoiding the need to write malicious code to disk. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.bleepingcomputer.com/news/security/hackers-breach-f5-big-ip-apm-devices-to-deploy-linux-rootkit/>

09. September 2026 Microsoft Patch Tuesday, (Tue, Sep 8th)

This month, Microsoft released patches for a record-breaking 973 vulnerabilities, including 113 rated critical. It is by far the largest Patch Tuesday to date, well ahead of the previous high of 664 set in July 2026. Two vulnerabilities are listed as exploited in the wild, while none were publicly disclosed before Patch Tuesday. Notable fixes include Window...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://isc.sans.edu/diary/rss/33320>

10. Microsoft Patches Record 974 Vulnerabilities, Including Two Exploited Zero-Days

The record-breaking September security update fixes two exploited privilege-escalation zero-days and 20 potentially wormable vulnerabilities. The post Microsoft Patches Record 974 Vulnerabilities, Including Two Exploited Zero-Days appeared first on SecurityWeek .

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.securityweek.com/microsoft-patches-record-974-vulnerabilities-including-two-exploited-zero-days/>

Data Breach & Cybercrime (10)

01. Madagascar strengthens digital identity program with new cybercrime laws

The Malagasy government has submitted two cybercrime bills to parliament, aiming to modernize the national cybercrime framework and ratify the UN Convention against Cybercrime (Hanoi Convention).

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.scworld.com/brief/madagascar-strengthens-digital-identity-program-with-new-cybercrime-laws>

02. DoppelCart fraud network uses 119,000 fake shops to steal credit cards

A massive operation dubbed "DoppelCart" uses more than 119,000 domains to run a network of fake e-shops that steal payment card details. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/doppelcart-fraud-network-uses-119-000-fake-shops-to-steal-credit-cards/>

03. Closing the accountability divide: How to prove what happened in a breach

It's not enough to contain an incident. You must also understand why and how it happened.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.scworld.com/resource/closing-the-accountability-divide-how-to-prove-what-happened-in-a-breach>

04. Hackers Return \$263 Million Stolen From Liquid Network

Alleged 'white-hat' hackers drained \$320 million from Liquid's federation wallet, demanding a bug fix. The post Hackers Return \$263 Million Stolen From Liquid Network appeared first on SecurityWeek .

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.securityweek.com/hackers-return-263-million-stolen-from-liquid-network/>

05. ShinyHunters hackers claim breach of Florida "DAVID" DMV database

The ShinyHunters extortion gang claims it breached an online platform for the Florida Department of Motor Vehicles database known as "DAVID" and stole over 200,000 records about drivers in the state. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/shinyhunters-hackers-claim-breach-of-florida-david-dmv-database/>

06. BigBear phishing crew nets thousands of Microsoft 365 credentials

Researchers got inside the crooks' admin panel and found 5,137 stolen records tied to 461 organizations

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.theregister.com/security/2026/09/08/bigbear-phishing-crew-nets-thousands-of-microsoft-365-credentials/5294944>

07. The Shared Clipboard Inside the Sandbox: Cross-Account Data Leakage in ChatGPT

Research by: Alexey Bukhteyev Key Takeaways Introduction Over the past several years, AI assistants have moved far beyond text generation. Modern systems can execute code, install additional dependencies, analyze user files, and access data through connected services. These capabilities significantly increase the practical value of LLMs, but they also chang...

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://research.checkpoint.com/2026/the-shared-clipboard-inside-the-sandbox-cross-account-data-leakage-in-chatgpt/>

08. Party's Over for Crypto Scammers Who Went on a Spending Spree After a \$240 Million Bitcoin Theft

The scammers purchased fleets of sports cars, flew on private jets, hired security guards and rented mansions in Miami and the Hamptons. The post Party's Over for Crypto Scammers Who Went on a Spending Spree After a \$240 Million Bitcoin Theft appeared first on SecurityWeek .

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.securityweek.com/partys-over-for-crypto-scammers-who-went-on-a-spending-spree-after-a-240-million-bitcoin-theft/>

09. Webinar: The forgotten Google Workspace access that can lead to a breach

Third-party applications connected to Google Workspace can retain access long after their original purpose is forgotten. This webinar examines how overly permissive integrations contribute to breaches and which security controls can help fast-growing companies reduce their exposure. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/webinar-the-forgotten-google-workspace-access-that-can-lead-to-a-breach/>

10. Extortion crews have their eyes on high-value AI data, Google warns Companies 'don't want their IP exposed, so they're willing to pay'

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.theregister.com/research/2026/09/08/extortion-crews-have-their-eyes-on-high-value-ai-data-google-warns/5294640>