Cybersecurity Daily Newsletter

Vol. 007 | 2026-11-10 09:00 WIB

Top 5 Highlights

• SonicWall releases patches for 7 flaws in its firewalls, most involving unauthenticated access

• ISC Stormcast For Tuesday, November 10th, 2026 https://isc.sans.edu/podcastdetail/10172, (Tue, Nov 10th)

• Microsoft’s email security is unexpectedly blocking legitimate business mail

• Brazil government technology provider Serpro faces record distributed denial-of-service attacks

• US Treasury bans MEXC Global crypto exchange over sanctions evasion

Threat Intelligence (10)

01. ISC Stormcast For Tuesday, November 10th, 2026 https://isc.sans.edu/podcastdetail/10172, (Tue, Nov 10th)

ISC Stormcast For Tuesday, November 10th, 2026
https://isc.sans.edu/podcastdetail/10172, (Tue, Nov 10th)

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: https://isc.sans.edu/diary/rss/33504

02. Brazil government technology provider Serpro faces record distributed denial-of-service attacks

The Brazilian government technology provider Serpro reports that its infrastructure has faced record distributed denial-of-service, or DDoS, attacks over the past six months, though officials insist the Gov.br identity platform remained operational, based on information published by Biometric Update.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: https://www.scworld.com/brief/brazil-government-technology-provider-serpro-faces-record-distributed-denial-of-service-attacks

03. France blames Iran for supermarket hack meltdowns

The 'first cyber offensive campaign carried out purely for the purpose of sabotage on national territory'

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: https://www.theregister.com/security/2026/11/09/france-blames-iran-for-supermarket-hack-meltdowns/5308591

04. CISA Announces Enhanced Reporting Form for Cyber Incidents

New questionnaire captures critical data and information that improves the agency’s ability to assess incidents, identify trends and prioritize response actions.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: https://www.darkreading.com/cyberattacks-data-breaches/cisa-announces-enhanced-reporting-form-cyber-incidents

05. Attackers backdoor trusted AWS integrations to steal secrets

Wiz researchers uncovered the secret-stealing supply-chain attack

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: https://www.theregister.com/security/2026/11/09/attackers-backdoor-trusted-aws-integrations-to-steal-secrets/5308553

06. Hackers Compromise Ethersphere's bee-js and Swarm Desktop to Deliver Wallet-Stealing Malware

Attackers used the Ethersphere project's own release automation to publish malicious versions of two of its tools for the Swarm decentralized storage network: bee-js 13.3.0 and Swarm Desktop 0.56.2. Both releases download and run code built to steal the wallet key that Swarm Desktop keeps for its node, along with the stored password that unlocks it. The cod…

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: https://thehackernews.com/2026/11/hackers-compromise-etherspheres-bee-js.html

07. PwC's CISO on AI, Robots & What's Next for Security

As AI accelerates change across the enterprise, PwC's James Shira explains why security teams must rethink their approach to risk and adapt their strategies.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: https://www.darkreading.com/cybersecurity-operations/pwc-ciso-ai-robots-security

08. Hackers abuse refrigeration controllers to send spam and route proxy traffic

Internet-exposed refrigeration controllers used in supermarkets and cold storage facilities are being hijacked and turned into infrastructure for a suspected spam botnet and proxy services, SecurityScorecard has found. The report follows a string of attacks against European refrigeration systems, which Help Net Security started covering in October, when hun…

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: https://www.helpnetsecurity.com/2026/11/09/copeland-xweb-refrigeration-controllers-spam-botnet/

09. Bitter Hackers Deploy New PapRAT Backdoor in Cyberespionage Campaign Targeting South Asia

The South Asian cyber espionage group known as Bitter (aka APT-C-08, APT-Q-37, Hazy Tiger, Orange Yali, T-APT-17, and TA397) has been observed targeting South Asian organizations with a previously unreported remote access trojan called PapRAT. "PapRAT has both C++ and Rust implementations," Fortinet FortiGuard Labs researcher Cara Lin said. "Its capabilitie...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: https://thehackernews.com/2026/11/bitter-hackers-deploy-new-paprat.html

10. New Supply Chain Attack Compromises Tens of Thousands of GitHub Repositories

Security researchers have detected a malicious workflow affecting tens of thousands of GitHub repositories, including Uber-owned ones

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Audit build pipelines, rotate CI/CD secrets, enforce package integrity controls, and review developer workstation hardening.

Sources: https://www.infosecurity-magazine.com/news/supply-chain-attack-thousands/

Latest Vulnerabilities (10)

01. SonicWall releases patches for 7 flaws in its firewalls, most involving unauthenticated access

SonicWall on Monday updated its advisory about seven cybersecurity holes affecting its Gen 7 and Gen 8 firewalls, five of which allow unauthenticated remote attacks, to warn that it is aware of “potential” active exploitation of at least one of the bugs, CVE-2026-19868, a bypass of SAML authentication controls in its SonicOS SSL VPN service. And Frank Dicks...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: https://www.csoonline.com/article/4246479/sonicwall-releases-patches-for-7-flaws-in-its-firewalls-most-involving-unauthenticated-access.html

02. Microsoft’s email security is unexpectedly blocking legitimate business mail

Microsoft’s email filters meant to protect users from malicious messages appear to be rejecting legitimate ones. Over the last few days, some mail sent to Microsoft consumer addresses have bounced if they did not publish a domain-based message authentication, reporting, and conformance (DMARC) record. This includes messages to Outlook, Hotmail, Live, and MS...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: https://www.csoonline.com/article/4246592/microsofts-email-security-is-unexpectedly-blocking-legitimate-business-mail-2.html

03. Security researchers exploit android apps to gain remote control of connected vehicles

Reported by The Register. Security researchers have successfully exploited vulnerabilities in Android applications to gain unauthorized remote access to connected vehicles from two major automakers.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: https://www.scworld.com/brief/security-researchers-exploit-android-apps-to-gain-remote-control-of-connected-vehicles

04. Russian cloud provider Beget rebuilds infrastructure after data-wiping attack

A data-wiping malware attack has forced Russian cloud services provider Beget to rebuild its cloud infrastructure from scratch, with further coverage provided by Bleeping Computer.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: https://www.scworld.com/brief/russian-cloud-provider-beget-rebuilds-infrastructure-after-data-wiping-attack

05. U.S. urges critical infrastructure orgs to secure refrigeration systems ASAP after EU supermarket and blood bank attacks

Following recent cyber attacks on French blood banks and European supermarkets, U.S. federal agencies are urging critical infrastructure organizations to immediately secure industrial refrigeration systems against remote tampering and temperature manipulation. Key takeaways Cybercriminals are actively targeting unpatched flaws, misconfigurations,

and weak o...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: https://www.tenable.com/blog/u-s-urges-critical-infrastructure-orgs-to-secure-refrigeration-systems-asap-after-eu

06. N-able takes cloud platform offline after 30+ "zero-days" published

N-able has taken its hosted N-central environments offline and urged on-premises customers to shut down their servers after a security researcher publicly disclosed more than 30 alleged zero-day vulnerabilities, including exploits that could let attackers take over vulnerable systems. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: https://www.bleepingcomputer.com/news/security/n-able-takes-cloud-platform-offline-after-30-plus-zero-days-published/

07. Microsoft Fixes RCE Bug in Windows Paint After Weeks of Confusion

Last month, Microsoft disclosed a vulnerability in Microsoft Paint, but messaging regarding a patch was unclear.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: https://www.darkreading.com/application-security/microsoft-rce-bug-windows-paint-confusion

08. Attackers Crash Claude's 'Office Party' Flaw to Run Malicious Code on Linux

Attackers can exploit a flaw in Claude's document-processing tool by creating a temporary file that Anthropic's AI assistant can access and run on a user's machine.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: https://www.darkreading.com/endpoint-security/attackers-claude-office-party-flaw-malicious-code-linux

09. Hackers Exploit Qubole's Trusted AWS Access to Breach Customer Accounts and Steal Data

An attacker broke into AWS accounts belonging to multiple Qubole customers between October 14 and October 26 and stole stored secrets and data, cloud security company Wiz said today. The attacker used credentials for an AWS account that Qubole's platform

uses to reach those customers. How the attacker got those credentials has not been disclosed. Qubole, a…

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: https://thehackernews.com/2026/11/hackers-exploit-quboles-trusted-aws.html

10. Russian cloud firm Beget rebuilds from scratch after data wiper attack

A data-wiping malware attack has forced Russian cloud services provider Beget to rebuild its cloud infrastructure from scratch, the company said. […]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: https://www.bleepingcomputer.com/news/security/russian-cloud-firm-beget-rebuilds-from-scratch-after-data-wiper-attack/

Data Breach & Cybercrime (10)

01. US Treasury bans MEXC Global crypto exchange over sanctions evasion

The United States Department of the Treasury has severed the access of the MEXC Global cryptocurrency exchange to the American financial system due to its involvement in sanctions evasion and connections to cybercrime syndicates, as first reported by Bleeping Computer.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: https://www.scworld.com/brief/us-treasury-bans-mexc-global-crypto-exchange-over-sanctions-evasion

02. York University discloses data breach affecting departmental forms

In a report by Cyber Insider, York University disclosed a cybersecurity incident involving the unauthorized theft of personal information from various departmental online forms.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: https://www.scworld.com/brief/york-university-discloses-data-breach-affecting-departmental-forms

03. Claude Code settings files expose sensitive data on GitHub

Claude Code is leaking sensitive information on public GitHub repositories due to a flaw in how the tool manages local configuration settings, based on information published by Ars Technica.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: https://www.scworld.com/brief/claude-code-settings-files-expose-sensitive-data-on-github

04. Vanderbilt University hit in BYOD ransomware attack, data theft claimed

Vanderbilt University warns it is responding to a cyberattack claimed by the BYOD ransomware gang, which claims to have encrypted the university's databases and stolen sensitive student, employee, and research data. [...]

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: https://www.bleepingcomputer.com/news/security/vanderbilt-university-hit-in-byod-ransomware-attack-data-theft-claimed/

05. SEGA newsletter data breach exposes 2.2 million email addresses

Japanese gaming giant SEGA has disclosed that a data breach at its third-party newsletter provider, ARARA, exposed the email addresses of 2.2 million newsletter subscribers. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: https://www.bleepingcomputer.com/news/security/sega-newsletter-data-breach-exposes-22-million-email-addresses/

06. York University breach exposed personal information dating to 2007

York University has announced it suffered a cybersecurity incident in which a threat actor stole personal information people submitted through online forms. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: https://www.bleepingcomputer.com/news/security/york-university-breach-exposed-personal-information-dating-to-2007/

07. 9th November - Threat Intelligence Report

For the latest discoveries in cyber research for the week of 9th November, please download our Threat Intelligence Bulletin. TOP ATTACKS AND BREACHES Queens Public Library, a New York City public library system serving approximately 2.3 million residents,

was struck by a ransomware attack that encrypted its systems. The incident disrupted public computers,…

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: https://research.checkpoint.com/2026/9th-november-threat-intelligence-report/

08. Binance denies data breach after alleged ShinyHunters claims

Binance, the world's largest crypto exchange, has denied claims of a new security breach made by a threat actor using the 'ShinyHunters' handle on a newly emerged underground cybercrime forum. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: https://www.bleepingcomputer.com/news/security/binance-denies-data-breach-after-alleged-shinyhunters-claims/

09. ARTEX goes from pentesting tool to attacker staple in three months

A security researcher’s AI agent breached an internal sales application used by WorkOS’s go-to-market teams, the developer platform provider confirmed on Friday. “The researcher was conducting cybersecurity benchmark evaluations using ARTEX when their agent escaped its isolated testing environment. Its interaction with WorkOS was unintended,” WorkOS said. T…

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: https://www.helpnetsecurity.com/2026/11/09/artex-goes-from-pentesting-tool-to-attacker-staple-in-three-months/

10. FBI agent stole $2.5 million in crypto from hackers under investigation

A former FBI agent has pleaded guilty to stealing nearly $2.5 million from the wallets of fraud victims and nation-state hackers under investigation. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: https://www.bleepingcomputer.com/news/security/fbi-agent-stole-25-million-in-crypto-from-hackers-fraud-victims/