

Cybersecurity Daily Newsletter

Vol. 005 | 2026-09-10 09:00 WIB

Top 5 Highlights

- Novel Blue Moon kit targeting Chrome and Windows reflects new reality of AI-driven exploits
- Cisco confirms CVE-2026-20079 Secure FMC flaw exploited in attacks
- AdaptHealth confirms 4.1 million people exposed in July cyberattack
- Mythos Vulnerability Firehose Hits a Human Bottleneck
- MikroTik patches flaws currently being exploited to take over routers

Threat Intelligence (10)

01. AdaptHealth confirms 4.1 million people exposed in July cyberattack

Healthcare company AdaptHealth has confirmed that data of 4.1 million people was exposed in a cyberattack discovered in July that was attributed to the ShinyHunters threat group. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.bleepingcomputer.com/news/security/adapthealth-confirms-41-million-people-exposed-in-july-cyberattack/>

02. Researchers Build WeChat Zero-Click Worm Hijacking Phones via Calls

The hacking tool, built using a combination of AI models, is effective against Android and iOS devices

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.infosecurity-magazine.com/news/wechat-zeroclick-worm-hijack/>

03. ClickFix Moves into the Browser to Steal Cryptocurrency

ClickFix campaign uses browser-injected JavaScript and Google Sheets to steal cryptocurrency

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.infosecurity-magazine.com/news/clickfix-browser-cryptocurrency/>

04. US Agencies Warn China Is Systematically Extracting Frontier AI Capabilities

Distillation is an 'attack' against an AI model designed to capture outputs, understand reasoning processes, and subsequently train a different model. The post US Agencies Warn China Is Systematically Extracting Frontier AI Capabilities appeared first on SecurityWeek .

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.securityweek.com/us-agencies-warn-china-is-systematically-extracting-frontier-ai-capabilities/>

05. Untracked Nightmares: The Threats Hiding Behind Commodity Infrastructure

An investigation into how cybercriminals used YouTube gaming lures and SEO poisoning to deliver multi-payload malware to enterprise networks. The post Untracked Nightmares: The Threats Hiding Behind Commodity Infrastructure appeared first on Unit 42 .

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://unit42.paloaltonetworks.com/ppi-network-malware-campaign-analysis/>

06. [+24h Old] F5 BIG-IP APM Malware Injects a PHP Web Shell Into Memory, Evading Disk Scans

Malware linked to break-ins at F5 BIG-IP Access Policy Manager appliances hides a PHP web shell in memory instead of in a file on disk, Sophos said in an analysis published on September 7. When Apache loads any of the three appliances' own PHP scripts, the malware adds the web shell to the copy held in memory, so a check of the file on disk can come back cl...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://thehackernews.com/2026/09/f5-big-ip-apm-malware-injects-php-web.html>

07. [+24h Old] ISC Stormcast For Wednesday, September 9th, 2026 <https://isc.sans.edu/podcastdetail/10086>, (Wed, Sep 9th)

ISC Stormcast For Wednesday, September 9th, 2026

<https://isc.sans.edu/podcastdetail/10086>, (Wed, Sep 9th)

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://isc.sans.edu/diary/rss/33322>

08. [+24h Old] Attackers Use Multi-Hop Google Redirects for Phishing Campaign

Threat actors are abusing multiple Google services to evade detection, ultimately harvesting credentials or installing ScreenConnect remote access.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: <https://www.darkreading.com/cyberattacks-data-breaches/attackers-multi-hop-google-redirects-phishing-campaign>

09. [+24h Old] ClickFix Campaigns Abuse Legitimate Services for Persistent Access

Two separate attacks demonstrate how threat actors are finding new ways to compromise organizations by using the popular social engineering tactic.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources:

<https://www.darkreading.com/endpoint-security/clickfix-campaigns-legitimate-services-persistent-access>

10. [+24h Old] Reflectiz Launches Agentic Pentesting for Websites: Up to 10x Coverage vs Conventional Pentests

Specialized team of AI agents that discover, attack, and validate web vulnerabilities, leveraging pre-existing site context to eliminate noise and speed remediation. Reflectiz, the continuous web exposure management company, today launched a multi-agent penetration testing platform for websites. Multiple specialized AI agents discover, attack, and validate...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.csoononline.com/article/4219697/reflectiz-launches-agentic-pentesting-for-websites-up-to-10x-coverage-vs-conventional-pentests.html>

Latest Vulnerabilities (10)

01. Novel Blue Moon kit targeting Chrome and Windows reflects new reality of AI-driven exploits

Mind the patch gap, please and thank you

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.theregister.com/research/2026/09/09/novel-blue-moon-kit-targeting-chrome-and-windows-reflects-new-reality-of-ai-driven-exploits/5295399>

02. Cisco confirms CVE-2026-20079 Secure FMC flaw exploited in attacks

Cisco has confirmed that a maximum-severity authentication bypass vulnerability tracked as CVE-2026-20079 in its Secure Firewall Management Center (FMC) software is being actively exploited in attacks. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.bleepingcomputer.com/news/security/cisco-confirms-cve-2026-20079-secure-fmc-firmware-exploited-in-attacks/>

03. Mythos Vulnerability Firehose Hits a Human Bottleneck

An analysis of Project Glasswing findings shows only a fraction have reached disclosure, and an even smaller number have been fixed.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources:

<https://www.darkreading.com/application-security/mythos-vulnerability-firehose-hits-human-bottleneck>

04. MikroTik patches flaws currently being exploited to take over routers

Networking gear manufacturer MikroTik has released patches for six vulnerabilities in its RouterOS firmware, two of which can be chained together to take over devices without authentication over SSH. The exploit chain, dubbed MikroTrick, is already being used by attackers in the wild. The vulnerabilities, found by researchers from the CERT Polska, are local...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.csoonline.com/article/4220390/mikrotik-patches-flaws-currently-being-exploited-to-take-over-routers.html>

05. The state of AI for security: Measuring what matters most for building trust

Security teams are starting to actively use AI for security work, including vulnerability triage, penetration testing, threat modeling, incident response, and code review. The promise is speed, but a security tool that moves fast and raises too many false alarms doesn't save time. Engineers spend time on false alarms, on-call is noisier, and teams distrust...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://aws.amazon.com/blogs/security/the-state-of-ai-for-security-measuring-what-matters-most-for-building-trust/>

06. U.S. Disrupts Xinbi Guarantee Scam Marketplace, Freezes \$52.8 Million in Crypto

The U.S. Department of Justice (DoJ) on Wednesday announced coordinated actions aimed at an illicit online marketplace called Xinbi Guarantee that offered scam services, including seizing Telegram channels used to run the service, confiscating two cryptocurrency wallets, and deploying the Scam Center Strike Force to Madagascar to help disrupt 13 scam compou...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://thehackernews.com/2026/09/us-disrupts-xinbi-guarantee-scam.html>

07. Scans for Proxmox Servers, (Wed, Sep 9th)

About a week ago, Proxmox published an advisory revealing a vulnerability in older versions of Proxmox VE, its flagship Virtual Environment product. The vulnerability only affects version 7, which has not been supported for a couple of years now.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://isc.sans.edu/diary/rss/33324>

08. Serial Microsoft 0-day hunter drops yet another Defender exploit

A bypass of a bypass of a bypass

Why it matters: Publicly discussed 0-days often see rapid weaponization, increasing the risk of opportunistic attacks at scale.

Recommendation: Apply vendor guidance immediately, reduce attack surface, and monitor for IoCs/exploitation telemetry until patches are fully deployed.

Sources: <https://www.theregister.com/security/2026/09/09/serial-microsoft-0-day-hunter-drops-yet-another-defender-exploit/5295335>

09. AI Is Giving Lesser-Resourced Attackers Nation-State-Level Reach, Google Warns

Criminal and state-sponsored adversaries are increasingly using AI to automate and scale their attacks, according to GTIG. The post AI Is Giving Lesser-Resourced Attackers Nation-State-Level Reach, Google Warns appeared first on SecurityWeek .

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.securityweek.com/ai-is-giving-lesser-resourced-attackers-nation-state-level-reach-google-warns/>

10. Four Spy Groups Used the Same Chrome and Windows Exploit Kit Within a Week

Multiple espionage-motivated threat activity clusters have been found deploying a previously undocumented exploit kit called BlueMoon that chains together multiple vulnerabilities in Microsoft Windows and Google Chrome. The first in-the-wild use of BlueMoon has been attributed to the China-aligned state-sponsored group tracked as APT31 (aka Bronze Vinewood,...)

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://thehackernews.com/2026/09/four-spy-groups-used-same-chrome-and.html>

Data Breach & Cybercrime (10)

01. Veradigm warns of patient data breach after ransomware gang claims attack

Healthcare technology company Veradigm disclosed a data breach after a cybersecurity incident at one of its third-party vendors exposed patients' personal data. [...]

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: <https://www.bleepingcomputer.com/news/security/veradigm-discloses-patient-data-breach-after-gentlemen-gang-claims-attack/>

02. Gigabud Uses Android App Cloning to Evade Fraud Detection

Gigabud clones banking apps into a work profile to break the link between malware alerts and fraud

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.infosecurity-magazine.com/news/gigabud-android-app-cloning-fraud/>

03. Infostealer Logs Expose Replayable AI Tokens That Can Bypass MFA

Cybercriminals are hijacking artificial intelligence (AI) user accounts via information stealer logs to create "stolen keys" that grant illicit access to tools from model providers like Google, Anthropic, and others. Information stealers like Lumma Stealer or Vidar are equipped to harvest a wide range of data from compromised systems. This can include crede...

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://thehackernews.com/2026/09/infostealer-logs-expose-replayable-ai.html>

04. \$245 million in stolen crypto funded racketeering crew's lavish lifestyle

A 22-year-old man built his fortune by breaking into strangers' digital wallets, then spent it on nightclub tabs, private jets, and a fleet of cars worth millions. Malone Lam, a Singapore citizen, pleaded guilty this week in a Washington D.C. federal court to running a racketeering conspiracy that stole and laundered more than \$245 million in cryptocurrency...

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources:

<https://www.helpnetsecurity.com/2026/09/09/singapore-man-pleads-guilty-245-million-crypto-theft/>

05. SpyCloud 2026 Identity Threat Report Finds Non-Human Identities Are Now the Leading Path into the Enterprise

Ninety-five percent of organizations believe they have visibility into their AI and machine identity exposures, yet only 36% are actually monitoring them. SpyCloud, the leader in identity threat protection, today released its annual SpyCloud Identity Threat Report, a survey-based study finding that non-human identities (NHIs) - the AI agents, service acco...

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: <https://www.csoonline.com/article/4220209/spycloud-2026-identity-threat-report-finds-non-human-identities-are-now-the-leading-path-into-the-enterprise.html>

06. ShinyHunters claims Florida DMV breach, puts data on the clock

ShinyHunters is claiming to have broken into a Florida government database containing sensitive information on the state's drivers. The notorious extortion group said it has breached the Florida Department of Highway Safety and Motor Vehicles' Driver and Vehicle Information Database (DAVID) and claims to have stolen more than 200,000 records. As evidence, t...

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.csoonline.com/article/4220193/shinyhunters-claims-florida-dmv-breach-puts-data-on-the-clock.html>

07. This Key Will Self-Destruct: An Open Standard for Revocable API Keys

Every leaked credential should be dead, or dying, within sixty seconds of being found. Here's a proposal to make that the default. The post [This Key Will Self-Destruct: An Open Standard for Revocable API Keys](#) appeared first on SecurityWeek .

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources:

<https://www.securityweek.com/this-key-will-self-destruct-an-open-standard-for-revocable-api-keys/>

08. [+24h Old] Man gets 15 years for extorting women with AI-generated porn videos

An Ohio man was sentenced to 15 years in prison for multiple cybercrimes, including sextortion and cyberstalking of numerous victims using AI-generated sexually explicit content. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/man-gets-15-years-in-prison-for-cyberstalking-and-sextortion/>

09. [+24h Old] DoppelCart fraud network uses 119,000 fake shops to steal credit cards

A massive operation dubbed "DoppelCart" uses more than 119,000 domains to run a network of fake e-shops that steal payment card details. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/doppelcart-fraud-network-uses-119-000-fake-shops-to-steal-credit-cards/>

10. [+24h Old] BigBear phishing crew nets thousands of Microsoft 365 credentials

Researchers got inside the crooks' admin panel and found 5,137 stolen records tied to 461 organizations

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.theregister.com/security/2026/09/08/bigbear-phishing-crew-nets-thousands-of-microsoft-365-credentials/5294944>