

Cybersecurity Daily Newsletter

Vol. 001 | 2026-05-29 07:00 WIB

Top 5 Highlights

- GreyVibe hackers use ChatGPT, Gemini to power cyberattacks
- Troops' phones gave away location data to foreign adversaries
- BTMOB Android malware service generates custom phishing payloads
- CVE-2026-9645 | ScadaBR 1.2.0 os command injection (EUVD-2026-33028)
- CVE-2026-44655 | mantisbt Mantis Bug Tracker up to 2.28.1 Project Name cross site scripting (EUVD-2026-33025)

Threat Intelligence (10)

01. GreyVibe hackers use ChatGPT, Gemini to power cyberattacks

A likely Russian threat cluster tracked as GreyVibe has been targeting Ukrainian entities with AI-generated lures and a rich set of custom malware tools. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.bleepingcomputer.com/news/security/greyvibe-hackers-use-chatgpt-gemini-to-power-cyberattacks/>

02. BTMOB Android malware service generates custom phishing payloads

An Android remote access trojan named BTMOB is offered to cybercriminals with a builder interface for generating malware payloads tailored to phishing lures. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: <https://www.bleepingcomputer.com/news/security/btmob-android-malware-service-generates-custom-phishing-payloads/>

03. Linux Supply Chain How-To - PSW #928

Linux Supply Chain How-To - PSW #928

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Audit build pipelines, rotate CI/CD secrets, enforce package integrity controls, and review developer workstation hardening.

Sources: <https://www.scworld.com/podcast-segment/14956-linux-supply-chain-how-to-psw-928>

04. New BTMOB Android Malware Enables Full Device Takeover

Delivered via phishing lures, the malware combines financial theft with data exfiltration and remote access. The post New BTMOB Android Malware Enables Full Device Takeover appeared first on SecurityWeek .

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: <https://www.securityweek.com/new-btmob-android-malware-enables-full-device-takeover/>

05. GlassWorm falls, but the repo problem is far from solved

Taking down a sprawling malware operation once signaled progress in securing the open-source ecosystem. Now, it barely registers. The GlassWorm campaign disruption

comes at a moment when attackers can quickly reconstitute, and defenders are increasingly grappling with a new challenge: distinguishing real threats from automated noise. “I think coordinated ac...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Audit build pipelines, rotate CI/CD secrets, enforce package integrity controls, and review developer workstation hardening.

Sources: <https://www.csoonline.com/article/4178215/glassworm-falls-but-the-repo-problem-is-far-from-solved.html>

06. New Threat Actor Jinx-0164 Targets Crypto Developers on macOS

New actor Jinx-0164 hit crypto developers with fake recruiter lures and macOS malware

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.infosecurity-magazine.com/news/jinx-0164-crypto-developers-macos/>

07. Fake ChatGPT download site infects Windows and Mac users with malware

Searching for ChatGPT? This fake download site serves malware to both Windows and Mac users, using separate payloads tailored to each platform.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.malwarebytes.com/blog/threat-intel/2026/05/fake-chatgpt-download-site-infects-windows-and-mac-users-with-malware>

08. Download pumping: New npm deception technique for supply chain attacks

Learn how attackers exploit automated bot traffic as part of software supply chain attacks to artificially inflate download counters and mask malicious payloads as legitimate. Key takeaways Volume doesn't equal trust. Packages with numerous versions and high download counts might seem legitimate, but attackers can easily manipulate those metrics. Attackers...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Audit build pipelines, rotate CI/CD secrets, enforce package integrity controls, and review developer workstation hardening.

Sources:

<https://www.tenable.com/blog/how-cyberattackers-inflate-malicious-package-npm-download-counts>

09. BTMOB RAT Spreads Across Brazil, LatAm via MaaS Model

An advanced remote access Trojan is propagating online. Notably, it's delivered via an operator licensing model and features a no-code malware-development interface.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.darkreading.com/cyberattacks-data-breaches/btmob-rat-brazil-latam-maas-model>

10. JINX-0164 Targets Cryptocurrency Firms with Fake Recruiter Lures and macOS Malware

A new campaign orchestrated by a previously undocumented threat actor has targeted cryptocurrency organizations with an aim to facilitate digital asset theft using recruitment-themed social engineering and bespoke macOS malware. "These campaigns leveraged sophisticated social engineering techniques, custom macOS malware, and deep targeting of CI/CD infrastr..."

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://thehackernews.com/2026/05/jinx-0164-targets-cryptocurrency-firms.html>

Latest Vulnerabilities (10)

01. Troops' phones gave away location data to foreign adversaries

Lawmakers push DoD to tighten smartphone controls after adversaries exploited commercial tracking data

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.theregister.com/security/2026/05/28/troops-phones-leaked-location-data-to-foreign-adversaries/5248108>

02. CVE-2026-9645 | ScadaBR 1.2.0 os command injection (EUVD-2026-33028)

A vulnerability categorized as critical has been discovered in ScadaBR 1.2.0 . Affected is an unknown function. The manipulation results in os command injection. This vulnerability was named CVE-2026-9645 . The attack may be performed from remote. There is no available exploit.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://vuldb.com/vuln/366949>

03. CVE-2026-44655 | mantisbt Mantis Bug Tracker up to 2.28.1 Project Name cross site scripting (EUVD-2026-33025)

A vulnerability was found in mantisbt Mantis Bug Tracker up to 2.28.1 . It has been rated as problematic . This impacts an unknown function of the component Project Name Handler . The manipulation leads to cross site scripting. This vulnerability is uniquely identified as CVE-2026-44655...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://vuldb.com/vuln/366948>

04. CVE-2026-9646 | ScadaBR 1.2.0 URL cross site scripting (EUVD-2026-33029)

A vulnerability was found in ScadaBR 1.2.0 . It has been declared as problematic . This affects an unknown function of the component URL Handler . Executing a manipulation can lead to basic cross site scripting. This vulnerability is handled as CVE-2026-9646 . The attack can be executed remotely. There is not any exploit available.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://vuldb.com/vuln/366947>

05. CVE-2026-49093 | Elastic Kibana up to 9.3.2 Outbound Requests server-side request forgery (EUVD-2026-33035)

A vulnerability was found in Elastic Kibana up to 9.3.2 . It has been classified as critical . The impacted element is an unknown function of the component Outbound Requests Handler . Performing a manipulation results in server-side request forgery. This vulnerability is known as CVE-2026-49093...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://vuldb.com/vuln/366946>

06. CVE-2026-49095 | Elastic Kibana up to 8.19.15/9.3.4/9.4.1 Configuration input validation (EUVD-2026-33033)

A vulnerability was found in Elastic Kibana up to 8.19.15/9.3.4/9.4.1 and classified as problematic . The affected element is an unknown function of the component Configuration Handler . Such manipulation leads to improper input validation. This vulnerability is traded as CVE-2026-49095 . The attack may be launched remotely. There is no exploit available.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://vuldb.com/vuln/366945>

07. CVE-2026-42400 | Elastic Kibana up to 8.19.15/9.3.4/9.4.1 resource consumption

A vulnerability has been found in Elastic Kibana up to 8.19.15/9.3.4/9.4.1 and classified as problematic . Impacted is an unknown function. This manipulation causes resource consumption. This vulnerability appears as CVE-2026-42400 . The attack may be initiated remotely. There is no available exploit.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://vuldb.com/vuln/366944>

08. CVE-2026-42071 | mantisbt Mantis Bug Tracker up to 2.28.1 REST API Endpoint files mc_issue_attachment_get authorization (EUVD-2026-33027)

A vulnerability, which was classified as critical , was found in mantisbt Mantis Bug Tracker up to 2.28.1 . This issue affects the function mc_issue_attachment_get of the file /api/rest/issues/{id}/files of the component REST API Endpoint . The manipulation results in missing authorization. This vulnerability is reported as CVE-2026-42071...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://vuldb.com/vuln/366943>

09. CVE-2026-42070 | mantisbt Mantis Bug Tracker up to 2.28.1 Setting mc_issue_update authorization (EUVD-2026-33026)

A vulnerability, which was classified as critical , has been found in mantisbt Mantis Bug Tracker up to 2.28.1 . This vulnerability affects the function mc_issue_update of the component Setting Handler . The manipulation leads to incorrect authorization. This vulnerability is documented as CVE-2026-42070...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://vuldb.com/vuln/366942>

10. CVE-2026-49094 | Elastic Kibana up to 8.19.15 Management Endpoint resource consumption (EUVD-2026-33034)

A vulnerability classified as problematic was found in Elastic Kibana up to 8.19.15 . This affects an unknown part of the component Management Endpoint . Executing a manipulation can lead to resource consumption. This vulnerability is registered as CVE-2026-49094 . It is possible to launch the attack remotely. No exploit is available.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://vuldb.com/vuln/366941>

Data Breach & Cybercrime (10)

01. FBI warns of fake FIFA websites running World Cup fraud schemes

The FBI is warning of fake websites impersonating FIFA ahead of the 2026 World Cup, to steal personal and financial information, sell fake tickets and hospitality packages, and push other fraud related to the event. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/fbi-warns-of-fake-fifa-websites-running-world-cup-fraud-schemes/>

02. The Gentlemen ransomware: Dissecting a self-propagating Go encryptor

Microsoft Threat Intelligence presents a comprehensive analysis of The Gentlemen, a Go-based ransomware deployed by affiliates of Storm-2697 that combines per-file ephemeral key encryption with an aggressive self-propagation module to deploy itself across an entire network using series of simultaneous lateral movement techniques per target. The post The Gen...

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: <https://www.microsoft.com/en-us/security/blog/2026/05/28/the-gentlemen-ransomware-dissecting-a-self-propagating-go-encryptor/>

03. Man arrested in Netherlands for hacking Ajax football club

The suspect, apprehended in Buren, is believed to have repeatedly accessed Ajax's computer systems without authorization earlier this year.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.scworld.com/brief/man-arrested-in-netherlands-for-hacking-ajax-football-club>

04. Carnival Data Breach Exposed 6 Million People

Data breach leaves nearly 6 million Carnival customers navigating identity theft risks. The post Carnival Data Breach Exposed 6 Million People appeared first on SecurityWeek .

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.securityweek.com/carnival-data-breach-exposed-6-million-people/>

05. Cybercriminals sail away with data from 6 million Carnival customers

Carnival Corporation, one of the world's largest cruise operators, confirmed a data breach weeks after the ShinyHunters hacking group claimed it had stolen millions of customer records. Carnival acknowledged a phishing incident involving a single employee account and stated that it was investigating the scope of the unauthorized activity. "On April 14, 2026...

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.helpnetsecurity.com/2026/05/28/carnival-corporation-data-breach/>

06. ThreatsDay Bulletin: Claude Security Plugin, Azure Priv-Esc, Kali365 MFA Bypass, FIFA Scams +15 More

Every time you think the industry has finally stopped doing some reckless, low-effort crap, somebody spins up a fresh box full of sketchy loaders, fake installers, recycled social-engineering bait, and enough exposed infrastructure to make you wonder if prod is just a public beta now - meanwhile some researcher casually drops a technique that turns a "minor...

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://thehackernews.com/2026/05/threatsday-bulletin-claude-security.html>

07. Qumulo NeuralProtect uses AI to detect and stop ransomware before encryption

Qumulo has unveiled Qumulo NeuralProtect, a ransomware resilience solution built to protect data at the storage layer by detecting and stopping threats before data is encrypted, corrupted, or lost. Integrated directly into the Qumulo Data Platform, NeuralProtect inspects every file at the precise point-of-write using a series of AI-driven analysis models to...

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: <https://www.helpnetsecurity.com/2026/05/28/qumulo-neuralprotect-uses-ai-to-detect-and-stop-ransomware-before-encryption/>

08. Carnival confirms ShinyHunters cruised off with 6M customer records after April breach

Travel and leisure giant was just one of many victims of the cybercrooks' crime spree this year

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.theregister.com/cyber-crime/2026/05/28/carnival-shinyhunters-cruised-off-with-6m-customer-records/5247808>

09. Carnival confirms data breach impacting nearly 6 million

Cruise giant Carnival has suffered yet another data breach, with ShinyHunters claiming to have stolen personal data affecting nearly 6 million people.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.malwarebytes.com/blog/data-breaches/2026/05/carnival-confirms-data-breach-impacting-nearly-6-million>

10. Carnival Cruise confirms data breach affecting nearly 6 million people

Carnival Corporation, the world's largest cruise line operator, has confirmed a data breach affecting nearly 6 million people claimed by the ShinyHunters extortion gang in April 2026. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/carnival-cruise-confirms-data-breach-affecting-nearly-6-million-people/>