

Cybersecurity Daily Newsletter

Vol. 002 | 2026-06-13 07:00 WIB

Top 5 Highlights

- CISA gives agencies 3 days to patch maximum severity Ivanti vulnerability
- GreatXML zero-day BitLocker bypass doesn't seem to work, yet
- China-nexus group hid in Linux login system for nearly a decade
- 10-year-old phpBB vulnerability allows admin account takeover
- Novo Nordisk discloses data breach affecting patient and healthcare professional information

Threat Intelligence (10)

01. China-nexus group hid in Linux login system for nearly a decade

The group's operation, dubbed Operation Highland, involved backdooring the Pluggable Authentication Modules (PAM) and OpenSSH components, which are fundamental to user authentication on Linux systems.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.scworld.com/brief/china-nexus-group-hid-in-linux-login-system-for-nearly-a-decade>

02. Over 400 Arch Linux AUR Packages Hijacked to Deploy Infostealer and eBPF Rootkit

Attackers took over more than 400 packages in the Arch User Repository (AUR) this week and rewrote their build scripts to install a credential stealer on any machine that built them. The malware is a Rust binary built to harvest developer secrets. When it lands with root, it can also load an eBPF rootkit to hide itself. The AUR is Arch Linux's community pac...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://thehackernews.com/2026/06/over-400-arch-linux-aur-packages.html>

03. China-Linked Hackers Backdoored Linux Login Software to Hide for Nearly a Decade

Instead of hiding on the laptops and servers defenders watch most closely, a China-nexus group spent close to a decade hidden inside the Linux login system itself. Sygnia, which tracks the group as Velvet Ant, says it backdoored the PAM and OpenSSH components that decide who is allowed to sign in, planting its access where ordinary cleanup could not reach i...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://thehackernews.com/2026/06/china-linked-hackers-backdoored-linux.html>

04. Over 400 Arch Linux packages compromised to push rootkit, infostealer

More than 400 packages in the Arch User Repository (AUR) are distributing a Linux rootkit and infostealer malware targeting credentials and access tokens. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.bleepingcomputer.com/news/security/over-400-arch-linux-packages-compromised-to-push-rootkit-infostealer/>

05. Warrantless wiretaps cut off for a week following US Congress vote

Lawmakers have failed to extend a surveillance law that allows US intelligence agencies to monitor targets abroad without a warrant. Congress rejected a vote to extend Section 702 of the Foreign Intelligence Surveillance Act to July 2, which means, for a few days at least, some surveillance will be put on hold, for the first time since the Act was passed in...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.csoonline.com/article/4184603/warrantless-wiretaps-cut-off-for-a-week-following-u-s-congress-vote.html>

06. The Good, the Bad and the Ugly in Cybersecurity - Week 24

Authorities seize crypto-laundering network and fake recruitment sites, JDY botnet targets U.S. military, and Miasma worm infects Microsoft and PyPi repos.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.sentinelone.com/blog/the-good-the-bad-and-the-ugly-in-cybersecurity-week-24-7/>

07. GitHub to Update npm to Thwart Software Supply Chain Attacks

NPM, part of GitHub, announced a new version of the npm package manager with several security improvements, including disabling install scripts

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Audit build pipelines, rotate CI/CD secrets, enforce package integrity controls, and review developer workstation hardening.

Sources: <https://www.infosecurity-magazine.com/news/github-update-npm-supply-chain/>

08. ISC Stormcast For Friday, June 12th, 2026

<https://isc.sans.edu/podcastdetail/9970>, (Fri, Jun 12th)

ISC Stormcast For Friday, June 12th, 2026 <https://isc.sans.edu/podcastdetail/9970>, (Fri, Jun 12th)

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://isc.sans.edu/diary/rss/33074>

09. Rethinking MDR as Attackers and Defenders Embrace AI

For most of the past decade, managed detection and response was the answer to a real problem. Security teams couldn't staff around the clock, couldn't hire enough analysts, and needed someone else to handle the alert queue. MDR stepped in. It worked well enough. Until now. The threat landscape has changed faster than the MDR model can adapt. Attackers are u...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://thehackernews.com/2026/06/rethinking-mdr-as-attackers-and.html>

10. Cybercriminals are moving away from mass phishing campaigns

Phishing activity declined by roughly 20% in both 2024 and 2025, according to research from Zscaler's ThreatLabz team. The drop followed years of growth that pushed phishing activity above 2 billion hits in 2023. "Phishing volume measured by blocked emails is no longer a reliable proxy for phishing risk." Researchers found greater use of targeted phishing c...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: <https://www.helpnetsecurity.com/2026/06/12/zscaler-report-phishing-activity-trends/>

Latest Vulnerabilities (10)

01. CISA gives agencies 3 days to patch maximum severity Ivanti vulnerability

CISA's newest binding operational directive imposes short deadlines for the most severe flaws.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.scworld.com/news/cisa-gives-agencies-3-days-to-patch-maximum-severity-ivanti-vulnerability>

02. GreatXML zero-day BitLocker bypass doesn't seem to work, yet

A disgruntled researcher who has been publishing zero-day Microsoft Windows vulnerabilities for the past several months released a new exploit Thursday that promises to bypass BitLocker encryption on locked devices. A well respected security expert reported that the exploit doesn't work as initially described, but the researcher is looking for ways to fix i...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.csoononline.com/article/4184678/greatxml-zero-day-bitlocker-bypass-doesnt-seem-to-work-yet.html>

03. 10-year-old phpBB vulnerability allows admin account takeover

The vulnerability, introduced 10 years ago, affects all versions of the 3.x and 4.x release branches up to the specified versions.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.scworld.com/brief/10-year-old-phpbb-vulnerability-allows-admin-account-takeover>

04. phpBB forum fixes auth bypass bug lurking for a decade

A 10-year-old authentication bypass vulnerability discovered in the phpBB forum software allows an attacker to log in as any user, including administrators. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.bleepingcomputer.com/news/security/phpbb-forum-fixes-auth-bypass-bug-lurking-for-a-decade/>

05. Microsoft has mostly repaired flaw in Surface hardware that allowed unprotected devices to be bricked by a single packet

And it was Microsoft Copilot that unwittingly revealed the longstanding vulnerability

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.theregister.com/security/2026/06/12/microsoft-has-mostly-repaired-flaw-in-surface-hardware-that-allowed-unprotected-devices-to-be-bricked-by-a-single-packet/5253895>

06. Researchers release details, PoC for exploited Check Point VPN flaw (CVE-2026-50751)

WatchTowr researchers have disclosed a technical analysis and a “Detection Artefact Generator” for CVE-2026-50751, an authentication bypass flaw in Check Point’s Remote Access VPN and Mobile Access, which the vendor confirmed to be actively exploited. The attacks were limited, but with this information now public, a larger wave of opportunistic attacks may...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.helpnetsecurity.com/2026/06/12/cve-2026-50751-poc-exploit/>

07. Agentjacking Attack Tricks AI Coding Agents Into Running Malicious Code

Cybersecurity researchers have described what they say is a new class of attack that can trick artificial intelligence (AI) coding agents into running arbitrary code on developer machines. Called Agentjacking by Tenet Security, the attack can be triggered by means of a fake error report crafted using Sentry, an open-source error-tracking and performance-mon...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://thehackernews.com/2026/06/agentjacking-attack-tricks-ai-coding.html>

08. Prompt injection breaks today's AI agents, study warns

Today's AI web agents have no dependable defenses against prompt injection, according to new research showing that not a single attack scenario was consistently blocked across leading systems powered by GPT-5 and Gemini. The findings come from StakeBench, a stakeholder-centric benchmark developed by researchers from Nanyang Technological University, ST Engi...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources:

<https://www.csoononline.com/article/4184455/prompt-injection-breaks-todays-ai-agents-study-warns.html>

09. LangGraph Flaw Chain Exposes Self-Hosted AI Agents to Remote Code Execution

Cybersecurity researchers have disclosed details of three now-patched security flaws impacting LangGraph, including a critical vulnerability chain that could result in remote code execution. LangGraph is an open-source framework created by LangChain to build complex, stateful, and multi-agent artificial intelligence (AI) agentic applications. "An SQL inject...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://thehackernews.com/2026/06/langgraph-flaw-chain-exposes-self.html>

10. Ivanti Sentry Exploitation Attempts Hitting Honeypots

The critical-severity OS command injection vulnerability allows attackers to execute arbitrary code with root privileges. The post Ivanti Sentry Exploitation Attempts Hitting Honeypots appeared first on SecurityWeek .

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.securityweek.com/ivanti-sentry-exploitation-attempts-hitting-honeypots/>

Data Breach & Cybercrime (10)

01. Novo Nordisk discloses data breach affecting patient and healthcare professional information

Attackers gained access to Novo Nordisk's internal IT systems, copying non-public data without authorization.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.scworld.com/brief/novo-nordisk-discloses-data-breach-affecting-patient-and-health-care-professional-information>

02. Maine disables data breach notification portal after fake disclosures

Maine has taken its public data breach reporting portal offline after fraudulent breach disclosures were published on the state's website, prompting a review of procedures to prevent abuse in the future. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/maine-disables-data-breach-notification-portal-after-fake-disclosures/>

03. Google Sues Chinese Smishing Network Accused of Using Gemini AI in Phishing

Google on Friday said it's pursuing legal action against a Chinese cybercrime network, accusing it of using its Gemini artificial intelligence (AI) agent to send phishing text messages targeting Americans. The network is said to be behind the development and management of a phishing-as-a-service (PhaaS) software kit called Outsider, per the tech giant. "The...

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://thehackernews.com/2026/06/google-sues-chinese-smishing-network.html>

04. Ukrainian national pleads guilty to role in Conti ransomware operation

A Ukrainian national extradited from Ireland to the United States last year has pleaded guilty to conspiracy charges tied to the Conti ransomware operation. [...]

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: <https://www.bleepingcomputer.com/news/security/ukrainian-national-pleads-guilty-to-role-in-conti-ransomware-operation/>

05. French government's secure messaging system breached

An intruder has breached the French government's encrypted messaging service, Tchap, showing once again that human error is a weak spot in any security system. Tchap was developed in France as an example of national sovereignty and was designed to be a more secure option than WhatsApp for communication between government employees. In this case, it wasn't t...

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.csoonline.com/article/4184576/french-governments-secure-messaging-system-breached.html>

06. Stolen iPhones could soon be worth a lot less to thieves

Apple and the Met Police are working together to make stolen iPhones harder to reset, resell, and profit from.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.malwarebytes.com/blog/mobile/2026/06/stolen-iphones-could-soon-be-worth-a-lot-less-to-thieves>

07. Early Warning Signs of Supply-Chain Attacks Live in the Dark Web

GitHub access sales, leaked repositories, and stolen API keys can all become supply-chain attack footholds. Flare explores how underground forums expose early signals tied to software supply-chain risk. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/early-warning-signs-of-supply-chain-attacks-live-in-the-dark-web/>

08. Ransomware Payment Crypto Laundering Platform Taken Out by FBI and Europol

Domain of dark web money laundering platform AudiA6 seized and suspects arrested in joint operation by the FBI, Europol and others

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: <https://www.infosecurity-magazine.com/news/ransomware-crypto-laundering/>

09. Novo Nordisk reports cyberattack as UK gives Wegovy pill the nod

Clinical trial participant data stolen, but pharma giant says exposed records were pseudonymized

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.theregister.com/security/2026/06/12/novo-nordisk-says-hackers-stole-clinical-trial-data/5254812>

10. Google sues China-based scammers over Gemini AI abuse

Google has filed a lawsuit against Outsider Enterprise, a China-based cybercrime network for using AI tools, including Gemini, to build phishing websites and scam infrastructure. The company said the operation has affected “hundreds of thousands of victims,” with losses estimated in the millions of dollars. It also links the group to more than 9,000 fake we...

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.helpnetsecurity.com/2026/06/12/google-china-based-cybercrime-network-lawsuit/>