

Cybersecurity Daily Newsletter

Vol. 003 | 2026-07-08 17:00 WIB

Top 5 Highlights

- ISC Stormcast For Wednesday, July 8th, 2026 <https://isc.sans.edu/podcastdetail/9998>, (Wed, Jul 8th)
- ClickFix to Cash-Out: Anatomy of a Mexican Banking-Fraud Toolkit
- Accenture confirms breach after hacker offers stolen data for sale
- Vidar Stealer Unmasked: Code Signing Abuse, Go Loaders and File Inflation
- 16-year-old KVM flaw allows attackers to escape VMs and take over Linux servers

Threat Intelligence (10)

01. ISC Stormcast For Wednesday, July 8th, 2026

<https://isc.sans.edu/podcastdetail/9998>, (Wed, Jul 8th)

ISC Stormcast For Wednesday, July 8th, 2026 <https://isc.sans.edu/podcastdetail/9998>, (Wed, Jul 8th)

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://isc.sans.edu/diary/rss/33136>

02. Vidar Stealer Unmasked: Code Signing Abuse, Go Loaders and File Inflation

A cybercrime campaign combined a loader-as-a-service framework and DLL sideloading via a Go-compiled fake MpClient.dll, a novel evasion layer combination. The post Vidar Stealer Unmasked: Code Signing Abuse, Go Loaders and File Inflation appeared first on Unit 42 .

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://unit42.paloaltonetworks.com/vidar-stealer-xmrig-miner-campaign-analysis/>

03. Watch out for fake support calls in Microsoft Teams

Palo Alto Networks' security division, Unit 42, is warning of yet another campaign targeting Microsoft Teams users . The new campaign begins with Teams users receiving an email asking if they would like to participate in a survey. If they open the attached PDF file, they will shortly thereafter receive a voice call purporting to be from Microsoft Support. T...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources:

<https://www.csoonline.com/article/4194026/watch-out-for-fake-support-calls-in-microsoft-teams.html>

04. Big Brand Jobs Scam Targets Marketing Pros' Google Accounts

The phishing campaign uses several tactics, including nested redirects, to evade detection and steal credentials from unsuspecting targets.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: <https://www.darkreading.com/cyberattacks-data-breaches/big-brand-jobs-scam-marketing-pros-google-accounts>

05. More Odd DNS Records: NIMLOC, (Tue, Jul 7th)

Yesterday, I talked about NAPTR records and how they are related to RCS. But there is another "odd" record that shows up in my DNS logs. This one isn't new, but I don't think I ever covered it: NIMLOC. At least that is what Zeek calls it. But let's see what it is all about.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://isc.sans.edu/diary/rss/33128>

06. Hidden backdoor in Tenda router firmware grants admin access

A hidden authentication backdoor has been found in multiple Tenda router firmware versions, potentially allowing an attacker to gain administrative access to the device's web management panel. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.bleepingcomputer.com/news/security/hidden-backdoor-in-tenda-router-firmware-grants-admin-access/>

07. CAI cloud worm gives competitors' malware the boot, then steals secrets and mines for coin

Dog-eat-dog world for credential-stealing attackers

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.theregister.com/cyber-crime/2026/07/07/cai-cloud-worm-gives-competitors-malware-the-boot-then-steals-secrets-and-mines-for-coin/5267856>

08. RedWing MaaS Packages Android Bank Fraud as a Telegram Rental Service

A new Android malware operation called RedWing is being rented out on Telegram as a ready-made bank-fraud service. It lets even low-skill criminals take over a victim's phone, steal their banking logins, and capture the one-time codes that protect their accounts. Zimperium's zLabs, which found the operation, says it looks like a new variant of Oblivion, a \$...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://thehackernews.com/2026/07/redwing-maas-packages-android-bank.html>

09. Predatorgate snoopfest victims launch €8M sueball at spyware maker

Greek lawsuit comes as rights campaigners lobby the EU to take firmer stance on spyware abuses

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.theregister.com/security/2026/07/07/predatorgate-victims-launch-8m-sueball-at-spyware-maker/5267766>

10. DEBULL Tooling Abuses Microsoft Device-Code Flow to Target M365 Accounts

A Microsoft 365 device code phishing campaign has been observed leveraging collaboration-themed lures to take control of victim accounts between the last week of June 2026 and into early July, per findings from ZeroBEC. "The campaign did not depend on a fake Microsoft password page. It used a malicious collaboration-style lure to push users into the legitim...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: <https://thehackernews.com/2026/07/debull-tooling-abuses-microsoft-device.html>

Latest Vulnerabilities (10)

01. 16-year-old KVM flaw allows attackers to escape VMs and take over Linux servers

A critical vulnerability in the Kernel-based Virtual Machine (KVM) module of the Linux kernel allows attackers with root access in a guest VM to execute arbitrary code on the host system. This violates the most important security boundary that cloud providers and enterprises rely on to isolate sensitive processes on servers. The vulnerability, tracked as CV...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.csoonline.com/article/4194085/16-year-old-kvm-flaw-allows-attackers-to-escape-vm-and-take-over-linux-servers.html>

02. Chinese hackers develop LONGLEASH malware to expand ORB network

Chinese hackers tracked as 'UAT-7810' are actively evolving their malware to expand their Operational Relay Box (ORB) network by compromising internet-facing networking devices, primarily unpatched Ruckus routers. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.bleepingcomputer.com/news/security/chinese-hackers-develop-longleash-malware-to-expand-orb-network/>

03. OMB M-26-14: Why federal agencies must fix asset visibility first

The new OMB logging directive raises the bar on log collection and explicitly ties every maturity milestone to how well agencies know what's on their networks. Learn why asset visibility is the first problem to solve. Key takeaways M-26-14 rescinds M-21-31 and replaces blanket data-retention mandates with a five-element logging maturity model (levels 0-4) t...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.tenable.com/blog/omb-m-26-14-asset-visibility-logging-maturity-model-compliance>

04. Enforce zero data retention on Amazon Bedrock with Bedrock Projects and service control policies

With the introduction of models that require data sharing with third-party providers-such as Claude Fable 5-organizations need a way to centrally enforce data retention policies. Amazon Bedrock gives you control over whether your prompts and model outputs are retained after an inference request completes. You might need a way to enforce your retention setti...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://aws.amazon.com/blogs/security/enforce-zero-data-retention-on-amazon-bedrock-with-bedrock-projects-and-service-control-policies/>

05. Critical Gitea Flaw Under Active Exploitation, Researchers Warn

Attackers are exploiting the critical Gitea vulnerability CVE-2026-20896 to bypass authentication with a single HTTP header and access vulnerable repositories and secrets. The post Critical Gitea Flaw Under Active Exploitation, Researchers Warn appeared first on SecurityWeek .

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.securityweek.com/critical-gitea-flaw-under-active-exploitation-researchers-warn/>

06. Suspected Chinese Threat Group Targets Universities via Vulnerable Roundcube Servers

A suspected Chinese threat cluster is exploiting Roundcube vulnerabilities to compromise university networks in the US and Canada and harvest user credentials

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.infosecurity-magazine.com/news/china-aligned-cluster-roundcube/>

07. New TrojPix technique uses screen pixels to exfiltrate data from air-gapped computers

The TrojPix technique, developed by Shandong University researchers, exploits the video cable to radiate faint radio signals that can be captured by a nearby receiver.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.scworld.com/brief/new-trojpix-technique-uses-screen-pixels-to-exfiltrate-data-from-air-gapped-computers>

08. Picus Autonomous Exposure Validation Platform validates real-world CVE exploitability

Picus Security has launched the Picus Autonomous Exposure Validation Platform, built for a world where frontier AI has collapsed the time between disclosure and attack.

Adversaries now weaponize new CVEs in hours, against a backdrop of around 132 published every day. A CVE drops; it is rated 9.8. Leadership asks, “Are we exposed?” and most teams cannot say...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.helpnetsecurity.com/2026/07/07/picus-autonomous-exposure-validation-platform-validates-real-world-cve-exploitability/>

09. Writer AI Flaw Could Let Agent Previews Leak Session Tokens Across Tenants

Cybersecurity researchers have disclosed details of a now-patched critical session isolation vulnerability in Writer, an enterprise generative artificial intelligence (AI) platform, that could result in cross-tenant compromise. The one-click vulnerability has

been codenamed WriteOut by the Sand Security Research team. "An outsider could go from having no ac...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://thehackernews.com/2026/07/writer-ai-flaw-could-let-agent-previews.html>

10. Commvault measures cyber recovery readiness with AI attack simulations

Commvault has announced Commvault Minutes to Recovery, a scenario-driven cyber resilience simulation that lets participants act as a hacker and run their own attacks using frontier AI tools. Then, participants are challenged to defend against and recover from an incident under pressure to test their resilience against these AI-driven cyberattacks. The windo...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.helpnetsecurity.com/2026/07/07/commvault-measures-cyber-recovery-readiness-with-ai-attack-simulations/>

Data Breach & Cybercrime (10)

01. ClickFix to Cash-Out: Anatomy of a Mexican Banking-Fraud Toolkit

Elastic Security Labs tracks REF6045, an active operator-assisted banking fraud operation targeting customers of Mexican banks, fintech, payment processors, and cryptocurrency exchanges.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.elastic.co/security-labs/mexican-banking-fraud-scmbanker-ref6045>

02. Accenture confirms breach after hacker offers stolen data for sale

IT services giant Accenture has confirmed it suffered a security breach after a threat actor claimed to have stolen 35 GB of source code and other data from the company. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/accenture-confirms-breach-after-hacker-offers-stolen-data-for-sale/>

03. GitHub AI agent leaks private repos when asked nicely

Per usual, there's no fix - or even any documentation - for GitLost

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.theregister.com/security/2026/07/07/github-ai-agent-leaks-private-repos-when-asked-nicely/5267924>

04. How the Reddit and Discord false report scam steals accounts

Scammers are tricking Reddit and Discord users into handing over login codes by claiming they were involved in a false report.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.malwarebytes.com/blog/threat-intel/2026/07/how-the-reddit-and-discord-false-report-scam-steals-accounts>

05. County Government Reportedly Paid \$1 Million to Cyber Extortion Group

The alleged victim, believed to be a small Ohio county, reportedly paid the extortion group to prevent the public release of sensitive stolen data. The post County Government Reportedly Paid \$1 Million to Cyber Extortion Group appeared first on SecurityWeek .

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources:

<https://www.securityweek.com/county-government-reportedly-paid-1-million-to-cyber-extortion-group/>

06. 'GitLost' Flaw Leaks Private Data From GitHub's Agentic Workflows

The flaw allows an unauthenticated attacker to craft a GitHub Issue in an org's public repository and then silently pull data from its private repos, too.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.darkreading.com/cyber-risk/gitlost-leaks-private-data-github-agentic-workflows>

07. Spain arrests suspected member of pro-Russian hacktivist groups

The National Police in Spain have arrested a man who is suspected of being an active member of the CyberArmy of Russia Reborn (CARR) and Z-Pentest, both pro-Russian hacktivist groups. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/spain-arrests-suspected-member-of-pro-russian-hacktivist-groups/>

08. Public GitHub Issue Could Trick GitHub Agentic Workflows Into Leaking Private Repo Data

A public issue can trick GitHub Agentic Workflows into leaking the contents of an organization's private repositories, researchers at Noma Security have shown. The attacker needs only to open a normal-looking issue on a public repository, with no stolen credentials and no access to the organization. If that organization has given the agent read access across...

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://thehackernews.com/2026/07/public-github-issue-could-trick-github.html>

09. Scattered Spider's Structure More Like a Cybercrime Collective Than a Unified Gang

Group-IB analysis argued Scattered Spider is a decentralized collective of independent clusters

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.infosecurity-magazine.com/news/scattered-spider-as-cybercrime/>

10. Suspected pro-Russia hacktivist arrested in Spain with FBI support

The arrest is a component of Operation Riptide, an international initiative focused on disrupting malicious cyber activity and holding perpetrators accountable.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources:

<https://www.scworld.com/brief/suspected-pro-russia-hacktivist-arrested-in-spain-with-fbi-support>