

Cybersecurity Daily Newsletter

Vol. 002 | 2026-06-17 07:00 WIB

Top 5 Highlights

- Fileless Phantom Stealer Targets Browser Credentials
- SprySOCKS Windows Variant Abuses Kernel Drivers to Evade Detection
- New ROKAROLLA Android malware targets 217 banking, crypto apps
- Steam Workshop abused to spread malware via Wallpaper Engine app
- Threat tactic spotlight: Subdomain takeover

Threat Intelligence (10)

01. Fileless Phantom Stealer Targets Browser Credentials

In addition to executing entirely in memory, the malware's infection chain incorporates other anti-analysis techniques designed to frustrate detection.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.darkreading.com/cyberattacks-data-breaches/fileless-phantom-stealer-targets-browser-credentials>

02. SprySOCKS Windows Variant Abuses Kernel Drivers to Evade Detection

FishMonger, a China-nexus threat group, has deployed an undocumented version of the Linux backdoor against government targets in Honduras, Taiwan, Thailand, and Pakistan.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.darkreading.com/threat-intelligence/sprysocks-windows-variant-kernel-drivers>

03. New Rokarolla Android malware targets 217 banking, crypto apps

A new Android banking trojan named Rokarolla is targeting 217 banking and cryptocurrency applications using an extensive set of 137 commands. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.bleepingcomputer.com/news/security/new-rokarolla-android-malware-targets-217-banking-crypto-apps/>

04. Steam Workshop abused to spread malware via Wallpaper Engine app

Threat actors are abusing Steam Workshop, Valve's community hub for downloading game-related content, to push various malware hidden in wallpaper packages. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.bleepingcomputer.com/news/security/steam-workshop-abused-to-spread-malware-via-wallpaper-engine-app/>

05. Rokarolla Android Trojan Levels Up to Full Device Control, Persistence

The emerging malware, spread via fake TikTok and Chrome downloads, demonstrates an evolution by combining banking fraud with extensive device surveillance and remote control.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.darkreading.com/endpoint-security/rokarolla-android-trojan>

06. GhostTree Attack Abused Recursive Windows Junctions to Hide Malware

GhostTree uses recursive NTFS junctions to generate vast numbers of valid Windows file paths. Varonis explains how the technique could cause Microsoft Defender folder scans to never complete, leaving malware undetected. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.bleepingcomputer.com/news/security/ghosttree-attack-abused-recursive-windows-junctions-to-hide-malware/>

07. China-linked hackers target US, Canada research using legacy REDCap exploits

Google is warning of a cyber espionage campaign linked to a China-nexus threat actor, UNC6508, that kept close tabs on valuable US and Canadian research environments for over a year. The campaign abused REDCap, a widely adopted platform for collecting and managing research data. Attackers, now disrupted, intercepted REDCap's upgrade process to inject persis...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: <https://www.csoonline.com/article/4185582/china-linked-hackers-target-us-canada-research-using-legacy-redcap-exploits.html>

08. Ransomware gang abuses Microsoft Teams relays to hide malicious traffic

DragonForce ransomware used a custom malware named 'Backdoor.Turn' to hide command-and-control traffic inside Microsoft Teams relay infrastructure. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.bleepingcomputer.com/news/security/ransomware-gang-abuses-microsoft-teams-relays-to-hide-malicious-traffic/>

09. The New Standard for URL Analysis: Closing Phishing Blind Spots with In-Browser Data Inspection

Modern URL phishing relies on dynamic pages, credential harvesting flows, client-side scripts, and layered redirect chains. But most SOC workflows are still built around static analysis, making them blind to most of these tactics. ANY.RUN changes this forever with in-browser data inspection. The new technology takes URL analysis to the next level by bringin...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: <https://any.run/cybersecurity-blog/in-browser-data-inspection/>

10. Windows version of SprySOCKS Linux malware used to attack govt orgs

Windows variants for the SprySOCKS Linux malware have been used in attacks targeting government organizations in at least four countries. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.bleepingcomputer.com/news/security/windows-version-of-sprysocks-linux-malware-used-to-attack-govt-orgs/>

Latest Vulnerabilities (10)

01. Threat tactic spotlight: Subdomain takeover

In this blog post you'll learn how to detect and prevent subdomain takeover - a tactic where threat actors exploit dangling DNS records to redirect traffic to attacker-controlled resources. We'll explain the issue, how the situation arises, and how you can use various AWS features and services to help mitigate the impact of this tactic. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://aws.amazon.com/blogs/security/threat-tactic-spotlight-subdomain-takeover/>

02. CISA warns of another cPanel plugin flaw exploited in attacks

The U.S. Cybersecurity and Infrastructure Security Agency (CISA) has given U.S. government agencies three days to secure their servers against an actively exploited vulnerability (CVE-2026-54420) in the LiteSpeed cPanel user-end plugin. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.bleepingcomputer.com/news/security/cisa-warns-of-another-actively-exploited-cpanel-plugin-flaw/>

03. Cisco patches SD-WAN flaw amid evidence of active exploitation

Cisco has released fixes for a vulnerability in its Catalyst SD-WAN Manager software after becoming aware of limited exploitation of the flaw, which could allow an authenticated attacker to create or overwrite files that may later be used to gain root privileges. The vulnerability, tracked as CVE-2026 - 20262 , affects the web interface of Cisco Catalyst SD...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.csoonline.com/article/4185525/cisco-sd-wan-flaw-puts-spotlight-on-enterprise-management-plane-risk.html>

04. Critical Fortinet FortiSandbox flaws now exploited in attacks

Attackers are now exploiting several critical vulnerabilities in Fortinet's FortiSandbox cyber threat detection platform, according to threat intelligence company Defused. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.bleepingcomputer.com/news/security/critical-fortinet-fortisandbox-flaws-now-exploited-in-attacks/>

05. Zero trust isn't broken. Most companies just do it wrong.

Zero trust is 15 years old, and like many teenagers, it can feel misunderstood and underappreciated. The concept of zero trust was first defined by John Kindervag , a Forrester analyst at the time, as a strategy to replace the outmoded perimeter security model with a "never trust, always verify" approach. But going from principle to practice isn't easy. Acc...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.csoonline.com/article/4181934/zero-trust-isnt-broken-but-most-companies-are-doing-it-wrong-2.html>

06. [+24h Old] SimpleHelp bug lets hackers create rogue remote support accounts

A vulnerability in the SimpleHelp remote management software allows unauthenticated attackers to create privileged technician accounts on servers using the OpenID Connect

(OIDC) authentication protocol. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.bleepingcomputer.com/news/security/simplehelp-bug-lets-hackers-create-rogue-remote-support-accounts/>

07. [+24h Old] HTTP/2 Bomb Attacks Put Telcos, Healthcare Orgs at Risk

The denial-of-service (DoS) exploit takes advantage of two features in HTTP/2 that were designed to save Internet bandwidth, not power massive amplification attacks.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.darkreading.com/vulnerabilities-threats/http-2-bomb-attacks-telcos-healthcare>

08. [+24h Old] Copilot 'SearchLeak' Attack Allows 1-Click Data Theft

The critical, three-stage attack is now patched, but it's part of a new group of AI prompt-injection issues that use hidden URLs and other variables.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.darkreading.com/application-security/copilot-searchleak-attack-1-click-data-theft>

09. [+24h Old] Cisco fixes SD-WAN vManage flaw exploited in zero-day attacks

Cisco has released security updates to address a vulnerability in the Catalyst SD-WAN Manager, tracked as CVE-2026-20262, that was exploited in attacks to escalate to root privileges. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.bleepingcomputer.com/news/security/cisco-fixes-sd-wan-vmanage-flaw-exploited-in-zero-day-attacks/>

10. [+24h Old] Langflow RCE under active attack months after a patch was shipped

Enterprises using the open-source AI orchestration platform Langflow are being urged to patch a high-severity path traversal flaw amid active exploitation, despite a fix having been available for more than two months. The bug, which stems from improper handling of filenames in Langflow's file upload functionality, can allow attackers to write files to arbit...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.csoononline.com/article/4185063/langflow-rce-under-active-attack-months-after-a-patch-was-shipped.html>

Data Breach & Cybercrime (10)

01. 'Lorem Ipsum' Malware Pivots to ClickFix Delivery

New analysis shows the campaign, which uses compromised WordPress sites, may be linked to the ransomware and data extortion group Vice Society.

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources:

<https://www.darkreading.com/cyberattacks-data-breaches/lorem-ipsum-malware-clickfix-delivery>

02. UK to require ID or face scan before you can make social media accounts

Opening a new social media account in the UK will soon mean proving you're over 16 with an ID upload or a facial age scan, under a government ban on under-16s taking effect in spring 2027. Security experts warn the age checks are easy to circumvent and create new data-breach risks. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/uk-to-require-id-or-face-scan-before-you-can-make-social-media-accounts/>

03. FTC warns of record \$3.5 billion losses to imposter scams in 2025

The U.S. Federal Trade Commission (FTC) warned that Americans lost \$3.5 billion to imposter scams in 2025, with reported losses nearly tripling since 2020. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/ftc-warns-of-record-35-billion-losses-to-imposter-scams-in-2025/>

04. iRhythm discloses data breach, says hackers stole patient info

Digital healthcare company iRhythm Holdings has disclosed a data breach after hackers stole patients' personal and health information stored on third-party-hosted business

applications. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/irhythm-discloses-data-breach-says-hackers-stole-patient-info/>

05. [+24h Old] China-Nexus Actor Spies on US Researchers Undetected for a Year

Google discovered and disrupted the sprawling campaign, which stole RedCAP credentials to breach numerous institutions and exfiltrate sensitive data.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.darkreading.com/threat-intelligence/china-nexus-actor-us-researchers-undetected>

06. [+24h Old] 15th June - Threat Intelligence Report

For the latest discoveries in cyber research for the week of 15th June, please download our Threat Intelligence Bulletin. TOP ATTACKS AND BREACHES The University of Nottingham, a UK research university, has suffered a data breach after ShinyHunters accessed its student records system. The incident affected about 454,600 current and former students and expos...

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://research.checkpoint.com/2026/15th-june-threat-intelligence-report/>

07. [+24h Old] Governing the ghost workforce

Every enterprise security team is fighting a workforce problem they cannot see on any org chart. Bots, service accounts, API keys, OAuth tokens, machine certificates - non-human identities now outnumber human ones in most large organisations, often by a factor of ten to one. They authenticate constantly, operate across every environment, and when forgotten,...

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.csoonline.com/article/4184637/governing-the-ghost-workforce.html>

08. [+24h Old] 5 runtime signals for catching a compromised AI agent

In June 2025, Simon Willison, the engineer who coined the term “prompt injection,” published a warning that circulated widely through the security community. He called it the lethal trifecta - three capabilities that, when combined in a single AI agent, create a near-guaranteed path to exploitation through indirect prompt injection: access to private data;...

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources:

<https://www.csoonline.com/article/4184681/5-runtime-signals-for-catching-a-compromised-ai-agent.html>

09. [+24h Old] Council of Europe investigates ShinyHunters data breach claims

The Council of Europe, the continent's oldest intergovernmental body, is probing claims of a data breach made by the ShinyHunters extortion group over the weekend. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/council-of-europe-investigates-shinyhunters-data-breach-claims/>

10. [+24h Old] FBI: Fraudsters use couriers to steal money in crypto scams

The U.S. Federal Bureau of Investigation (FBI) warned that criminals are using couriers to collect money from victims of cryptocurrency investment scams, also known as pig butchering or romance baiting. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/fbi-fraudsters-use-couriers-to-steal-money-in-crypto-scams/>