

Cybersecurity Daily Newsletter

Vol. 004 | 2026-08-15 09:00 WIB

Top 5 Highlights

- Ready for the flood: How exposure management prepares you for the Mythos vulnerability onslaught
- Trezor confirms shipping partner data breach affecting over 13,000 customers
- MacOS screen sharing vulnerability actively exploited for crypto mining
- ExfilSquad data extortion group linked to 13 victim data leaks
- ShinyHunters group claims responsibility for RingCentral data breach

Threat Intelligence (10)

01. AI-driven energy buildout raises cybersecurity, supply chain risks

AI-driven energy growth brings new cyber and supply chain risks to critical infrastructure.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Audit build pipelines, rotate CI/CD secrets, enforce package integrity controls, and review developer workstation hardening.

Sources:

<https://www.scworld.com/analysis/ai-driven-energy-buildout-raises-cybersecurity-supply-chain-risks>

02. New Mirai-Based Linux Botnet 'Evooo1Bot' Turns Victims Into Proxies

Evooo1Bot is a newly observed botnet based on the Mirai framework but equipped with advanced features, turning edge devices into persistent proxies

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.infosecurity-magazine.com/news/new-linux-botnet-evooo1bot-victims/>

03. New Android malware relays bank cards to fraudsters while victims still hold them

Group-IB researchers discovered WindRelay, a new Android malware built to capture live payment card data over NFC (Near Field Communication) and relay it to attackers in real time. WindRelay is paired with the SpyNote remote access trojan, which gives attackers remote access to a victim's device. Attack chain overview (Source: Group-IB) How the scam unfolds...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.helpnetsecurity.com/2026/08/14/windrelay-android-nfc-relay-malware/>

04. Novel macOS Infostealer AmnesiaStealer Spread via ClickFix

AmnesiaStealer contains novel functions, including the attackers gaining remote control over the victim's browser to steal cookie data

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.infosecurity-magazine.com/news/macOS-infostealer-spread-clickfix/>

05. [+24h Old] APT group HoneyMyte upgrades CoolClient: the backdoor gets a kernel-level Windows rootkit

Our experts discovered a new CoolClient backdoor variant with a kernel-mode rootkit driver that hides malicious processes, files, and network connections from security tools and threat analysts.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://securelist.com/honeymyte-coolclient-driver-rootkit/121028/>

06. [+24h Old] AmnesiaStealer macOS Malware Steals Data, Controls Browser Sessions

The Rust-based macOS infostealer harvests users' passwords, keychain information, Chromium-based browser data, and Safari cookies. The post AmnesiaStealer macOS Malware Steals Data, Controls Browser Sessions appeared first on SecurityWeek .

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources:

<https://www.securityweek.com/amnesiatealer-macos-malware-steals-data-controls-browser-sessions/>

07. [+24h Old] ISC Stormcast For Friday, August 14th, 2026

<https://isc.sans.edu/podcastdetail/10052>, (Fri, Aug 14th)

ISC Stormcast For Friday, August 14th, 2026 <https://isc.sans.edu/podcastdetail/10052>, (Fri, Aug 14th)

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://isc.sans.edu/diary/rss/33246>

08. [+24h Old] APPLE-SA-08-06-2026-2 macOS Sequoia 15.7.9

Posted by Apple Product Security via FullDisclosure on Aug 13 APPLE-SA-08-06-2026-2 macOS Sequoia 15.7.9 macOS Sequoia 15.7.9 addresses the following issues. Information about the security content is also available at <https://support.apple.com/en-us/148171...>

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://seclists.org/fulldisclosure/2026/Aug/37>

09. [+24h Old] APPLE-SA-08-06-2026-3 macOS Sonoma 14.8.9

Posted by Apple Product Security via Fulldisclosure on Aug 13 APPLE-SA-08-06-2026-3 macOS Sonoma 14.8.9 macOS Sonoma 14.8.9 addresses the following issues. Information about the security content is also available at <https://support.apple.com/en-us/148172...>

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://seclists.org/fulldisclosure/2026/Aug/36>

10. [+24h Old] AI agents wage near-autonomous cyberattack on Asian government networks

Autonomous AI agents built on open-source frameworks breached Taiwanese government systems, compromised credentials, and probed a nuclear safety agency in a multi-day cyberattack that researchers say signals a new phase in AI-enabled operations. The campaign unfolded over four days in early July, during which multiple AI agents operated in parallel to map n...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Audit build pipelines, rotate CI/CD secrets, enforce package integrity controls, and review developer workstation hardening.

Sources: <https://www.csoonline.com/article/4209210/ai-agents-wage-near-autonomous-cyberattack-on-asian-government-networks.html>

Latest Vulnerabilities (10)

01. Ready for the flood: How exposure management prepares you for the Mythos vulnerability onslaught

How proactive prioritization will save time and effort when your team faces a wave of AI-discovered vulnerabilities.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.scworld.com/resource/ready-for-the-flood-how-exposure-management-prepares-you-for-the-mythos-vulnerability-onslaught>

02. MacOS screen sharing vulnerability actively exploited for crypto mining

The vulnerability, identified as CVE-2026-65400, has a severity rating of 7.1 out of 10 and stems from a flaw in macOS' screen sharing capability.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources:

<https://www.scworld.com/brief/macOS-screen-sharing-vulnerability-actively-exploited-for-crypto-mining>

03. Hackers arrested over €30M bank fraud exploiting service provider flaw

Four cybercriminals were arrested in Brazil, and three others were charged in Europe over allegations that they exploited a vulnerability at a service provider, allowing them to withdraw funds from Commerzbank customers' bank accounts. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.bleepingcomputer.com/news/security/hackers-arrested-over-30m-bank-fraud-exploiting-service-provider-flaw/>

04. Amid AI-Driven Bug-Hunt Tsunami, NIST Looks to ... AI

Driven by AI-augmented research and scanning, vulnerability volumes continue to surge, driving the National Institute of Standards and Technology to ask whether AI could be the answer.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.darkreading.com/vulnerabilities-threats/ai-driven-bug-tsunami-nist-looks-to-ai>

05. The Good, the Bad and the Ugly in Cybersecurity - Week 33

Courts sentence Com member for sextorting 117 minors, joint advisory warns of Gunra ransomware, and ShieldBreak bypasses MS Defender for SYSTEM access.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.sentinelone.com/blog/the-good-the-bad-and-the-ugly-in-cybersecurity-week-33-8/>

06. Hackers exploit macOS Screen Sharing flaw to deploy Monero miner

The Netherlands' National Cyber Security Centre (NCSC) is warning that hackers are actively exploiting a macOS authentication bypass vulnerability after public exploit code emerged. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.bleepingcomputer.com/news/security/hackers-exploit-macos-screen-sharing-flaw-to-deploy-monero-miner/>

07. Max severity SAP Commerce Cloud flaw now targeted in attacks

A maximum-severity SAP Commerce Cloud remote code execution vulnerability patched three days ago is already being targeted in attacks, according to threat intelligence company Defused. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.bleepingcomputer.com/news/security/max-severity-sap-commerce-cloud-flaw-now-targeted-in-attacks/>

08. Salesforce, ServiceNow data targeted in 'City-Forum' attacks

Records held in Salesforce and ServiceNow systems are under attack leaving user data exposed, according to researchers at Reco. The attack appears similar to those perpetrated by the extortion group ShinyHunters, Reco said. ShinyHunters has been particularly active this year, attacking dating sites in January and Oracle in June , and there are fears that th...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.csoonline.com/article/4209788/salesforce-servicenow-data-targeted-in-city-forum-attacks.html>

09. Oracle's new database security tool is free - for six months

Oracle has released a security tool intended to provide organizations with a centralized view of security risk across their database environments. Oracle Database Security Central will be available free of charge until the end of February 2027. It arrives at a critical time for Oracle customers, with attackers targeting security flaws to exploit the company...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.csoonline.com/article/4209792/oracles-new-database-security-tool-is-free-for-six-months-2.html>

10. Apple now uses iPhone alerts for targets of mercenary spyware

Apple explains how Threat Notifications help protect iPhone users targeted by mercenary spyware.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.malwarebytes.com/blog/news/2026/08/apple-now-uses-iphone-alerts-for-targets-of-mercenary-spyware>

Data Breach & Cybercrime (10)

01. Trezor confirms shipping partner data breach affecting over 13,000 customers

While the breach was initially believed to affect only recent orders, new information suggests older orders may also be compromised.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.scworld.com/brief/trezor-confirms-shipping-partner-data-breach-affecting-over-13000-customers>

02. ExfilSquad data extortion group linked to 13 victim data leaks

ExfilSquad, which emerged on July 26, initially claimed to have exfiltrated data from 15 organizations.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.scworld.com/brief/exfilsquad-data-extortion-group-linked-to-13-victim-data-leaks>

03. ShinyHunters group claims responsibility for RingCentral data breach

The incident, which occurred in July, was disclosed by RingCentral as the result of a sophisticated social engineering campaign.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources:

<https://www.scworld.com/brief/shinyhunters-group-claims-responsibility-for-ringcentral-data-breach>

04. 1.6M RingCentral accounts' data dumped after ShinyHunters extortion attack

Another one bites the dust

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.theregister.com/cyber-crime/2026/08/14/16m-ringcentral-accounts-data-dumped-after-shinyhunters-extortion-attack/5288003>

05. Scottish Govt Suffers Potentially Widening Data Breach at Prosecutor's Office

One Caledonian government agency reported a breach, thanks to a third party that may have serviced other agencies as well.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources:

<https://www.darkreading.com/cyberattacks-data-breaches/scottish-govt-data-breach-prosecutors-office>

06. Researchers Confirm ExfilSquad's Access to Sensitive Data Across 13 Organizations

Researchers have verified that ExfilSquad possesses sensitive data stolen from at least 13 victims after the extortion group published leaked datasets via torrents

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.infosecurity-magazine.com/news/exfilsquads-13-organizations/>

07. The Modern Attack Chain: Rethinking Google Workspace Security in the Age of AI

Google Workspace attacks do not always begin with phishing. Stolen OAuth tokens can provide another path into Gmail, Drive, and connected systems. Material Security explains why organizations need defenses that cover the entire Workspace attack chain. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/the-modern-attack-chain-rethinking-google-workspace-security-in-the-age-of-ai/>

08. WhatsApp is testing a new warning for scam messages

An optional new feature uses on-device AI to flag messages that look like scams.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.malwarebytes.com/blog/news/2026/08/whatsapp-is-testing-a-new-warning-for-scam-messages>

09. In Other News: Rapid7 Layoffs, Hacking a Boeing 737, Refrigeration System Vulnerabilities

Noteworthy stories that might have slipped under the radar: government AI platform deal sparks outrage, North Korean IT worker breaches federal agency, DEF CON attendee blamed for Delta flight disruption. The post In Other News: Rapid7 Layoffs, Hacking a Boeing 737, Refrigeration System Vulnerabilities appeared first on SecurityWeek .

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.securityweek.com/in-other-news-rapid7-layoffs-hacking-a-boeing-737-refrigeration-system-vulnerabilities/>

10. Shell investigates 'potential incident' after Clop data theft claims

Oil giant Shell has confirmed it is investigating a potential security incident after the Clop ransomware gang claimed it stole 89GB of data. [...]

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: <https://www.bleepingcomputer.com/news/security/shell-investigates-potential-incident-after-clop-data-theft-claims/>