

Cybersecurity Daily Newsletter

Vol. 002 | 2026-06-04 07:00 WIB

Top 5 Highlights

- Google rolls out scam call detection for Android
- Russia FSB claims foreign intelligence used malware on officials' phones
- Unpatched Windows search URI handler issue leaks NTLMv2 hashes
- Acer addresses critical zero-day vulnerabilities in Wave 7 routers
- Law enforcement arrests 29 in crackdown on illegal streaming operations

Threat Intelligence (10)

01. Chinese hackers use new Atlas RAT malware in European cyberattacks

A Chinese-speaking cybercrime group has expanded its targeting to the European space, deploying previously undocumented malware and the Atlas backdoor. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.bleepingcomputer.com/news/security/chinese-hackers-use-new-atlas-rat-malware-in-european-cyberattacks/>

02. Attackers Use AI to Automate EDR Evasion Testing

Python scripts were used to test malware against endpoint detection and response agents from Sophos, CrowdStrike, and Windows Defender.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.darkreading.com/endpoint-security/attackers-automate-edr-evasion-testing>

03. New 'HTTP/2 Bomb' DoS attack crashes web servers in under a minute

A new denial-of-service (DoS) attack dubbed HTTP/2 Bomb can be launched from a single machine to take down web servers within seconds. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.bleepingcomputer.com/news/security/new-http-2-bomb-dos-attack-crashes-web-servers-in-under-a-minute/>

04. Google DoubleClick Abused in New Malspam Campaign to Deliver DesckVB RAT

Cybersecurity researchers have flagged a new malspam campaign that makes use of Google's DoubleClick domain as a way to evade detection and ultimately deliver a remote access trojan (RAT) named DesckVB RAT. "Before the victim ever reaches attacker-controlled infrastructure, the lure routes through DoubleClick, a legitimate Google-owned domain that many secu...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://thehackernews.com/2026/06/google-doubleclick-abused-in-new.html>

05. Impersonation, Click Hijacking, and TDS: Inside a Malware Distribution Ecosystem

Research by: Alexey Bukhteyev Key Takeaways Introduction When we search Google for a popular piece of software, we usually click the first result, sometimes without even looking at the rest, because official project sites tend to rank highest and appear near the top of the results. After landing on a site with a professional design and [...] The post Imperson...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://research.checkpoint.com/2026/impersonation-click-hijacking-and-tds-inside-a-malware-distribution-ecosystem/>

06. Malware campaign targeting Minecraft users infects over 116,000 systems

A Malware-as-a-Service (MaaS) operation named WeedHack is targeting Minecraft users and allows threat actors to gain remote access to victims' screens, webcams, and files through a web-based dashboard, McAfee researchers found. Minecraft, developed by Mojang Studios and released in 2011, is one of the best-selling video games of all time, with more than 350...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.helpnetsecurity.com/2026/06/03/weedhack-minecraft-malware-campaign/>

07. Global Stock Exchange Hit by Monthslong Email Campaign

A threat actor got a near-continuous view into an influential finance executive's email inbox, thanks to clever use of legitimate, native Windows tools.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.darkreading.com/cyberattacks-data-breaches/global-stock-exchange-hit-monthslong-email-campaign>

08. Argamal: Malware hidden in hentai games

Kaspersky researchers analyze new Argamal RAT distributed via infected hentai games and allowing the attacker to control the target machine.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://securelist.com/argamal-rat-distributed-with-hentai-games/119999/>

09. Infostealers are becoming the go-to phishing payload

Cybercriminals prefer infostealers to traditional phishing techniques because they reduce friction, scale well, and are widely available.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: <https://www.malwarebytes.com/blog/threat-intel/2026/06/infostealers-are-becoming-the-go-to-phishing-payload>

10. Weedhack Attacks Minecraft Users, CountLoader Hits 86K, Miners Spread via Pirated Content

Cybersecurity researchers have flagged a new campaign targeting Minecraft players via YouTube to spread malware capable of gaining control of victims' systems. The Minecraft-focused malware-as-a-service (MaaS) campaign has been codenamed Weedhack by McAfee Labs, stating the activity has been active since January 2026 and impersonates Minecraft clients and m...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://thehackernews.com/2026/06/weedhack-attacks-minecraft-users.html>

Latest Vulnerabilities (10)

01. Russia FSB claims foreign intelligence used malware on officials' phones

The FSB stated that the operation exploited the capabilities of unspecified "major international IT corporations" to extract sensitive information from targeted devices.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.scworld.com/brief/fsb-claims-foreign-intelligence-used-malware-on-officials-phones>

02. Unpatched Windows search URI handler issue leaks NTLMv2 hashes

The newly identified issue, similar to a previously patched vulnerability in the Windows Snipping Tool (CVE-2026-33829), resides in the search URI handler.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources:

<https://www.scworld.com/brief/unpatched-windows-search-uri-handler-vulnerability-leaks-ntlmv2-hashes>

03. Acer addresses critical zero-day vulnerabilities in Wave 7 routers

The first vulnerability, CVE-2026-49200, is a broken access control flaw that allows unauthenticated attackers to access plaintext credentials from log archives, potentially leading to unauthorized system access.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources:

<https://www.scworld.com/brief/acer-addresses-critical-zero-day-vulnerabilities-in-wave-7-routers>

04. Law enforcement arrests 29 in crackdown on illegal streaming operations

The operation successfully led to the removal of more than 27,000 illegal streaming URLs distributing copyrighted sports, film, and television content.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources:

<https://www.scworld.com/brief/law-enforcement-arrests-29-in-crackdown-on-illegal-streaming-operations>

05. New HTTP/2 Bomb attack can take down web servers in seconds

The HTTP/2 Bomb attack exploits default configurations of major web servers including NGINX, Apache HTTP Server, Microsoft IIS, Envoy, and Cloudflare Pingora.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.scworld.com/brief/new-http-2-bomb-attack-can-take-down-web-servers-in-seconds>

06. Cisco Cloud Control AI defense suite aims to counter Mythos-level threats

Cisco's new Cloud Control suite enables businesses to create AI agents designed to monitor systems and block potential exploitation attempts.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources:

<https://www.scworld.com/brief/cisco-cloud-control-ai-defense-suite-aims-to-counter-mythos-threats>

07. Bend the beam like Beckham to defeat anti-jamming tech

It's hard to stop a signal jammer if you can't locate the source, say Rice University researchers

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources:

<https://www.theregister.com/networks/2026/06/03/curving-beams-could-fool-anti-jamming-tech/5250872>

08. VU#595768: Securly Chrome Extension contains multiple weak encryption and access control vulnerabilities

Overview Version 3.0.7 of the Securly Chrome Extension contains multiple vulnerabilities involving insecure data transmission, weak cryptography, and improper access control. These issues may expose sensitive filtering rules, enable the manipulation of downloaded configuration files, and allow unauthenticated access to protected resources. An attacker could...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://kb.cert.org/vuls/id/595768>

09. CISA warns of active attacks exploiting Android, Linux bugs

The U.S. Cybersecurity and Infrastructure Security Agency (CISA) is warning that hackers are exploiting vulnerabilities in the Linux kernel and Android operating system. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.bleepingcomputer.com/news/security/cisa-warns-of-active-attacks-exploiting-android-linux-bugs/>

10. Stop Patching at Human Speed: Peer-to-Peer (P2P) Distribution Closes the Remediation Gap Before Attackers Strike

Executive Summary Knowing what's exploitable is only half the battle. P2P patch distribution turns your endpoints into a delivery network, cutting patch propagation by up to 92%, reducing WAN bandwidth by 99%+, and helping close critical vulnerabilities before attackers can move. Available now in Qualys Cloud Agent for Windows 6.5. The Remediation Gap is Wi...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://blog.qualys.com/product-tech/2026/06/03/stop-patching-at-human-speed-peer-to-peer-p2p-distribution-closes-the-remediation-gap-before-attackers-strike>

Data Breach & Cybercrime (10)

01. Google rolls out scam call detection for Android

The fake call detection feature works automatically when both the caller and recipient are using the Phone by Google app.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.scworld.com/brief/google-rolls-out-ai-scam-call-detection-for-android>

02. The U.S. sanctions Nobitex crypto exchange used by ransomware

The U.S. Treasury's Office of Foreign Assets Control (OFAC) has announced sanctions against Nobitex, Iran's largest cryptocurrency exchange, for facilitating payments related to terrorist activities. [...]

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: <https://www.bleepingcomputer.com/news/security/the-us-sanctions-nobitex-crypto-exchange-used-by-ransomware/>

03. We found this fake-invoice campaign while scammers were still building it

Invoices pretending to be from Amazon, PayPal, and others reveal how criminals use fear and phone calls to steal money and devices.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.malwarebytes.com/blog/threat-intel/2026/06/we-found-this-fake-invoice-campaign-while-scammers-were-still-building-it>

04. Security of 100 AI Agents Tested and Ranked - What You Need to Know

The AI Risk Quadrant evaluates AI agents based on three factors: how vulnerable they are to compromise, the potential impact of a breach, and the strength of their security defenses. The post Security of 100 AI Agents Tested and Ranked - What You Need to Know appeared first on SecurityWeek .

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources:

<https://www.securityweek.com/security-of-100-ai-agents-tested-and-ranked-what-you-need-to-know/>

05. Keep getting calls from questionable numbers? Meet Scam Number Check

Scam Number Check lets you quickly check whether a number has been linked to scams before you call back, share information, or send money.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.malwarebytes.com/blog/product/2026/06/keep-getting-calls-from-questionable-numbers-meet-scam-number-check>

06. IMA Diligence Services Data Breach Impacts 525,000 People

The affected individuals' personal information was stolen from a legacy server managed by a third party. The post IMA Diligence Services Data Breach Impacts 525,000 People appeared first on SecurityWeek .

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.securityweek.com/ima-diligence-services-data-breach-impacts-525000-people/>

07. AI may finally unlock the cyber budgets CISOs have wanted for years

For nearly two decades, cybersecurity leaders have faced the same reality: No matter how catastrophic the latest breach, ransomware attack, or nation-state intrusion, security spending often struggled against competition with every other business priority. AI may finally be changing that equation. The rapid emergence of frontier AI systems capable of autono...

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: <https://www.csoonline.com/article/4180316/ai-may-finally-unlock-the-cyber-budgets-cisos-have-wanted-for-years.html>

08. Google adds Android protection against AI deepfake scam calls

Google is introducing a new Android security feature that will detect and flag phone calls in which scammers use artificial intelligence to impersonate a user's personal contacts. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/google-adds-android-protection-against-ai-deepfake-scam-calls/>

09. Lessons from the Canvas cyberattack

Canvas cyberattack: Who, what, when, how? What and when? Over May 6 and 7, 2026, Canvas learning management system (LMS) users were served up a defaced web page in place of the expected login page. The altered web page displayed a warning by the ShinyHunters criminal hacker and extortion group advising of the Instructure compromise. Instructure , a leading...

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: <https://www.csoonline.com/article/4180194/lessons-from-the-canvas-cyberattack.html>

10. Infosecurity Europe: AI-Powered Cybercrime Tools Surge on Dark Web

Halcyon's Cynthia Kaiser lifts the lid on the dark web market for AI cybercrime tools

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.infosecurity-magazine.com/news/cybercrime-ai-tools-surge-3800/>