

Cybersecurity Daily Newsletter

Vol. 004 | 2026-08-26 09:00 WIB

Top 5 Highlights

- LACMA data breach last year exposed social security and medical data
- Hackers abuse npm mirrors to host phishing redirect pages
- AnonymouSKit PhaaS uses voice AI agents to phish iPhone passcodes
- Finding Nemo(Claw): Networking Issue Allows for LLM Poisoning in OpenClaw
- U.S. Sanctions Iran-Linked Hackers Behind Critical Infrastructure Breaches

Threat Intelligence (10)

01. Hackers abuse npm mirrors to host phishing redirect pages

Threat actors are abusing npm and its mirrors to host malicious HTML pages that impersonate Cloudflare CAPTCHAs to redirect visitors to attacker-controlled websites. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: <https://www.bleepingcomputer.com/news/security/hackers-abuse-npm-mirrors-to-host-phishing-redirect-pages/>

02. Massive DDoS attack disrupts Norway's government digital services

A large distributed denial-of-service (DDoS) attack has disrupted Norway's shared government digital infrastructure since Monday, affecting services used by the public sector. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.bleepingcomputer.com/news/security/massive-ddos-attack-disrupts-norways-government-digital-services/>

03. ZeroTokens Phishing Platform Steers Attacks in Real Time

ZeroTokens gives phishing operators live control of victim sessions targeting 53 financial brands

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: <https://www.infosecurity-magazine.com/news/zerotokens-phishing-real-time/>

04. WhatsApp Adds Multiple Passkeys for Phishing-Resistant Sign-Ins Across iOS and Android

Meta on Tuesday announced a set of WhatsApp account security features, including support for multiple passkeys to a single account to help users with both iOS and Android devices sign into their accounts using the phishing-resistant method. The tech giant said more than 1 billion people use a passkey to log into WhatsApp. Support for passkeys was first intr...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: <https://thehackernews.com/2026/08/whatsapp-adds-multiple-passkeys-for.html>

05. New 'Sleepwalker' backdoor uses custom command language

Discovered by malware researcher Dominik Reichel, Sleepwalker impersonates Microsoft's dpapi.dll and loads via side-loading into ESET Management Agent.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.scworld.com/brief/new-sleepwalker-backdoor-uses-custom-command-language-re-mains-hidden>

06. Fake Recruiter Scams Target Corporate Credentials on Mobile

RecruitTrap campaigns use mobile-optimized phishing pages to target enterprise credentials

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: <https://www.infosecurity-magazine.com/news/fake-recruiter-scams-corporate/>

07. Fake OpenAI Codex download tricks macOS users into installing malware

A malware campaign using a sponsored search ad and a fake OpenAI Codex download page to trick macOS users into pasting a malicious command into Terminal has been uncovered by Cato Networks. It's a variation of ClickFix, a popular social engineering technique that persuades victims to execute the infection step themselves rather than opening a malicious file...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.helpnetsecurity.com/2026/08/25/fake-openai-codex-download-macos-users/>

08. Mirage2FA Surge Hits 4,500 US and EU Companies, Abusing Microsoft 365 Login Flows

Thousands of companies have been affected by the Mirage2FA campaign from 2024 to 2026. The commercial phishing-as-a-service toolkit targets Microsoft 365 accounts by abusing legitimate login flows and bypassing two-factor authentication. According to ANY.RUN research, 48% of targeted email addresses were potentially compromised. Most of the affected companies...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: <https://thehackernews.com/2026/08/mirage2fa-surge-hits-4500-us-and-eu.html>

09. 24 npm Packages Abuse unpkg Mirrors to Host Fake Cloudflare CAPTCHA Pages

Cybersecurity researchers have disclosed details of a new campaign that uses a cluster of 24 npm packages as free phishing infrastructure for redirecting to ClickFix-style fake CAPTCHA pages. "While the malware is simply a single HTML page inside the npm package, and while downloading it wouldn't do harm, the threat actor's use of npm isn't to infect develo...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: <https://thehackernews.com/2026/08/24-npm-packages-abuse-unpkg-mirrors-to.html>

10. E4del and PINHOLE RATs Turn FTP Banners Into Dead Drops for Malware Commands

Cybersecurity researchers are calling attention to a new campaign that employs FTP banners as dead drop resolvers (DDRs) to deliver two previously unreported remote access trojans (RATs) tracked as E4del and PINHOLE. While threat actors are known to abuse legitimate services to point to additional command-and-control (C2) infrastructure and blend in with re...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://thehackernews.com/2026/08/e4del-and-pinhole-rats-turn-ftp-banners.html>

Latest Vulnerabilities (10)

01. Finding Nemo(Claw): Networking Issue Allows for LLM Poisoning in OpenClaw

Attackers can exploit a security bug in NVIDIA's tool to gain unauthenticated access to the local model server through the Ollama API, paving the way for persistent AI agent corruption.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.darkreading.com/cyber-risk/nemo-claw-networking-llm-poisoning-openclaw>

02. CISA adds Oracle WebLogic bug to its list of exploited vulnerabilities

Experts say exploiting WebLogic middleware gives attackers access to an enterprise's core business apps.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources:

<https://www.scworld.com/news/cisa-adds-oracle-weblogic-bug-to-its-list-of-exploited-vulnerabilities>

03. VU#308749: Remote Code Execution and Arbitrary File Read Vulnerabilities in Kaltura Servers

Overview The Kaltura HTML5 Player Library (mwEmbed / html5lib) contains two vulnerabilities, both involving the same insecure deserialization flaw, that enable arbitrary file read and remote code execution. Affected versions include html5lib v2.45, v2.103 and earlier, and other v2.x releases that expose the vulnerable mwEmbedLoader.php endpoint. Until a ven...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://kb.cert.org/vuls/id/308749>

04. You could've applied all 1,449 Oracle patches and still been hit by this attack

Attackers now ready to exploit how things work, rather than just break them, says Oracle support expert

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.theregister.com/security/2026/08/25/you-couldve-applied-all-1449-oracle-patches-and-still-been-hit-by-this-attack/5292335>

05. The patch window is collapsing: Why security needs a new control plane

Organizations need protection that operates in the gap between discovery and remediation. The post The patch window is collapsing: Why security needs a new control plane appeared first on Microsoft Security Blog .

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://azure.microsoft.com/en-us/blog/the-patch-window-is-collapsing-why-security-needs-a-new-control-plane/>

06. Obfuscating IP Addresses as Hostnames, (Tue, Aug 25th)

It is pretty obvious that hostnames can replace IP addresses. Pretty much any software accepting an IP address will also accept a hostname as an argument. Last week, I wrote about scans for the cloud metadata service listening at 169.254.169.254. These scans attempted to exploit Server Side Request Forgery (SSRF) vulnerability. One way to prevent these type...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://isc.sans.edu/diary/rss/33280>

07. INTERPOL crackdown on West African crime rings uncovers troubling new trend

Police across 22 countries arrested 58 people and identified 263 suspects during an eight-month INTERPOL operation targeting West African organized crime groups. Suspects detained in an operation targeting West African crime groups (Source: INTERPOL) Operation Jackal IV ran from November 2025 to June 2026. The goal was to disrupt money laundering, flag high...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources:

<https://www.helpnetsecurity.com/2026/08/25/interpol-jackal-iv-west-african-crime-groups-arrests/>

08. WordPress Websites Targeted via MiniOrange Plugin Vulnerabilities

CVE-2026-61979 and CVE-2026-15981 are authentication bypass vulnerabilities affecting the MiniOrange SAML 2.0 SSO plugin. The post WordPress Websites Targeted via MiniOrange Plugin Vulnerabilities appeared first on SecurityWeek .

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources:

<https://www.securityweek.com/wordpress-websites-targeted-via-miniorange-plugin-vulnerabilities/>

09. Unpatched Calix router vulnerability allows remote attackers to expose home networks

The flaw, identified as CVE-2026-75501, affects devices running EXOS/6.6.47 firmware.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.scworld.com/brief/unpatched-calix-router-vulnerability-allows-remote-attackers-to-expose-home-networks>

10. Nucleus wants to get ahead of scanners on new vulnerabilities

There usually is a crucial time lapse from when a vulnerability is newly disclosed to when security scanners are finally updated to scan for it. Nucleus Security says it wants to close that gap. The cybersecurity outfit focused on unified exposure management is expanding its platform with Nucleus Helix, an AI Agent for natural-language interaction with secu...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.csoononline.com/article/4213644/nucleus-wants-to-get-ahead-of-scanners-on-new-vulnerabilities.html>

Data Breach & Cybercrime (10)

01. LACMA data breach last year exposed social security and medical data

The Los Angeles County Museum of Art (LACMA) has announced that a breach last year exposed customer and employee information. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/lacma-data-breach-last-year-exposed-social-security-and-medical-data/>

02. AnonymouSKIT PhaaS uses voice AI agents to phish iPhone passcodes

A newly uncovered phishing-as-a-service (PhaaS) platform called AnonymouSKIT automates the retrieval of codes used to unlock stolen Apple devices and disable the Activation Lock feature. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/anonymousskit-phaas-uses-voice-ai-agents-to-phish-iphone-passcodes/>

03. U.S. Sanctions Iran-Linked Hackers Behind Critical Infrastructure Breaches

The U.S. Department of the Treasury has announced fresh sanctions on Iranian cyber actors as part of what it called an "unprecedented, whole-of-government, economic campaign" against the nation and its enablers. "We are launching an economic onslaught against Iran's financial connections around the globe. Our objective is to sever every economic lifeline th...

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://thehackernews.com/2026/08/us-sanctions-iran-linked-hackers-behind.html>

04. Is Cyber Facing an Affordability Crisis?

As breach costs reach record highs and defense spending nears \$240 billion, small businesses are dangerously exposed, threatening supply chain security.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.darkreading.com/cybersecurity-operations/is-cyber-facing-an-affordability-crisis->

05. Hospital operator Nutex Health says data stolen in cyberattack

Healthcare and services provider Nutex is investigating a data breach incident where an unauthorized third party exfiltrated information from company servers. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/hospital-operator-nutex-health-says-data-stolen-in-cyberattack/>

06. Fideo Lens reveals connections across identities, accounts and devices

Fideo Intelligence introduced Fideo Lens, an investigative intelligence platform that helps fraud and financial crime teams discover hidden relationships among identities, accounts, devices and behaviors. Starting with a single identity signal, investigators can use Fideo Lens to visualize and connect data associated with the identity and transform fragment...

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.helpnetsecurity.com/2026/08/25/fideo-lens-investigative-intelligence-platform/>

07. Alabama attorney general subpoenas OpenAI over AI breach

The investigation by Alabama's Attorney General's office aims to determine if OpenAI's handling of the incident, which involved a powerful AI model accessing the internet and breaching Hugging Face, violates state consumer protection laws.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources:

<https://www.scworld.com/brief/alabama-attorney-general-subpoenas-openai-over-ai-data-breach>

08. Police arrests dozens of suspects in global cybercrime crackdown

Law enforcement agencies from 22 countries helped identify 263 suspects and arrested 58 individuals linked to cybercrime networks coordinated by African crime groups. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/police-arrests-dozens-of-suspects-in-global-cybercrime-crackdown/>

09. GTA 6 leak hunt could expose data belonging to thousands of Discord users

Take-Two is demanding IP addresses, phone numbers, device IDs, and other data as it tries to identify whoever leaked GTA 6 footage.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.malwarebytes.com/blog/privacy/2026/08/gta-6-leak-hunt-could-expose-data-belonging-to-thousands-of-discord-users>

10. [+24h Old] ShinyHunters taunts ReliaQuest after its own employee falls for social engineering attack

Cybersecurity company ReliaQuest has confirmed that one of its own employees fell for a social engineering attack, handing attackers a password and a brief window into the company's identity system. The admission came after the extortion group ShinyHunters posted screenshots on its leak site, claiming a bigger win. The incident was preceded by an unusual ex...

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.helpnetsecurity.com/2026/08/25/reliaquest-breach-social-engineering/>