

Cybersecurity Daily Newsletter

Vol. 003 | 2026-07-31 09:00 WIB

Top 5 Highlights

- Exploring the Hugging Face Breach: mapping AI agent tactics to Elastic Defend
- South Korea fines telco giant KT \$39 million for customer data breach
- JetBrains warns of critical TeamCity remote code execution flaw
- A coordinated attack hit 30+ Minnesota water systems. Who did it, and what does a Rockwell notice add to the picture?
- Critical Azure Cosmos DB flaw risked cross-tenant compromise

Threat Intelligence (10)

01. DPRK-Linked macOS Malvertising Uses Fake Updates to Deliver Crypto-Stealing Malware

Threat actors with ties to North Korea have been attributed to a sophisticated macOS malvertising campaign that involves redirecting users to fake web pages displaying a full-screen non-existent update sequence to deliver malware as part of a new iteration of the long-running Contagious Interview campaign. The defining aspect of the attack is that bogus mac...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://thehackernews.com/2026/07/dprk-linked-macos-malvertising-uses.html>

02. Industry CISOs urge resilience, AI governance and regulatory reform

CISOs urge resilience, supply chain security and simpler cyber rules.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Audit build pipelines, rotate CI/CD secrets, enforce package integrity controls, and review developer workstation hardening.

Sources:

<https://www.scworld.com/analysis/industry-cisos-urge-resilience-ai-governance-and-regulatory-reform>

03. Malwarebytes for Windows, now available on the Microsoft Store

Install Malwarebytes for Windows from the Microsoft Store with the same full protection and features.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.malwarebytes.com/blog/product/2026/07/malwarebytes-for-windows-now-available-on-the-microsoft-store>

04. After the Break-In: What Attackers Do Once They're Already Inside

Attackers rarely stop after gaining initial access. Huntress analyzes a real-world intrusion to show how threat actors establish persistence, disable defenses, and reshape compromised systems, and why defenders must investigate the original entry point rather than simply remove the malware. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.bleepingcomputer.com/news/security/after-the-break-in-what-attackers-do-once-theyre-already-inside/>

05. AI agents gain access to financial workflows amid growing governance gaps

AI agents are now being allowed to create business records, approve transactions, and execute financial workflows. ERP security firm Pathlock says most organizations don't know if that is all they are doing. The company's 2026 AI Governance Gap Report found that 79% of organizations do not have a dedicated AI governance team, despite AI agents being increas...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Audit build pipelines, rotate CI/CD secrets, enforce package integrity controls, and review developer workstation hardening.

Sources: <https://www.csoonline.com/article/4203384/ai-agents-gain-access-to-financial-workflows-amid-growing-governance-gaps.html>

06. Hidden prompt turns Microsoft Copilot into an AI worm

A new type of attack can trick Microsoft Copilot for Word into spreading hidden prompt injections from document to document.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.malwarebytes.com/blog/ai/2026/07/hidden-microsoft-copilot-ai-worm>

07. CISA sets a new SBOM baseline

The US Cybersecurity and Infrastructure Security Agency (CISA), together with its co-authoring partners, has released the 2026 Minimum Elements for a Software Bill of Materials (SBOM), replacing the 2021 guidance published by the National Telecommunications and Information Administration (NTIA). An SBOM is a list of the components that make up a software pa...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Audit build pipelines, rotate CI/CD secrets, enforce package integrity controls, and review developer workstation hardening.

Sources: <https://www.helpnetsecurity.com/2026/07/30/cisa-sbom-guidance-updated/>

08. 'DangleGeddon': AI Could Weaponize Forgotten DNS Records at Global Scale

Researchers warn that AI could turn dangling DNS takeovers into a nation-state weapon capable of disrupting governments, banks and global supply chains. The post 'DangleGeddon': AI Could Weaponize Forgotten DNS Records at Global Scale appeared first on SecurityWeek .

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Audit build pipelines, rotate CI/CD secrets, enforce package integrity controls, and review developer workstation hardening.

Sources:

<https://www.securityweek.com/danglegeddon-ai-could-weaponize-forgotten-dns-records-at-global-scale/>

09. Teams-Themed Phishing Campaign Abused Legitimate Microsoft Login Pages

Check Point researchers detail phishing attack as an example of attackers dropping fake Microsoft login pages in favor of abusing Microsoft's legitimate authentication infrastructure

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: <https://www.infosecurity-magazine.com/news/teams-phishing-abused-legit/>

10. Attackers are using Microsoft's legitimate login system to camouflage phishing attacks

Attackers are moving away from fake Microsoft login pages in favor of abusing Microsoft's own authentication system, letting phishing campaigns slip past the warning signs employees are trained to spot, according to Check Point. Between June 25 and the second week of July, researchers found over 200 phishing emails targeting around 120 organizations in a wi...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: <https://www.helpnetsecurity.com/2026/07/30/microsoft-authentication-system-phishing/>

Latest Vulnerabilities (10)

01. Exploring the Hugging Face Breach: mapping AI agent tactics to Elastic Defend

Every stage of the Hugging Face breach maps to Elastic Defend and SIEM rules already shipping, from worker RCE and credential harvest to self-migrating C2 and GenAI detection.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.elastic.co/security-labs/ai-agent-attack-detection-hugging-face-breach>

02. JetBrains warns of critical TeamCity remote code execution flaw

JetBrains is warning of a critical authentication bypass vulnerability affecting TeamCity On-Premises that could be exploited to achieve remote code execution. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.bleepingcomputer.com/news/security/jetbrains-warns-of-critical-teamcity-remote-code-execution-flaw/>

03. A coordinated attack hit 30+ Minnesota water systems. Who did it, and what does a Rockwell notice add to the picture?

A coordinated cyberattack that targeted more than 30 Minnesota community water systems has alarmed industrial cybersecurity experts, not because it caused widespread disruption, but because it appears to represent the first distributed campaign against dozens of small utilities linked by a common operational technology weakness. While the affected communiti...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.csoonline.com/article/4203638/a-coordinated-attack-hit-30-minnesota-water-systems-who-did-it-and-what-does-a-rockwell-notice-add-to-the-picture.html>

04. Critical Azure Cosmos DB flaw risk cross-tenant compromise

Patched Azure Cosmos DB bug threatened Microsoft and customer databases.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.scmworld.com/news/microsoft-patches-azure-cosmos-db-stopping-widespread-cross-service-attack>

05. What water utilities need to know about cybersecurity compliance

As federal enforcement tightens and states begin stepping in with their own cybersecurity mandates, water and wastewater utilities face a looming wave of hard compliance deadlines, compounded by recent cyber attacks on state water utilities. Key takeaways While the EPA's national sanitary-survey mandate stalled in court, the agency is aggressively using exi...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.tenable.com/blog/water-utilities-cybersecurity-regulatory-compliance>

06. AI Harnesses Burst With Potential Exploit Opps

A myriad of software makes up the typical AI harness, and trust issues between the components can create concerning attack vectors.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.darkreading.com/application-security/ai-harnesses-potential-exploit-opps>

07. Amazon links Debug, Chalk NPM supply-chain attacks to North Korean hackers

Amazon linked multiple high-profile open-source software supply chain attacks targeting the Node Package Manager (npm) ecosystem to North Korean hackers. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.bleepingcomputer.com/news/security/amazon-links-debug-chalk-npm-supply-chain-attacks-to-north-korean-hackers/>

08. VU#281278: SGLang contains six different vulnerabilities including RCE, data exfiltration, and credential disclosure

Overview Six vulnerabilities have been discovered within the SGLang project, including remote code execution (RCE), server-side request forgery (SSRF), local file read, credential leakage, and model weight exfiltration on a target server. Exploitation does not require authentication in most cases, and some vulnerabilities require only network access with no...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://kb.cert.org/vuls/id/281278>

09. Extend Amazon Inspector SBOM Generator with Plugins

Amazon Inspector is an automated vulnerability management service that continually scans Amazon Web Services (AWS) workloads for software vulnerabilities. The vulnerability management capabilities of Amazon Inspector are powered by an asset inventory engine known as the Amazon Inspector SBOM Generator (inspector-sbomgen), a standalone command-line tool that...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://aws.amazon.com/blogs/security/extend-amazon-inspector-sbom-generator-with-plugins/>

10. AI takes on a bigger role in finding Chrome vulnerabilities

Google has expanded the use of AI in Chrome's security workflow, using it to find vulnerabilities, triage bug reports, generate patches, and review code to shorten the time between discovering software flaws and delivering security updates. "Historically, triaging a single security report took anywhere from 5 to 30 or more minutes, and relied primarily on h...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.helpnetsecurity.com/2026/07/30/google-chrome-ai-security-workflow/>

Data Breach & Cybercrime (10)

01. South Korea fines telco giant KT \$39 million for customer data breach

South Korea's Personal Information Protection Commission (PIPC) has fined telecommunications giant KT Corporation KRW 53.979 billion (\$39 million) over data protection violations. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/south-korea-fines-telco-giant-kt-39-million-for-customer-data-breach/>

02. Read This Before You Buy That TV Streaming Stick

Security experts have been sounding the alarm for years about the risks of using generic TV boxes that promise unlimited content streaming for a one-time fee, warning that they secretly rent the user's Internet connection out to strangers. But a groundbreaking new analysis finds these devices also routinely spoof themselves as mobile phones clicking ads on...

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://krebsonsecurity.com/2026/07/read-this-before-you-buy-that-tv-streaming-stick/>

03. ShinyHunters claims Brinks Home breach, threatens to leak stolen data

Residential security company Brinks Home has disclosed that hackers breached some of its systems and are threatening to leak allegedly stolen data. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/shinyhunters-claims-brinks-home-breach-threatens-to-leak-stolen-data/>

04. Microsoft Teams vishing attacks lead to Chaos ransomware attacks

Threat actors are impersonating IT support staff in Microsoft Teams calls to gain remote access to corporate devices and deploy Chaos ransomware in attacks targeting North American organizations. [...]

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: <https://www.bleepingcomputer.com/news/security/microsoft-teams-vishing-attacks-lead-to-chaos-ransomware-attacks/>

05. Analog Devices discloses data breach, says operations unaffected

American semiconductor company Analog Devices announced that an unauthorized party accessed some of its systems and exfiltrated certain files. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/analog-devices-discloses-data-breach-says-operations-unaffected/>

06. The Network Has Become the Control Plane for AI Security

Network firewalls are the workhorses of modern cybersecurity. They are trusted to protect the network, blocking malicious traffic and preventing intrusions and breaches. And for decades, network security teams have built controls around a relatively stable model: users connect to applications, applications exchange data, and security tools inspect packets,...

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://thehackernews.com/2026/07/the-network-has-become-control-plane.html>

07. Semiconductor Firm Analog Devices Discloses Data Breach

Hackers were detected on Analog Devices systems in June, and an investigation found that they stole files. The post Semiconductor Firm Analog Devices Discloses Data Breach appeared first on SecurityWeek .

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.securityweek.com/semiconductor-firm-analog-devices-discloses-data-breach/>

08. SilverFox Targets Japanese Manufacturer with 3-Driver BYOVD Chain and ValleyRAT

The Chinese cybercrime group known as Silver Fox has been observed using new drivers as part of bring your own vulnerable driver (BYOVD) attacks targeting a Japanese organization in the industrial manufacturing sector to ultimately deliver ValleyRAT (aka Winos 4.0) for persistent remote access. "In this campaign, the group combines new vulnerable-driver abu...

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://thehackernews.com/2026/07/silverfox-targets-japanese-manufacturer.html>

09. [+24h Old] A Scattered Spider member was indicted. Microsoft's GDID went to trial.

A recently released criminal complaint against Peter Stokes , an alleged member of the Scattered Spider cybercrime group , reveals previously unpublicized details about Windows telemetry...

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.csoononline.com/article/4203079/a-scattered-spider-member-was-indicted-microsofts-gdid-went-to-trial.html>

10. [+24h Old] Toy Ghouls' new toy: the GenieLocker ransomware

Kaspersky experts dissect GenieLocker: new custom ransomware variants for Windows, Linux, and ESXi systems. We found this family in attacks by Toy Ghouls, a financially motivated extortion group.

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: <https://securelist.com/genielocker-ransomware-for-windows-linux-and-esxi/120843/>