# Cybersecurity Daily Newsletter

Vol. 007 | 2026-11-01 09:00 WIB

## Top 5 Highlights

• Northflank security breach leads to abuse of customers' AI API keys

• New Android SMS of Death exploit can remotely crash unpatched phones

• From Beginner to Bug Hunter: Learning Cybersecurity in the AI Era.

• Chainalysis discloses data breach from "offensive agentic techniques"

• Chainalysis Confirms Intrusion Into Internal Tools and Exposure of Customer Identity Data

# Threat Intelligence (10)

## 01. [+24h Old] Cloudflare Reports 18.2 Million Network-Layer DDoS Attacks in Q3, Up 38%

Threat actors are launching about 8,226 network-layer distributed denial-of-service (DDoS) attacks per hour, Cloudflare revealed Thursday. The web infrastructure and security company said it autonomously mitigated 18.2 million network-layer (L3) DDoS attacks and 14.4 trillion HTTP DDoS requests in the third quarter of 2026. That amounts to 197,400 attacks p…

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: https://thehackernews.com/2026/10/cloudflare-reports-182-million-network.html

## 02. [+24h Old] Inside a malicious Claude Code-branded extension and its persistent SSH backdoor

Microsoft analyzes a malicious Claude Code-branded extension, its persistent SSH backdoor, and guidance to detect and remediate it. The post Inside a malicious Claude Code-branded extension and its persistent SSH backdoor appeared first on Microsoft Security Blog .

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: https://www.microsoft.com/en-us/security/blog/2026/10/30/inside-malicious-claude-code-branded-cursor-extension-persistent-ssh-backdoor/

## 03. [+24h Old] Sophisticated malware targets government-specific windows systems in Asia

As noted by The Record, suspected nation-state hackers have developed sophisticated malware designed to target a customized version of Windows used by government agencies in Asia.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: https://www.scworld.com/brief/sophisticated-malware-targets-government-specific-windows-systems-in-asia

## 04. [+24h Old] Devs Hit by Trojanized Claude Code Extension for Cursor

Two serious security issues hit Cursor on the same day, highlighting the risks for AI-powered integrated development environments (IDEs).

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: https://www.darkreading.com/cyberattacks-data-breaches/devs-trojanized-claude-code-extension-cursor

## 05. [+24h Old] Malicious Claude Code extension on Cursor planted SSH backdoors

A malicious version of Anthropic's Claude Code VS Code extension was distributed through Cursor's extension marketplace for approximately 11 hours on October 29, exposing up to 5,000 developers to malware designed to install persistent SSH backdoors. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: https://www.bleepingcomputer.com/news/security/malicious-claude-code-extension-on-cursor-planted-ssh-backdoors/

## 06. [+24h Old] Passkeys Are Better Than Passwords. But They Are Not Enough.

As organizations eliminate passwords, attackers will adapt. Instead of attacking the authenticator directly, they will look for opportunities around it. The post Passkeys Are Better Than Passwords. But They Are Not Enough. appeared first on SecurityWeek .

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: https://www.securityweek.com/passkeys-are-better-than-passwords-but-they-are-not-enough/

## 07. [+48h Old] $2 Million+ Drained From Polymarket Traders in New Supply Chain Attack

Malicious code linked to a website monitoring tool was designed to hijack logged-in Polymarket sessions and siphon user funds. The post $2 Million+ Drained From Polymarket Traders in New Supply Chain Attack appeared first on SecurityWeek .

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Audit build pipelines, rotate CI/CD secrets, enforce package integrity controls, and review developer workstation hardening.

Sources: https://www.securityweek.com/2-million-drained-from-polymarket-traders-in-new-supply-chain-attack/

### 08. [+48h Old] Binance links $6.3 billion crypto theft to compromised DevOps laptop

Binance, the world's largest crypto exchange, has linked the theft of about $6.3 billion in cryptocurrency to a DevOps engineer's compromised laptop. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: https://www.bleepingcomputer.com/news/security/binance-links-63-billion-crypto-theft-to-compromised-devops-laptop/

### 09. [+48h Old] Official Claude Code Extension on Cursor Marketplace Trojanized with Persistent SSH Backdoor

Cybersecurity researchers have disclosed that a trojanized version of Anthropic's official Claude Code extension was distributed through the Cursor Marketplace as a legitimate update, attempting to install a persistent SSH backdoor on affected systems. The malicious update, version 2.1.313, was distributed under the extension's legitimate publisher identity…

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: https://thehackernews.com/2026/10/official-claude-code-vs-code-extension.html

### 10. [+48h Old] $6 Billion Binance Hack Bears Hallmarks of North Korea’s TraderTraitor

Blockchain analysts link the record crypto theft to North Korean hackers, as Binance probes a possibly compromised engineer laptop. The post $6 Billion Binance Hack Bears Hallmarks of North Korea’s TraderTraitor appeared first on SecurityWeek .

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: https://www.securityweek.com/6-billion-binance-hack-bears-hallmarks-of-north-koreas-tradertraitor/

## Latest Vulnerabilities (10)

### 01. New Android SMS of Death exploit can remotely crash unpatched phones

A security researcher has released a proof-of-concept exploit for a recently patched Android vulnerability, dubbed "SMS of Death" and tracked as CVE-2026-58882, that lets attackers remotely disrupt cellular service or crash phones by sending a specially crafted text message. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: https://www.bleepingcomputer.com/news/security/new-android-sms-of-death-exploit-can-remotely-crash-unpatched-phones/

## 02. From Beginner to Bug Hunter: Learning Cybersecurity in the AI Era.

AI-generated vulnerability reports are overwhelming some bug bounty programs, making it harder for aspiring security researchers to know where to start. TryHackMe explains how beginners can build practical cybersecurity skills, use AI responsibly, and produce reproducible findings that stand up to scrutiny. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: https://www.bleepingcomputer.com/news/security/from-beginner-to-bug-hunter-learning-cybersecurity-in-the-ai-era/

## 03. [+24h Old] Attackers Chain Three Ivanti Connect Secure Flaws to Gain Unauthenticated Root Access

The U.S. Cybersecurity and Infrastructure Security Agency (CISA) on Friday added two security flaws impacting Ivanti Connect Secure (ICS) to its Known Exploited Vulnerabilities (KEV) catalog, following active exploitation in the wild. The vulnerabilities are listed below - CVE-2026-111357 (CVSS score: 8.8) - A missing authentication for a critical function...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: https://thehackernews.com/2026/10/attackers-chain-three-ivanti-connect.html

## 04. [+24h Old] Choosing a WAAP in 2026: 3 questions that separate the shortlist

One platform or four Your WAF renewal is coming up. The API team has its own tooling in mind, the fraud team wants a bot product, and someone in networking owns DDoS. Four controls, four consoles, four sets of policies in front of the same applications. That is the situation a Web Application and API Protection platform, or WAAP, exists to replace: one serv...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: https://www.csoonline.com/article/4242913/choosing-a-waap-in-2026-3-questions-that-separate-the-shortlist.html

## 05. [+24h Old] AI-generated code security shows first significant improvement in a year

According to Tech Radar, security in code generated by frontier artificial intelligence models has improved for the first time in a year, with vulnerability rates decreasing from 44% to 38%.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: https://www.scworld.com/brief/ai-generated-code-security-shows-first-significant-improvement-in-a-year

## 06. [+24h Old] Critical Linux kernel flaw allows remote root attacks on MPTCP servers

Security researchers at Anthropic have developed an exploit for a critical Linux kernel vulnerability that allows unauthenticated attackers to remotely execute commands as root on servers running Multipath TCP (MPTCP) listeners. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: https://www.bleepingcomputer.com/news/security/critical-linux-kernel-flaw-allows-remote-root-attacks-on-mptcp-servers/

## 07. [+24h Old] Behind the Scenes of How Operation Blackout Went Down

A recent law enforcement operation to dismantle harmful scam centers was a big success. A threat intelligence expert walks us through what happened and why he wants more of the same.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: https://www.darkreading.com/cybersecurity-operations/behind-the-scenes-how-operation-blackout-went-down

## 08. [+24h Old] Drupal Commerce Core access bypass flaw exploited in attacks

Attackers exploit critical Drupal Commerce Core flaw to bypass access controls and manipulate orders.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: https://www.scworld.com/news/drupal-commerce-core-access-bypass-flaw-exploited-in-attacks

### 09. [+24h Old] Testing a PHP2Shell exploit in the era of AI-hallucinated PoCs

Intel 471 tested a public exploit for the AI-discovered PHP flaws. We found exploitation is hard, but you should still patch now.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: https://www.intel471.com/blog/testing-a-php2shell-exploit-in-the-era-of-ai-hallucinated-pocs

### 10. [+24h Old] 4 real? Tracking exploitation and patching of eMudhra’s weak keys

Four, just four: that’s the key to break into any unpatched connection on the Internet that is using eMudhra certificates. Here’s how we quickly patched Cloudflare, what evidence we can see of attempted exploitation, and how much of the rest of the Internet remains exposed.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: https://blog.cloudflare.com/emudhra-patching/

## Data Breach & Cybercrime (10)

### 01. Northflank security breach leads to abuse of customers' AI API keys

Cloud application hosting platform Northflank is warning customers to rotate all credentials and secrets stored on its platform after a security breach led to unauthorized use of customers' AI API keys. […]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: https://www.bleepingcomputer.com/news/security/northflank-security-breach-leads-to-abuse-of-customers-ai-api-keys/

### 02. Chainalysis discloses data breach from "offensive agentic techniques"

Blockchain analytics firm Chainalysis disclosed a data breach after attackers used "offensive agentic techniques" to access internal systems and tools, exposing customer names, email addresses, user IDs, and organizational roles. […]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: https://www.bleepingcomputer.com/news/security/chainalysis-discloses-data-breach-from-offensive-agentic-techniques/

## 03. Chainalysis Confirms Intrusion Into Internal Tools and Exposure of Customer Identity Data

American blockchain analysis firm Chainalysis said it was the target of a cybersecurity incident in which an external actor accessed non-sensitive customer data. However, the company noted that the breach did not result in unauthorized access to its investigation content, authentication credentials, or session tokens. "This month, Chainalysis detected an ex...

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: https://thehackernews.com/2026/10/chainalysis-confirms-intrusion-into.html

## 04. [+24h Old] Crim spent $7K+ on AI services in extortion attacks, then left evidence for all to see

n0n-existent security

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: https://www.theregister.com/security/2026/10/30/crim-spent-7k-on-ai-services-in-extortion-attacks-then-left-evidence-for-all-to-see/5306754

## 05. [+24h Old] New Framework Puts Ransomware Resilience for AI Systems in Focus

RAID-AI aims to help organizations assess their security preparation for ransomware attacks targeting AI systems

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: https://www.infosecurity-magazine.com/news/framework-ransomware-resilience-ai/

## 06. [+24h Old] In Other News: Anthropic Breach Dispute, UEFI Flaw Hits Most Servers, Cloudflare AI Data Leak

Noteworthy stories that might have slipped under the radar: Iran eyed in military freezer hacks, Copenhagen University breach, AI-powered malware. The post In Other News: Anthropic Breach Dispute, UEFI Flaw Hits Most Servers, Cloudflare AI Data Leak appeared first on SecurityWeek .

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: https://www.securityweek.com/in-other-news-anthropic-breach-dispute-uefi-flaw-hits-most-servers-cloudflare-ai-data-leak/

## 07. [+24h Old] Bulletproof Host Virtualine Loses Its Domain to FBI Seizure

It allowed customers to host hack-for-hire services, supported ransomware and infostealer operators, and accepted crypto payments. The post Bulletproof Host Virtualine Loses Its Domain to FBI Seizure appeared first on SecurityWeek .

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: https://www.securityweek.com/bulletproof-host-virtualine-loses-its-domain-to-fbi-seizure/

## 08. [+24h Old] Binance hit by largest-ever crypto theft, with $6.3 billion stolen

Attackers stole about $6.3 billion in cryptocurrency from Binance in what analysts say is the largest crypto theft on record.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: https://www.malwarebytes.com/blog/news/2026/10/binance-hit-by-largest-ever-crypto-theft-with-6-3-billion-stolen

## 09. [+24h Old] Everyday channels are available in an incident, but you may not want them

The first hours after a serious cyber incident are filled with activity . Security starts investigating, IT works to contain the impact, legal begins assessing potential obligations, and executives want to know what happened and what the company is doing about it. Most teams rely on the same tools they use every day to coordinate that work, which usually me…

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: https://www.csoonline.com/article/4242184/everyday-channels-are-available-in-an-incident-but-you-may-not-want-them.html

## 10. [+48h Old] Binance hit by $6.3 billion theft in what could be the biggest crypto heist on record

About $6.3 billion in cryptocurrency was stolen from Binance in what might be the biggest crypto hack in history. “Binance’s initial investigation suggests that the security incident may involve a compromised DevOps engineer’s laptop, which allowed an attacker to gain

access to a service container and submit unauthorized withdrawal transactions,” the exchan…

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: https://www.helpnetsecurity.com/2026/10/30/binance-crypto-hack/