

Cybersecurity Daily Newsletter

Vol. 003 | 2026-07-07 07:00 WIB

Top 5 Highlights

- Linux Kernel Vulnerability Allows VM Escape on Intel and AMD Systems
- Why The Gentlemen ransomware is a test of identity and recovery controls
- Scammers are using AI to sell impossible flowers
- Suspected China-Aligned Hackers Exploit Roundcube Flaws Against Universities
- The modern CISO is becoming the next CFO

Threat Intelligence (10)

01. ISC Stormcast For Tuesday, July 7th, 2026

<https://isc.sans.edu/podcastdetail/9996>, (Tue, Jul 7th)

ISC Stormcast For Tuesday, July 7th, 2026 <https://isc.sans.edu/podcastdetail/9996>, (Tue, Jul 7th)

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://isc.sans.edu/diary/rss/33126>

02. U.S. Army websites defaced in apparent 404 hijacking campaign

The defacement targeted error pages on U.S. Army websites, including oil.army.mil and ai2c.army.mil, which belong to the Army's Open Innovation Lab and Artificial Intelligence Integration Center, respectively.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.scworld.com/brief/u-s-army-websites-defaced-in-apparent-404-hijacking-campaign>

03. 'BusySnake' Infostealer Slithers into Critical Infrastructure Networks

A threat group researchers call "Armored Likho" has gained access to government agencies and electrical power entities in Russia, Brazil, and Kazakhstan.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.darkreading.com/cyberattacks-data-breaches/busysnake-infostealer-critical-infrast-structure-networks>

04. Phishing poses as big-brand job interview to steal Google accounts

A phishing campaign is impersonating more than 30 well-known brands, including Adobe, Netflix, Coca-Cola, and OpenAI, in fake job interviews to steal Google account credentials from marketing professionals. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: <https://www.bleepingcomputer.com/news/security/phishing-poses-as-big-brand-job-interview-to-steal-google-accounts/>

05. Fake IT support calls on Microsoft Teams push EtherRAT malware

Threat actors are abusing Microsoft Teams voice calls by impersonating corporate IT support staff to trick employees into installing the EtherRAT malware, giving attackers initial access to corporate networks. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.bleepingcomputer.com/news/security/fake-it-support-calls-on-microsoft-teams-push-etherrat-malware/>

06. EU urged to act after Pegasus infects phone of spyware inquiry MEP

Campaigners demand investigation and long-delayed action on PEGA Committee recommendations

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.theregister.com/security/2026/07/06/eus-latest-spyware-scandal-prompts-calls-for-urgent-action/5267054>

07. Armored Likho APT Targeting Government, Electric Power Entities

The threat actor uses modular RATs and information stealers in financially motivated and cyber espionage campaigns. The post Armored Likho APT Targeting Government, Electric Power Entities appeared first on SecurityWeek .

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.securityweek.com/armored-likho-apt-targeting-government-electric-power-entities/>

08. Operationalizing Agentic AI: from assisted to autonomous

Ever since ChatGPT made its public debut nearly four years ago, governance and security have largely lagged behind AI adoption. Eager to experiment with AI tools and find ways to improve their work and personal lives, users have uploaded corporate data, financial records, and even their own health information to large language models (LLMs). While this free...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.csoonline.com/article/4193287/operationalizing-agentic-ai-from-assisted-to-autonomous.html>

09. RCS and DNS: The NAPTR Record, (Mon, Jul 6th)

Over the last year, with recent updates to iOS and Android, RCS (Rich Communication Services) has become an increasingly used protocol [1]. RCS is supposed to eventually replace SMS, and in addition to richer formatting, provides added (but optional) security. RCS messages may be end-to-end encrypted and digitally signed. Unlike SMS, which was "bolted on" t...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://isc.sans.edu/diary/rss/33124>

10. North Korean Hackers Target Open Source Developers in Supply Chain Attacks

The PolinRider campaign has compromised more than 100 legitimate open source packages and repositories to deliver a backdoor and information stealer to developers. The post North Korean Hackers Target Open Source Developers in Supply Chain Attacks appeared first on SecurityWeek .

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Audit build pipelines, rotate CI/CD secrets, enforce package integrity controls, and review developer workstation hardening.

Sources: <https://www.securityweek.com/north-korean-hackers-target-open-source-developers-in-supply-chain-attacks/>

Latest Vulnerabilities (10)

01. Linux Kernel Vulnerability Allows VM Escape on Intel and AMD Systems

The 16-year-old Januscape flaw affects Linux's KVM hypervisor, allowing attackers to escape virtual machines and potentially execute code on the underlying host. The post Linux Kernel Vulnerability Allows VM Escape on Intel and AMD Systems appeared first on SecurityWeek .

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources:

<https://www.securityweek.com/linux-kernel-vulnerability-allows-vm-escape-on-intel-and-amd-systems/>

02. Suspected China-Aligned Hackers Exploit Roundcube Flaws Against Universities

A suspected China-aligned threat activity cluster has been observed exploiting Roundcube webmail software belonging to physics and engineering departments of U.S. and Canadian universities as part of a new campaign. The activity involves the

exploitation of now-patched, critical security flaws in the open-source email solution, such as CVE-2024-42009 (CVSS...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://thehackernews.com/2026/07/suspected-china-aligned-hackers-exploit.html>

03. The modern CISO is becoming the next CFO

At some point, every security leader gets asked a version of the same question: Are we good? It tends to arrive when something is at stake and the person asking needs to know they can rely on the answer. I learned what that question really means at a firm I was with earlier in my career. We had received intelligence that threat actors were preparing to go a...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.csoonline.com/article/4193375/the-modern-ciso-is-becoming-the-next-cfo.html>

04. Hackers Exploit Maximum Severity Adobe ColdFusion Flaw

Threat actors are exploiting an Adobe ColdFusion vulnerability which has a CVSS score of 10.0

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.infosecurity-magazine.com/news/exploit-maximum-severity-adobe/>

05. BeyondTrust warns of critical flaws in remote access software

BeyondTrust warned customers to patch two critical security flaws in its Remote Support (RS) and Privileged Remote Access (PRA) software that could allow attackers to bypass authentication. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.bleepingcomputer.com/news/security/beyondtrust-warns-of-critical-flaws-in-remote-access-software/>

06. CERT/CC Warns of Hidden Admin Backdoor in Tenda Router Firmware

Several versions of firmware released by Chinese network device manufacturer Tenda have been found to embed an undocumented authentication backdoor that enables

administrative access to the devices' web management interfaces, the CERT Coordination Center (CERT/CC) warned Monday. "An attacker can exploit this vulnerability, tracked as CVE-2026-11405, to bypa...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://thehackernews.com/2026/07/certcc-warns-of-hidden-admin-backdoor.html>

07. OPNsense XPATH Injection (CVE-2026-53582)

Posted by evan on Jul 06 SUMMARY: a stored XPATH injection allows any user with just ca manager/certificate manager perms to leak any secret key/any value in config.xml, thus achieving privilege escalation and potentially remote code execution. this can also likely be chained via csrf and some clever hiding. see <https://github.com/opnsense/core/security/adv...>

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://seclists.org/fulldisclosure/2026/Jul/18>

08. SCHUTZWERK-SA-2025-001: Authentication Bypass for SafeLine SL6 and SL6+

Posted by Jan Hüber via Fulldisclosure on Jul 06 Authentication Bypass for SafeLine SL6 and SL6+ =====

The SafeLine SL6 and SL6+ devices integrated into elevator emergency intercom systems are vulnerable to an authentication bypass. This vulnerability allows attackers to bypass authentication requirements and access...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://seclists.org/fulldisclosure/2026/Jul/17>

09. BeyondTrust Patches Critical Auth Bypass Flaws in Remote Support and PRA

BeyondTrust has released updates to address two critical security flaws affecting Remote Support (RS) and Privileged Remote Access (PRA) products that, if successfully exploited, could allow unauthenticated attackers to take control of susceptible devices. The vulnerabilities are listed below - CVE-2026-40138 (CVSS score: 9.2) - A pre-authentication vulnera...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://thehackernews.com/2026/07/beyondtrust-patches-critical-auth.html>

10. Apple Container: Open-source tool for Linux containers on the Mac

Developers on Apple silicon Macs have run Linux containers through software built around a single shared virtual machine for years. Apple's open-source Container project gives each Linux workload its own lightweight virtual machine. Container is written in Swift and tuned for Apple silicon. It creates and runs Linux containers as lightweight virtual machine...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.helpnetsecurity.com/2026/07/07/apple-container-open-source-linux-mac/>

Data Breach & Cybercrime (10)

01. Why The Gentlemen ransomware is a test of identity and recovery controls

The Gentlemen ransomware underscores a challenge many CISOs face: stopping attackers after they gain an initial foothold. Researchers say the malware can spread across enterprise networks using legitimate Windows management tools while simultaneously attempting to weaken security and recovery systems. A report from Picus Security shows the malware combines...

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: <https://www.csoonline.com/article/4193699/why-the-gentlemen-ransomware-is-a-test-of-identity-and-recovery-controls.html>

02. Scammers are using AI to sell impossible flowers

AI-generated flower scams are blooming online, with scammers using fake images to sell seeds for plants that don't exist, like these "cat's face orchids."

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources:

<https://www.malwarebytes.com/blog/scams/2026/07/scammers-are-using-ai-to-sell-impossible-flowers>

03. Zscaler finds autonomous agents succumb to IPI traps

In a test of major LLMs, Zscaler found that some autonomous AI agents fell victim to frauds, reinforcing how easily some high-end enterprise agents can be conned by

schemes that would fool few, if any, humans. The security vendor looked at various forms of indirect prompt injection (IPI) traps and found that, whereas many models fell victim to the schemes,...

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.csoonline.com/article/4193498/zscaler-finds-autonomous-agents-succumb-to-ipi-traps-2.html>

04. NatWest CEO targeted in AI deepfake scam

The deepfake image, which depicted Paul Thwaite alongside journalist Emily Maitlis and was designed to mimic a BBC radio interview, was shared on the social media platform X.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.scworld.com/brief/natwest-ceo-targeted-in-ai-deepfake-scam>

05. 7 arrested in Vietnam for operating large anime piracy site HiAnime

HiAnime, which operated under various domains including Zoro.to and Aniwatch, provided free access to a vast library of anime, attracting hundreds of millions of monthly visitors and briefly surpassing legal streaming platforms in web traffic.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources:

<https://www.scworld.com/brief/seven-arrested-in-vietnam-for-operating-large-anime-piracy-site-hianime>

06. Canada's spy agency conducted state-authorized cyberattacks against drug traffickers and ransomware gangs

The CSE's annual report details three foreign "active cyber operations" targeting threats to Canadian national security.

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: <https://www.scworld.com/brief/canadas-spy-agency-conducted-state-authorized-cyberattacks-against-drug-traffickers-and-ransomware-gangs>

07. Moody Bible Institute data breach exposes 2.3 million individuals

The breach, initially disclosed by MBI in June, saw ShinyHunters leak the stolen data after the Christian college apparently did not meet their extortion demands.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources:

<https://www.scworld.com/brief/moody-bible-institute-data-breach-exposes-2-3-million-individuals>

08. Vietnam arrests suspects behind HiAnime anime piracy service

Vietnamese authorities have arrested and are prosecuting seven suspects believed to have run HiAnime, the largest anime piracy streaming service before its shutdown in June. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/vietnam-arrests-suspects-behind-hianime-anime-piracy-service/>

09. How to tell if an image is AI-generated

Scammers are using AI-generated images to make fake stories more convincing. Here's how to separate real from fake.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.malwarebytes.com/blog/ai/2026/07/how-to-tell-if-an-image-is-ai-generated>

10. 6th July - Threat Intelligence Report

For the latest discoveries in cyber research for the week of 6th July, please download our Threat Intelligence Bulletin. TOP ATTACKS AND BREACHES River Bank & Trust, a US financial institution, has experienced a ransomware incident after an unauthorized actor accessed the network of parent company River Financial Corporation on June 16. The bank found [...] T...

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: <https://research.checkpoint.com/2026/6th-july-threat-intelligence-report-2/>