

Cybersecurity Daily Newsletter

Vol. 003 | 2026-07-15 16:55 WIB

Top 5 Highlights

- When 80,000 fans log on at once: The 2026 World Cup's unique cybersecurity issues
- Progress Confirms Zero-Day Vulnerability Behind ShareFile Disruption
- CISA warns admins to patch actively exploited SharePoint flaws
- Microsoft Patches 570 CVEs in Record Patch Tuesday
- ICS Patch Tuesday: Vulnerabilities Fixed by Siemens, Schneider, Rockwell

Threat Intelligence (10)

01. Compromised AsyncAPI npm Packages Deliver Multi-Stage Botnet Malware

Four compromised npm packages in the @asyncapi namespace have been observed distributing a multi-stage botnet loader, according to findings from OX Security, SafeDep, Socket, and StepSecurity. The affected packages are listed below -

@asyncapi/generator-helpers@1.1.1 @asyncapi/generator-components@0.7.1
@asyncapi/generator@3.3.1 @asyncapi/specs(v6.11.2, v6....

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://thehackernews.com/2026/07/compromised-asyncapi-npm-packages.html>

02. 7 skills and traits of elite security engineers

Security engineers play a pivotal role in enterprise cybersecurity, because they are the professionals who design, build, and deploy security systems to protect an organization's data, applications, systems, networks, and other IT components against a variety of cyber threats. Finding not just qualified security engineers, but the best and brightest availab...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Audit build pipelines, rotate CI/CD secrets, enforce package integrity controls, and review developer workstation hardening.

Sources: <https://www.csoononline.com/article/4196428/7-skills-and-traits-of-elite-security-engineers.html>

03. Microsoft is forcing an enterprise transition to passkeys

Passkeys have been around for some time, but enterprise-wide adoption to this point has been slow for a number of reasons. But soon, many Microsoft customers won't have a choice. Starting September 1, Microsoft will roll out passkeys as the default authentication method in its cloud-based identity and access management (IAM) service Entra ID. And following...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: <https://www.csoononline.com/article/4197086/microsoft-is-forcing-an-enterprise-transition-to-pass-keys-2.html>

04. ISC Stormcast For Wednesday, July 15th, 2026

<https://isc.sans.edu/podcastdetail/10008>, (Wed, Jul 15th)

ISC Stormcast For Wednesday, July 15th, 2026 <https://isc.sans.edu/podcastdetail/10008>, (Wed, Jul 15th)

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://isc.sans.edu/diary/rss/33158>

05. Old Microsoft-signed UEFI applications can bypass Secure Boot

These vulnerable UEFI applications, primarily older versions of the shim bootloader, can allow attackers to execute untrusted code during system startup, according to ESET researcher Martin Smolár.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.scworld.com/brief/old-microsoft-signed-uefi-applications-can-bypass-secure-boot>

06. Nearly 300 GitHub repos pose as legit software to push malware

A threat actor has published hundreds of fake GitHub repositories impersonating legitimate software and security projects to distribute infostealer malware. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.bleepingcomputer.com/news/security/nearly-300-github-repos-pose-as-legit-software-to-push-malware/>

07. LabubaRAT Masquerades as NVIDIA Software to Control Windows Hosts

Cybersecurity researchers have flagged a previously undocumented Rust-based remote access trojan (RAT) codenamed LabubaRAT that masquerades as NVIDIA software to blend into target environments. "LabubaRAT creates a reusable foothold for hands-on activity," Blackpoint Cyber researchers Sam Decker and Nevan Beal said in an analysis published today. "Once depl...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://thehackernews.com/2026/07/labubarat-masquerades-as-nvidia.html>

08. Threat Hunting Case Study: Scattered Spider

Scattered Spider skips malware and breaks in with a phone call and a legitimate remote access tool, here's how to hunt for it.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.intel471.com/blog/threat-hunting-case-study-scattered-spider>

09. LastPass, Bitwarden users targeted with fake security alerts

LastPass is warning users about an ongoing phishing campaign that is using fake security notices to direct them to fraudulent websites. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: <https://www.bleepingcomputer.com/news/security/lastpass-bitwarden-users-targeted-with-fake-security-alerts/>

10. New phishing kits target Microsoft 365 accounts, evade MFA

Two new phishing kits, Jalisco and OmegaLord, have been discovered in attacks targeting Microsoft 365 accounts, using techniques that defeat multi-factor authentication (MFA). [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: <https://www.bleepingcomputer.com/news/security/new-phishing-kits-target-microsoft-365-accounts-evade-mfa/>

Latest Vulnerabilities (10)

01. Progress Confirms Zero-Day Vulnerability Behind ShareFile Disruption

The company has rolled out a fix and is restoring access for Storage Zones Controller customers who apply it. The post Progress Confirms Zero-Day Vulnerability Behind ShareFile Disruption appeared first on SecurityWeek .

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources:

<https://www.securityweek.com/progress-confirms-zero-day-vulnerability-behind-sharefile-disruption/>

02. CISA warns admins to patch actively exploited SharePoint flaws

The U.S. Cybersecurity and Infrastructure Security Agency (CISA) warned Tuesday that attackers are actively exploiting three vulnerabilities to hack Internet-exposed on-premises SharePoint Server instances. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.bleepingcomputer.com/news/security/cisa-warns-admins-to-patch-actively-exploited-sharepoint-flaws/>

03. Microsoft Patches 570 CVEs in Record Patch Tuesday

Microsoft released fixes for a record 570 CVEs in its July Patch Tuesday update, as experts warn AI is dramatically accelerating vulnerability discovery and increasing patch volumes

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.infosecurity-magazine.com/news/microsoft-570-cves-patch-tuesday/>

04. ICS Patch Tuesday: Vulnerabilities Fixed by Siemens, Schneider, Rockwell

The industrial giants fixed dozens of vulnerabilities across their ICS products, with advisories also released by CISA and VDE CERT. The post ICS Patch Tuesday: Vulnerabilities Fixed by Siemens, Schneider, Rockwell appeared first on SecurityWeek .

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.securityweek.com/ics-patch-tuesday-vulnerabilities-fixed-by-siemens-schneider-rockwell/>

05. Cybersecurity needs more prevention and less reliance on cure

Ask any medical doctor, and they'll tell you that prevention is better than cure. It's more cost-effective and it has better outcomes. The same is true in cybersecurity. But we believe that our industry has veered too far away from this simple concept. We observe that most new tools are detection-focused, and we are calling for cyber innovators and venture...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.csoononline.com/article/4196818/cybersecurity-needs-more-prevention-and-less-reliance-on-cure.html>

06. FreeRDP 3.29.0 security update resolves 22 advisories

FreeRDP is a free implementation of the Remote Desktop Protocol, released under the Apache license, and it runs on a large share of workstations and servers through the many tools built on it. The 3.29.0 version is a security, bugfix, and maintenance update

that resolves 22 advisories. What the fixes address The commits read as hardening work spread across...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.helpnetsecurity.com/2026/07/15/freerdp-3-29-0-security-update/>

07. Nigeria Deepens Cybersecurity Efforts as Cybercriminals See More Profits

The West African country advanced rules to force organizations to disclose cyberattacks, joining other nations in a shift to mandated transparency.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.darkreading.com/cyber-risk/nigeria-cybersecurity-efforts-cybercriminals-profits>

08. Fortinet adds AI controls and data loss prevention to FortiEndpoint

Fortinet has announced new capabilities for its unified endpoint platform, FortiEndpoint, designed to help organizations securely adopt AI, protect sensitive data, and reduce risk. By bringing AI visibility and control, native data security, endpoint risk scoring, and FortiAI-assisted operations into FortiEndpoint, Fortinet enables security teams to better...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.helpnetsecurity.com/2026/07/15/fortinet-fortiai-assist/>

09. Critical Vulnerabilities Patched With Fresh Chrome 150, Firefox 152 Updates

Public exploit code targeting the Firefox flaws exists, but no in-the-wild exploitation has been observed. The post Critical Vulnerabilities Patched With Fresh Chrome 150, Firefox 152 Updates appeared first on SecurityWeek .

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.securityweek.com/critical-vulnerabilities-patched-with-fresh-chrome-150-firefox-152-updates/>

10. SingGuard-NSFA: Open-source guardrails for agentic AI

SingGuard-NSFA is an open-source guardrail framework aimed at operational threats in agent workflows. Four models ship at 0.8B, 2B, 4B, and 9B parameters, all built on

Qwen3.5 base backbones. Risk taxonomy The NSFA risk taxonomy organizes threats along the CIA triad of confidentiality, integrity, and availability. It defines 185 risk variants grouped under...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.helpnetsecurity.com/2026/07/15/singguard-nsfa-open-source-agentic-ai-guardrails/>

Data Breach & Cybercrime (10)

01. When 80,000 fans log on at once: The 2026 World Cup's unique cybersecurity issues

With the World Cup in full swing, stadiums across North America are currently accommodating thousands of fans every match day. That said, the stadiums' biggest security challenge isn't of a physical nature. It is not hyperbolic to say that football stadiums are some of the most chaotic endpoint environments in enterprise IT. On game days, tens of thousands...

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.csoonline.com/article/4196827/when-80000-fans-log-on-at-once-the-2026-world-cups-unique-cybersecurity-issues.html>

02. US charges alleged operators of Russian bulletproof hosting service

U.S. federal prosecutors have unsealed charges against three Russian nationals, accusing them of providing bulletproof hosting (BPH) services to ransomware gangs that caused over \$62 million in damages to victims worldwide. [...]

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: <https://www.bleepingcomputer.com/news/security/us-charges-alleged-russian-bulletproof-hosting-service-operators/>

03. Synopsys denies data breach claims by new ransomware group D1R

The ransomware group D1R claimed to have accessed a database of 40,000 entries from Synopsys and subsequently used this information to target Bosch, alleging the theft of valuable intellectual property.

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources:

<https://www.scworld.com/brief/synopsys-denies-data-breach-claims-by-new-ransomware-group-d1r>

04. Fortinet enhances endpoint security with AI monitoring and data loss prevention

Fortinet Inc. has expanded its FortiEndpoint platform with new features designed to help companies monitor employee use of artificial intelligence tools and prevent sensitive data from leaking into them.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.scworld.com/brief/fortinet-enhances-endpoint-security-with-ai-monitoring-and-data-loss-prevention>

05. Spanish Police take down €140 million cyber fraud ring, arrest four

The Spanish Police dismantled a cybercrime and money-laundering organization that made €140 million (\$160 million) from investment fraud and business email compromise (BEC) attacks. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/spanish-police-take-down-140-million-cyber-fraud-ring-arrest-four/>

06. Synopsys Finds No Evidence of Data Breach Amid Bosch Hack Claims

The D1R cybercrime group claimed to have stolen valuable data from Synopsys and Bosch, threatening to leak it unless a ransom is paid. The post Synopsys Finds No Evidence of Data Breach Amid Bosch Hack Claims appeared first on SecurityWeek .

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources:

<https://www.securityweek.com/synopsys-finds-no-evidence-of-data-breach-following-bosch-hack-claims/>

07. RabbitMQ Flaws Could Leak OAuth Secrets and Expose Cross-Tenant Queue Metadata

Cybersecurity researchers have disclosed details of two access control-related flaws impacting the RabbitMQ message broker service that could allow attackers to leak OAuth client secrets, expose enterprise messaging infrastructure to takeover risks, and bypass tenant boundaries. Miggo's security team, which discovered and reported the flaws, said

one "leaks...

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://thehackernews.com/2026/07/rabbitmq-flaws-could-leak-oauth-secrets.html>

08. 'The bots are alive!' Jailbroken Gemini spun up new C2 server for Russian fraudster in just 6 minutes

Human did 10% of the job, AI did 90%

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.theregister.com/research/2026/07/14/the-bots-are-alive-jailbroken-gemini-spun-up-new-c2-server-for-russian-fraudster-in-just-6-minutes/5270131>

09. Study of 85 Crypto Wallet Extensions Finds Address Leaks and Cross-Site Tracking Risks

Researchers at KU Leuven tested 85 of the most popular crypto wallets that run as browser extensions and found that the wallets themselves leak enough to link and track the people using them. The way these wallets talk to websites and blockchain servers can tie a person's separate addresses together and let outsiders follow them from site to site. And on a...

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://thehackernews.com/2026/07/study-of-85-crypto-wallet-extensions.html>

10. OAuth Client ID Spoofing Lets Attackers Validate Stolen Microsoft Entra Credentials

At least two distinct threat actors are weaponizing a novel evasion technique called OAuth client ID spoofing in cloud campaigns, while slipping past telemetry. The activity allows users to enumerate user accounts and validate stolen credentials in Microsoft Entra ID environments, without ever generating a successful sign-in event that would otherwise alert...

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://thehackernews.com/2026/07/oauth-client-id-spoofing-lets-attackers.html>