

Cybersecurity Daily Newsletter

Vol. 004 | 2026-08-24 09:00 WIB

Top 5 Highlights

- ToxicPanda Android malware uses VPN permissions to block Google Play
- [+24h Old] Week in review: Records allegedly stolen from Azure tenants, Medusa ransomware hits 500+ orgs
- [+24h Old] Hackers infect Android car head units with proxy botnet malware
- [+48h Old] Banking Trojans Manic, Grandoreiro, ToxicPanda 2.0 in the Spotlight
- [+48h Old] AWS Security makes an inscrutable choice

Threat Intelligence (10)

01. ToxicPanda Android malware uses VPN permissions to block Google Play

The ToxicPanda Android malware has evolved with new malicious functionality, expanding its targeting to 349 applications and adding support for 167 remote commands. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.bleepingcomputer.com/news/security/toxicpanda-android-malware-uses-vpn-permissions-to-block-google-play/>

02. [+24h Old] Hackers infect Android car head units with proxy botnet malware

A supply-chain attack targeting Android-based car head units is using a legitimate device-update app to spread malware that enlists compromised devices in a proxy botnet or uses them for ad fraud. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.bleepingcomputer.com/news/security/hackers-infect-android-car-head-units-with-proxy-botnet-malware/>

03. [+48h Old] Banking Trojans Manic, Grandoreiro, ToxicPanda 2.0 in the Spotlight

The spyware-equipped Manic, a persistent Grandoreiro campaign in Latin America and Europe, and an expanded ToxicPanda 2.0 malware. The post Banking Trojans Manic, Grandoreiro, ToxicPanda 2.0 in the Spotlight appeared first on SecurityWeek .

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.securityweek.com/banking-trojans-manic-grandoreiro-toxicpanda-2-0-in-the-spotlight/>

04. [+48h Old] TrueConf flaws enabling attacks on meeting participants added to KEV catalog

The flaws have been used by the Head Mare APT hacktivist group to spread PhantomCore malware.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.scworld.com/news/trueconf-flaws-enabling-attacks-on-meeting-participants-added-to-kev-catalog>

05. [+48h Old] Connecting the Dots: Securing the Overlooked Corners of the Software Development Lifecycle (SDLC) Supply Chain

Attackers are targeting CI/CD pipelines and developer tools instead of application code, requiring total SDLC visibility and strict security controls The post Connecting the Dots: Securing the Overlooked Corners of the Software Development Lifecycle (SDLC) Supply Chain appeared first on Unit 42 .

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Audit build pipelines, rotate CI/CD secrets, enforce package integrity controls, and review developer workstation hardening.

Sources: <https://unit42.paloaltonetworks.com/sdlc-supply-chain/>

06. [+48h Old] Navy warns of multi-pronged adversary campaign targeting personnel and installations

The campaign includes direct threats and harassment via social media, doxing, drone activity near Navy assets, ground-level surveillance, physical attacks, and probes of security measures.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.scworld.com/brief/navy-warns-of-multi-pronged-adversary-campaign-targeting-personnel-and-installations>

07. [+48h Old] New Agent Tesla malware version uses emoji obfuscation to evade detection

The latest Agent Tesla campaign utilizes a JScript dropper that incorporates Unicode emoji characters to disrupt signature-based detection and obscure the malicious code.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.scworld.com/brief/new-agent-tesla-malware-version-uses-emoji-obfuscation-to-evade-detection>

08. [+48h Old] New malware targets Android car head units for ad fraud and botnet creation

Kaspersky discovered the threat in June 2026, noting that the malware spreads through the built-in updaters of the head unit firmware.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.scworld.com/brief/new-malware-targets-android-car-head-units-for-ad-fraud-and-botnet-creation>

09. [+48h Old] Attackers use FTP banners to hide new E4del and PINHOLE RATs

The attack chain begins with a ZIP archive, likely distributed via phishing, which initiates an LNK-based infection.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: <https://www.scworld.com/brief/attackers-use-ftp-banners-to-hide-new-e4del-and-pinhole-rats>

10. [+48h Old] 14 Trojanized npm Packages Drop RedC2 4.0 Linux Backdoor With AI-Assisted C2

Cybersecurity researchers have discovered a set of trojanized npm packages that masquerade as working calendar and streak utilities but are engineered to stealthily deliver an artificial intelligence (AI)-powered Linux implant dubbed RedC2 4.0. "When the module loads, it locates the bundled binary, marks it executable, and launches it as a detached backgrou..."

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://thehackernews.com/2026/08/14-trojanized-npm-packages-drop-redc2.html>

Latest Vulnerabilities (10)

01. [+48h Old] Senator Wyden seeks review of federal law enforcement hacking tools

Wyden has formally requested the U.S. Government Accountability Office (GAO) to conduct a comprehensive inquiry into how agencies such as the FBI, DEA, ICE Homeland Security Investigations, and the Secret Service utilize these sophisticated surveillance technologies.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources:

<https://www.scworld.com/brief/senator-wyden-seeks-review-of-federal-law-enforcement-hacking-tools>

02. [+48h Old] Homeland security cybercops say patch TrueConf (Russia's Zoom) if you're using it

Ukrainian hacktivists exploiting the bugs, but TrueConf's reach stretches well beyond home turf

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.theregister.com/patches/2026/08/21/homeland-security-cybercops-say-patch-trueconf-russias-zoom-if-youre-using-it/5291156>

03. [+48h Old] Former NSA Director Paul Nakasone Launches National Security Advisory Firm

The newly-formed Nakasone Group will counsel government leaders, corporations, prominent families, and other private clients confronting cybersecurity, geopolitical, and personal security risks. The post Former NSA Director Paul Nakasone Launches National Security Advisory Firm appeared first on SecurityWeek .

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.securityweek.com/former-nsa-director-paul-nakasone-launches-national-security-advisory-firm/>

04. [+48h Old] Microsoft Defender's Own Driver Can Be Weaponized to Delete Security Software at Boot

Check Point Research has disclosed a technique that uses Microsoft Defender's own legitimately signed boot-time remediation driver to perform arbitrary kernel-level file and registry operations on Windows systems ranging from Windows 7 through Windows 11 25H2, with no software flaw exploited and no driver imported from outside the machine. The driver, BTR.s...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://thehackernews.com/2026/08/microsoft-defenders-own-driver-can-be.html>

05. [+48h Old] VU#756733: Calix GS7 XGS GS5239XG residential router contains missing authentication vulnerability

Overview The Calix GS7 XGS GS5239XG router running firmware EXOS/6.6.47 contains a missing authentication vulnerability that exposes its UPnP (Universal Plug and Play) WANIPConnection service on the public WAN interface. Description Calix GS7 XGS

GS5239XG is a residential gateway that provides routing, NAT, and firewall functionality for home networks. The...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://kb.cert.org/vuls/id/756733>

06. [+48h Old] Critical Isolated-vm Vulnerability Leads to RCE on Host

The type confusion bug can lead to V8 sandbox escape and control-flow hijacking of the host process. The post Critical Isolated-vm Vulnerability Leads to RCE on Host appeared first on SecurityWeek .

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.securityweek.com/critical-isolated-vm-vulnerability-leads-to-rce-on-host/>

07. [+48h Old] CISA orders feds to patch actively exploited TrueConf Server flaws

The U.S. Cybersecurity and Infrastructure Security Agency (CISA) ordered U.S. federal agencies to prioritize patching two actively exploited vulnerabilities in the TrueConf Server self-hosted communications platform. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.bleepingcomputer.com/news/security/cisa-orders-feds-to-patch-actively-exploited-trueconf-server-flaws/>

08. [+48h Old] Critical Microsoft Entra ID vulnerability exploited in the wild (CVE-2026-69836)

Microsoft has patched a critical remote code execution vulnerability (CVE-2026-69836) in Entra ID, reportedly exploited in the wild. Entra ID is Microsoft's cloud identity service, formerly Azure Active Directory, that verifies logins and controls access to Microsoft 365, Azure, and connected third-party apps. Tracked as CVE-2026-69836, with the maximum CVSS...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.helpnetsecurity.com/2026/08/21/microsoft-entra-id-vulnerability-cve-2026-69836/>

09. [+48h Old] Microsoft patches max severity code execution, privilege escalation flaws

Microsoft has patched a maximum-severity vulnerability in the Entra ID identity and access management (IAM) platform that has been exploited in attacks. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.bleepingcomputer.com/news/microsoft/microsoft-warns-of-max-severity-entra-id-flaw-exploited-in-attacks/>

10. [+48h Old] Cisco Patches Nine Crosswork and Secure Workload Flaws, Five Scoring CVSS 10.0

Cisco has published another round of security updates for Crosswork platforms and Secure Workload Software as part of a continued comprehensive internal security review. Four of the security vulnerabilities affect Crosswork Data Gateway, Crosswork Network Controller, and Crosswork Planning, regardless of the device configuration. A brief description of each...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://thehackernews.com/2026/08/cisco-patches-nine-crosswork-and-secure.html>

Data Breach & Cybercrime (10)

01. [+24h Old] Week in review: Records allegedly stolen from Azure tenants, Medusa ransomware hits 500+ orgs

Here's an overview of some of last week's most interesting news, articles, interviews and videos: Windows 11's strongest security defenses can be bypassed without a screwdriver
Researchers from the University of Birmingham and Durham University have found a way to knock down some of the toughest protections in Windows 11 without physically opening or modify...

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: <https://www.helpnetsecurity.com/2026/08/23/week-in-review-records-allegedly-stolen-from-azure-tenants-medusa-ransomware-hits-500-orgs/>

02. [+48h Old] AWS Security makes an inscrutable choice

Quarantining leaked credentials is not good enough

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.theregister.com/security/2026/08/22/aws-security-makes-an-inscrutable-choice-corey-quinn/5291446>

03. [+48h Old] Hundreds of leaked AWS keys give full control over corporate accounts

More than 9,300 Amazon Web Services (AWS) access keys publicly exposed between August 2022 and August 2026 are still active and valid. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/hundreds-of-leaked-aws-keys-give-full-control-over-corporate-accounts/>

04. [+48h Old] Is Online Privacy Possible? How Digital Identities Can Help

Using the same email, phone number, payment method, and other identifiers makes it easier for data brokers and attackers to profile your activity. Anonymize Labs explains how separate digital personas can reduce correlation and limit the impact of breaches, spam, and identity theft. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/is-online-privacy-possible-how-digital-identities-can-help/>

05. [+48h Old] The Good, the Bad and the Ugly in Cybersecurity - Week 34

U.S. indicts Iranian cyber espionage operations, Medusa ransomware breaches 500 organizations, and attackers exploit a critical Windows protocol flaw.

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: <https://www.sentinelone.com/blog/the-good-the-bad-and-the-ugly-in-cybersecurity-week-34-8/>

06. [+48h Old] Medical records, SSNs, and bank details exposed in CareCloud data breach

Healthcare technology provider CareCloud confirmed that 3.75 million people were affected by a March data breach.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.malwarebytes.com/blog/news/2026/08/medical-records-ssns-and-bank-details-exposed-in-carecloud-data-breach>

07. [+48h Old] SickKids data breach exposes employee and job applicant info

Toronto's Hospital for Sick Children (SickKids) says a cybersecurity incident exposed the personal information of some current and former employees and job applicants, stemming from a flaw in third-party software. Clinical systems and patient records were not affected. (264) [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/sickkids-data-breach-exposes-employee-and-job-applicant-info/>

08. [+48h Old] Hospital for Sick Children discloses employee data breach due to third-party software flaw

SickKids confirmed that clinical systems and patient records were not affected, though its public-facing Careers website was temporarily taken offline.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.scworld.com/brief/hospital-for-sick-children-discloses-employee-data-breach-due-to-third-party-software-flaw>

09. [+48h Old] Ransomware takes aim at enterprise resilience

Ransomware remains one of the most disruptive cyber threats organizations face. Companies have strengthened their cyber defenses over the years, but attackers in 2026 have become faster, more targeted, and increasingly reliant on AI, forcing the need for a change in how organizations approach cyber resilience. From the rise of AI-enabled attacks and extortion...

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources:

<https://www.csoononline.com/article/4212157/ransomware-takes-aim-at-enterprise-resilience.html>

10. [+48h Old] A \$25 template helped scammers build hundreds of phantom bank domains

A phrase on a suspicious website turned into an investigation of phantom banks built to support scams, according to new research from Allure Security. Molly DeQuattro, the company's VP of Operations, was reviewing a domain that resembled the brand of one of its financial services clients. The page carried none of that client's branding. It presented an unre...

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.helpnetsecurity.com/2026/08/21/phantom-bank-websites-fraud-research/>