

Cybersecurity Daily Newsletter

Vol. 001 | 2026-05-28 07:00 WIB

Top 5 Highlights

- Another IT governance headache: AI-enabled sanction evasion
- Out of the Crypt: The Evolving Cyber Extortion Economy
- AI models more vulnerable than claimed when faced with iterative attacks
- XM Cyber expands platform to enforce least-privilege access
- High-severity Starlette vulnerability 'BadHost' could expose sensitive data

Threat Intelligence (10)

01. Doppel launches AI email security to disrupt phishing campaigns

Doppel Email Security utilizes autonomous agents and its Doppel 360 Threat Graph to investigate threats within the inbox.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources:

<https://www.scworld.com/brief/doppel-launches-ai-email-security-to-disrupt-phishing-campaigns>

02. FBI warns law firms of in-person data theft by Silent Ransom Group

SRG actors initiate attacks by posing as IT support staff, contacting victims via phone calls or phishing emails to solicit a remote desktop session.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources:

<https://www.scworld.com/brief/fbi-warns-law-firms-of-in-person-data-theft-by-silent-ransom-group>

03. GPU mining malware spreads via SEO poisoning, AI chatbots

Threat actors are targeting systems with high-performance computers in an ongoing cryptojacking campaign spread through a coordinated SEO poisoning operation that also manipulated AI chatbot recommendations. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.bleepingcomputer.com/news/security/gpu-mining-malware-spreads-via-seo-poisoning-ai-chatbots/>

04. AI chatbot recommendations lure users to cryptojacking malware sites

Cybercriminals are using AI chatbot interactions alongside poisoned search results to direct users to malicious download sites in an active cryptojacking campaign, Microsoft has warned. The campaign impersonates legitimate software tools such as CrystalDiskInfo, HWMonitor, Display Driver Uninstaller (DDU), FurMark, K-Lite Codec Pack, and PDFgear. Screenshot...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.helpnetsecurity.com/2026/05/27/ai-chatbot-cryptojacking-campaign/>

05. CrowdStrike, Google Shatter Glassworm botnet

Developer-targeted, supply-chain attacks all the rage these days

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.theregister.com/cyber-crime/2026/05/27/crowdstrike-google-shatter-glassworm-botnet/5247337>

06. Grandoreiro Malware and BTMOB RAT Campaigns Target Windows and Android Users

Latin America and Europe become the target of two banking trojan campaigns that are designed to infect Windows and Android devices with Grandoreiro and BTMOB malware, respectively. That's according to new findings from WatchGuard and ESET, which have observed the two malware families being used to single out companies in Spain, Portugal, and Mexico, as well...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://thehackernews.com/2026/05/grandoreiro-malware-and-btmob-rat.html>

07. CrowdStrike, Google Take Down Glassworm Botnet

Operators of the malicious Glassworm botnet have been targeting software developers since at least early 2025

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.infosecurity-magazine.com/news/crowdstrike-google-takedown/>

08. Glassworm botnet disrupted after resilient C2 infrastructure takedown

The Glassworm botnet targeting developers in software supply-chain attacks has been disrupted after researchers took down its resilient command-and-control infrastructure relying on Solana blockchain transactions and the BitTorrent DHT network. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.bleepingcomputer.com/news/security/glassworm-botnet-disrupted-after-resilient-c2-infrastructure-takedown/>

09. eSentire launches new Atlas AI Operatives for autonomous threat detection and response

eSentire has unveiled new preempt, detect, and respond capabilities within the Atlas Platform, a unified agentic AI platform with purpose-built AI Operatives that work together in a continuous security lifecycle. Controlled autonomy SecOps The Atlas Platform delivers purpose-built and adaptive AI operative infrastructure in a continuous closed loop across a...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.helpnetsecurity.com/2026/05/27/esentire-atlas-platform-capabilities/>

10. RevEng.AI Raises \$15 Million to Hunt for Flaws and Backdoors in Software Binaries

Using an AI model called BinNet, RevEng hunts vulnerabilities and backdoors in released software binaries. The post RevEng.AI Raises \$15 Million to Hunt for Flaws and Backdoors in Software Binaries appeared first on SecurityWeek .

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.securityweek.com/reveng-ai-raises-15-million-to-hunt-for-flaws-and-backdoors-in-software-binaries/>

Latest Vulnerabilities (10)

01. Another IT governance headache: AI-enabled sanction evasion

Over the next three to five years, both governments and the private sector will need to rapidly adapt identification and mitigation protocols as adversaries move from AI-assisted to AI-enabled sanctions evasion and proliferation financing (PF), a new research paper warns. The report , Algorithms of Evasion: The Rise of AI-Enabled Proliferation Financing, fr...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.csoononline.com/article/4177936/another-it-governance-headache-ai-enabled-sanction-evasion-3.html>

02. AI models more vulnerable than claimed when faced with iterative attacks

CISOs relying on LLM runtime guardrails and official safety scores when making security decisions about their organizations' AI usage and model selection are due for a wakeup call. According to a new study from Cisco, frontier models from OpenAI, Anthropic,

Google, xAI, and Amazon have significantly worse risk profiles when pressured in multi-turn attacks c...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.csoonline.com/article/4177903/ai-models-more-vulnerable-than-claimed-when-faced-with-iterative-attacks.html>

03. XM Cyber expands platform to enforce least-privilege access

XM Cyber Inc. announced an expansion of its platform with new capabilities designed to help enterprises enforce least-privilege access across Active Directory, Microsoft Entra, and multicloud environments.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.scworld.com/brief/xm-cyber-expands-platform-to-enforce-least-privilege-access>

04. High-severity Starlette vulnerability 'BadHost' could expose sensitive data

The flaw, tracked as CVE-2026-48710, arises from the framework's handling of malformed Host headers.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources:

<https://www.scworld.com/brief/high-severity-starlette-vulnerability-badhost-could-expose-sensitive-data>

05. Xage Security enhances zero-trust platform for AI agents

The updated platform introduces Xage Agent Sentry and Xage Resource Gateway, which aim to secure AI agents and the resources they access at multiple levels, including network interactions, local events, and operating system calls.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.scworld.com/brief/xage-security-enhances-zero-trust-platform-for-ai-agents>

06. Reconstructing an Akira Ransomware Kill Chain from Perimeter and Endpoint Logs, (Wed, May 27th)

Most Akira write-ups focus on the ransom note or the encryption routine. By the time those show up the interesting forensic work is over. The questions that matter to defenders sit earlier. How did they get in. When did they get domain admin. What did

they touch before the binary fired. Those answers live in the days before impact. They sit in two log sourc...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://isc.sans.edu/diary/rss/33024>

07. CVE-2026-49009 | Northern.tech Mender Server up to 4.0.1/4.0.2/4.1.0/4.1.1 path traversal

A vulnerability marked as critical has been reported in Northern.tech Mender Server up to 4.0.1/4.0.2/4.1.0/4.1.1 . This affects an unknown function. This manipulation causes path traversal. This vulnerability is tracked as CVE-2026-49009 . The attack is possible to be carried out remotely. No exploit exists.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://vuldb.com/vuln/366518>

08. CVE-2026-33552 | Northern.tech Mender Enterprise Server up to 4.1.0 access control

A vulnerability labeled as critical has been found in Northern.tech Mender Enterprise Server up to 4.1.0 . The impacted element is an unknown function. The manipulation results in improper access controls. This vulnerability is identified as CVE-2026-33552...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://vuldb.com/vuln/366517>

09. CVE-2026-9759 | Wireshark up to 4.4.15/4.6.5 ROHC Protocol Dissector null pointer dereference (EUVD-2026-32629)

A vulnerability identified as problematic has been detected in Wireshark up to 4.4.15/4.6.5 . The affected element is an unknown function of the component ROHC Protocol Dissector . The manipulation leads to null pointer dereference. This vulnerability is referenced as CVE-2026-9759...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://vuldb.com/vuln/366516>

10. CVE-2026-45104 | MapServer up to 8.6.2 array index

A vulnerability categorized as problematic has been discovered in MapServer up to 8.6.2 . Impacted is an unknown function. Executing a manipulation can lead to improper validation of array index. The identification of this vulnerability is CVE-2026-45104...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://vuln.db.com/vuln/366515>

Data Breach & Cybercrime (10)

01. Out of the Crypt: The Evolving Cyber Extortion Economy

Unit 42 explores trends in data theft and extortion, outlining key strategies for organizations as frontier AI models advance. The post Out of the Crypt: The Evolving Cyber Extortion Economy appeared first on Unit 42 .

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://unit42.paloaltonetworks.com/cyber-extortion-economy/>

02. Ransomware Actors Show Up In Person to Steal Law Firm Data

The FBI warned that the extortion gang Silent Ransom Group is targeting law firms and socially engineering its way into servers and databases.

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources:

<https://www.darkreading.com/cyberattacks-data-breaches/ransomware-actors-steal-law-firm-data>

03. Latin American Cybercriminals Hoover Up Government Data

A purported leak exposing 5.8 million records of Uruguayan citizens is the latest incident where cybercriminals targeted government agencies to monetize citizen data.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.darkreading.com/cyberattacks-data-breaches/latin-american-cybercriminals-government-data>

04. Extortion crews are visiting law firms pretending to be tech support, FBI warns

Cybercriminals still allowed to walk into office blocks and convince staff to let them plug in their own thumb drives

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.theregister.com/security/2026/05/27/fbi-crooks-enter-legal-offices-and-steal-data-via-usb-drive/5247212>

05. FBI warns of in-person data theft attacks from extortion gang

The FBI warned on Tuesday that the Silent Ransom Group (SRG) extortion gang is now targeting U.S.-based law firms in in-person data theft attacks. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/fbi-warns-of-silent-ransom-group-in-person-data-theft-attacks/>

06. The Credential Crisis: How Stolen Credentials Defeat Modern Security

As AI accelerates phishing, session hijacking, and credential abuse, security teams are racing to close the gap between attacker speed and defensive response. The post The Credential Crisis: How Stolen Credentials Defeat Modern Security appeared first on SecurityWeek .

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.securityweek.com/the-credential-crisis-how-stolen-credentials-defeat-modern-security/>

07. Dutch police arrests suspect linked to Ajax football club hack

The Dutch National Police arrested a 35-year-old man suspected of hacking the professional football club Ajax Amsterdam (AFC Ajax) earlier this year. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/dutch-police-arrests-suspect-linked-to-ajax-football-club-hack/>

08. DSPM buyer's guide: Top 10 data security posture management tools

Data security posture management (DSPM) explained Data security posture management (DSPM) tools help security teams examine their entire data environment to find shadow data, reducing the risk of data loss. Tracking down sensitive data across both cloud and on-premises systems can be vexing. Each environment presents its own challenges. Given the dynamic an...

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources:

<https://www.csoonline.com/article/2075321/top-12-data-security-posture-management-tools.html>

09. [+24h Old] Charter confirms data breach after ShinyHunters extortion threat

U.S. telecommunications giant Charter Communications has confirmed it suffered a data breach after the ShinyHunters extortion group threatened to leak stolen data unless a ransom is paid. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/charter-confirms-data-breach-after-shinyhunters-extortion-threat/>

10. [+24h Old] MyPillow must decide whether to be firm or soft as ransomware crims demand pay

Guess they could deny the alleged intrusion ... like the 2020 election results

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: <https://www.theregister.com/cyber-crime/2026/05/26/mypillow-appears-on-play-ransomware-leak-site/5246513>