Cybersecurity Daily Newsletter

Vol. 007 | 2026-11-07 09:00 WIB

Top 5 Highlights

• Microsoft addresses high-severity vulnerability in Paint application

• D-Link issues mitigation guidance for unpatched DGS-3130 switch vulnerabilities

• SonicWall warns of new SSL-VPN MFA bypass flaw exploited in attacks

• Runaway AI hacking agent behind WorkOS breach after escaping sandbox

• AI hates us all, Binance, OpenSSH, Apple, WordPress, DNS, Scams, Josh Marpet and more - SWN #631

Threat Intelligence (10)

01. Fake security tools on GitHub push backdoors and infostealers

Cybersecurity professionals are being targeted with infected security projects on GitHub that deploy a backdoor and information stealer malware. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: https://www.bleepingcomputer.com/news/security/fake-security-tools-on-github-push-backdoors-and-infostealers/

02. Why Europe's Freezer Hacks Spread So Far, So Fast

Europe's supermarket freezer hacks show how security issues can cascade across an industry, disrupting supply chains at scale.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Audit build pipelines, rotate CI/CD secrets, enforce package integrity controls, and review developer workstation hardening.

Sources: https://www.darkreading.com/ics-ot-security/europes-freezer-hacks-spread-so-far-so-fast

03. ARTEX Offensive AI Tool Activity Far Exceeds Reported Campaigns, Censys Finds

A new Censys report showed that the use of ARTEX, an AI pentesting tool popular with threat actor, could be spreading far beyond initially reported campaigns

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: https://www.infosecurity-magazine.com/news/artex-activity-exceeds-reported/

04. [+24h Old] Hackers Hide Linux Backdoor in Control Web Panel Server to Execute Commands Without Logs

A backdoor has been found hiding in the web server that runs Control Web Panel (CWP), a free panel for managing Linux hosting servers, researchers at QiAnXin's XLab said this week. The backdoored web server executes commands that attackers send via web requests, and those requests never appear in its access logs. Installing it takes root access, so the atta...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: https://thehackernews.com/2026/11/hackers-hide-linux-backdoor-in-control.html

05. [+24h Old] Rental phishing sites use live chat to win over hesitant travelers

Holiday travelers looking for a place to stay are landing on copies of popular rental platforms, complete with host names, ratings and reviews, that ask for their passwords, personal details and credit card numbers. The sites, spotted and taken down by Fortra’s Intelligence and Research Experts (FIRE) team, rely on familiar branding, copied property listing…

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: https://www.helpnetsecurity.com/2026/11/06/holiday-rental-platform-phishing-travelers/

06. [+24h Old] ISC Stormcast For Friday, November 6th, 2026 https://isc.sans.edu/podcastdetail/10168, (Fri, Nov 6th)

ISC Stormcast For Friday, November 6th, 2026 https://isc.sans.edu/podcastdetail/10168, (Fri, Nov 6th)

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: https://isc.sans.edu/diary/rss/33494

07. [+24h Old] Binance heist is stark example of AI governance gaps and basic security failures

A chain of avoidable technical and human security failures enabled the largest crypto heist on record, the theft of approximately $6.34 billion from Binance…

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: https://www.csoonline.com/article/4245354/binance-heist-is-stark-example-of-ai-governance-gaps-and-basic-security-failures.html

08. [+24h Old] Fake OpenAI, SpaceX events used to steal Microsoft, Google accounts

Hackers are using fake OpenAI, SpaceX, and Anthropic event invitations to lure employees into phishing attacks, using two different phishing-as-a-service platforms to steal Microsoft and Google account credentials and authentication sessions. […]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: https://www.bleepingcomputer.com/news/security/fake-openai-spacex-events-used-to-steal-microsoft-google-accounts/

09. [+24h Old] What We Missed: Knicks Phishing Test Goes Out of Bounds

In this video conversation, Dark Reading editors discuss some of the news they didn't get a chance to cover, from an ill-conceived phishing simulation to a hacktivist attack on a US government agency.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: https://www.darkreading.com/cyber-risk/what-we-missed-knicks-phishing-test-out-of-bounds

10. [+24h Old] APT29's Watering Holes Target Thousands of Mobile Users

After compromising websites, the Russian state-sponsored threat group is fingerprinting victims, then harvesting information from the interesting ones.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: https://www.darkreading.com/mobile-security/apt29-watering-holes-target-mobile-users

Latest Vulnerabilities (10)

01. Microsoft addresses high-severity vulnerability in Paint application

Microsoft has released a security update to resolve a high-severity vulnerability in the Paint application that could allow remote code execution, based on information published by Tech Radar.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: https://www.scworld.com/brief/microsoft-addresses-high-severity-vulnerability-in-paint-application

02. D-Link issues mitigation guidance for unpatched DGS-3130 switch vulnerabilities

Reported by Bleeping Computer. D-Link has issued mitigation measures for multiple unpatched security flaws affecting its DGS-3130 series managed Gigabit stackable switches.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: https://www.scworld.com/brief/d-link-issues-mitigation-guidance-for-unpatched-dgs-3130-switch-vulnerabilities

03. SonicWall warns of new SSL-VPN MFA bypass flaw exploited in attacks

SonicWall has released security updates to fix seven vulnerabilities in SonicOS firewalls, including an SSL-VPN authentication bypass flaw exploited in attacks. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: https://www.bleepingcomputer.com/news/security/sonicwall-warns-of-new-ssl-vpn-mfa-bypass-flaw-exploited-in-attacks/

04. OpenAI's new GPT-6 Cyber AI finds 81 Firefox flaws, 948 Linux bugs

OpenAI has revealed GPT-6 Cyber, a new artificial intelligence model that has discovered 81 previously unknown high-severity Firefox vulnerabilities and developed working exploits for 948 distinct Linux kernel flaws. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: https://www.bleepingcomputer.com/news/security/openais-new-gpt-6-cyber-ai-finds-81-firefox-flaws-948-linux-bugs/

05. QNAP says hackers breaching NAS devices in Plex2Shell attacks

QNAP urges users to update Plex Media Server to the latest version available in the QNAP App Center, as hackers are exploiting the Plex2Shell vulnerability chain. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: https://www.bleepingcomputer.com/news/security/qnap-says-hackers-breaching-nas-devices-in-plex2shell-attacks/

06. Installing the Fix for an Exploited WordPress Flaw Can Expose Some Sites One Last Time

Some WordPress sites can still be attacked while they install the fix for an actively exploited flaw, according to Umut Bayram, the Picus Security researcher who found it. The update that installs the fix still unpacks its files using the site's old, unpatched code, so an attacker who strikes at the right moment can run code on the server. The researcher ad...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: https://thehackernews.com/2026/11/installing-fix-for-exploited-wordpress.html

07. Hackers Target OpenSSH SSHole Flaw Within Hours of Disclosure, Gain Root on Honeypot

Threat actors are attempting to exploit a recently disclosed security flaw impacting OpenSSH that can enable sign-ins to accounts that have no password set, according to Previdian. The vulnerability, tracked as CVE-2026-123158 (CVSS score: 8.1) and codenamed SSHole (or *sshole), impacts Linux systems that run OpenSSH on the musl C library with Pluggable Aut…

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: https://thehackernews.com/2026/11/hackers-exploited-openssh-sshole-flaw.html

08. A mole in the White House? Residential proxies are everywhere

Residential proxies are often used by bad actors to hide the true source of internet traffic - and now one of them appears to have taken up residence in the White House. The Residential Proxy Observatory , set up by Layer3 Intel to monitor the threat of anonymized network activity, has identified proxy exit activity on one particular network, AS2650, which…

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: https://www.csoonline.com/article/4245791/a-mole-in-the-white-house-residential-proxies-are-everywhere.html

09. OpenAI Launches GPT-6 Cyber After AI Helps Find 81 Firefox Flaws, 948 Linux Exploits

OpenAI on Thursday unveiled GPT-6 Cyber, which it described as a major step forward in security research that brings together stronger cybersecurity capabilities with a step-change improvement in model alignment. The new model is "more capable at finding and fixing vulnerabilities, and far more reliable staying within the boundaries researchers set," OpenAI…

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: https://thehackernews.com/2026/11/openai-launches-gpt-6-cyber-after-ai.html

10. OpenAI Says New GPT-6 Cyber Model Hunts Flaws Without Crossing the Line

Rated Critical for cybersecurity, OpenAI’s new model beats GPT-5.6 Cyber at exploitation while staying in scope more reliably. The post OpenAI Says New GPT-6 Cyber Model Hunts Flaws Without Crossing the Line appeared first on SecurityWeek .

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: https://www.securityweek.com/openai-says-new-gpt-6-cyber-model-hunts-flaws-without-crossing-the-line/

Data Breach & Cybercrime (10)

01. Runaway AI hacking agent behind WorkOS breach after escaping sandbox

WorkOS says an AI-powered hacking agent that breached its internal sales application and accessed customer information was operated by a security researcher who claims the tool escaped its testing environment and unintentionally attacked the company. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: https://www.bleepingcomputer.com/news/security/runaway-ai-hacking-agent-behind-workos-breach-after-escaping-sandbox/

02. AI hates us all, Binance, OpenSSH, Apple, WordPress, DNS, Scams, Josh Marpet and more - SWN #631

AI hates us all, Binance, OpenSSH, Apple, WordPress, DNS, Scams, Josh Marpet and more - SWN #631

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: https://www.scworld.com/podcast-segment/15330-ai-hates-us-all-binance-openssh-apple-wordpress-dns-scams-josh-marpet-and-more-swn-631

03. The Good, the Bad and the Ugly in Cybersecurity - Week 45 (2026)

Authorities dismantle investment scams and cybercrime networks, scammers abuse Teams and AD CS, and cyberattacks disrupt European refrigeration systems.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: https://www.sentinelone.com/blog/the-good-the-bad-and-the-ugly-in-cybersecurity-week-45-8

04. Japan Announces Emergency Cybersecurity Package Following a Wave of Attacks

The emergency package comes after dozens of companies and government agencies were hit by unauthorized access to their systems and leaks of client data, prompting uneasiness across Japan. The post Japan Announces Emergency Cybersecurity Package Following a Wave of Attacks appeared first on SecurityWeek .

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: https://www.securityweek.com/japan-announces-emergency-cybersecurity-package-following-a-wave-of-attacks/

05. In Other News: Trezor Implant, LLMJacking Bills Hit $1M, SAP Flaws Weaponized Within Days

Noteworthy stories that might have slipped under the radar: Synology warns about NAS ransomware attacks, Flowise ‘hello’ attacks, Chainalysis breach impact expands. The post In Other News: Trezor Implant, LLMJacking Bills Hit $1M, SAP Flaws Weaponized Within Days appeared first on SecurityWeek .

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: https://www.securityweek.com/in-other-news-trezor-implant-llmjacking-bills-hit-1m-sap-flaws-weaponized-within-days/

06. Chainalysis says breach exposed credentials for all customers

Blockchain intelligence firm Chainalysis says a recent attack on its systems and internal tools has exposed credentials and live tokens for all customers. […]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: https://www.bleepingcomputer.com/news/security/chainalysis-says-breach-exposed-credentials-for-all-customers/

07. DigiCert Data Breach Impacts Business Customer Information

Hackers created an account on an internal system and accessed names, email addresses, phone numbers, and business addresses. The post DigiCert Data Breach Impacts Business Customer Information appeared first on SecurityWeek .

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: https://www.securityweek.com/digicert-data-breach-impacts-business-customer-information/

08. Virtualization security: attack layers and misconfiguration impact

A detailed breakdown of misconfigurations in virtual environment cybersecurity as shown by examples of ransomware cases on ESXi and Proxmox environments.

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: https://securelist.com/virtualization-security-esxi-and-proxmox-ransomware-cases/121819/

09. [+24h Old] French banking group hit by supply chain cyberattack

French regional banking group Crédit Mutuel Arkéa admitted Wednesday that attackers had accessed an internal account via an unnamed third-party service provider’s platform and transferred funds to other financial institutions. Those funds, it said, could have then been potentially converted to cryptocurrency by the thieves. The day before, cryptocurrency ne…

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: https://www.csoonline.com/article/4245357/french-banking-group-hit-by-supply-chain-cyberattack.html

10. [+24h Old] Phone return scams: where a real delivery and a fake return end up in a bill for you

Phone return scams are part of a very convincing social engineering method where the criminals get a phone and you get billed.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: https://www.malwarebytes.com/blog/threat-intel/2026/11/phone-return-scams-where-a-real-delivery-and-a-fake-return-end-up-in-a-bill-for-you