

Cybersecurity Daily Newsletter

Vol. 003 | 2026-07-13 16:55 WIB

Top 5 Highlights

- RedHook Android malware now uses Wireless ADB for shell access
- [+24h Old] Week in review: Accenture data breach, great open-source cybersecurity tools
- [+24h Old] Compromised jscrambler 8.14.0 npm Release Drops Rust Infostealer During Install
- [+24h Old] Hackers Weaponize Balochistan Police Portal in Multi-Group Espionage Campaigns
- [+24h Old] Ghost Accounts Abuse GitHub API in Mass Recon Campaign

Threat Intelligence (10)

01. RedHook Android malware now uses Wireless ADB for shell access

A new version of the RedHook Android malware abuses the Android Wireless Debugging (Wireless ADB) mechanism in a novel way to gain shell-level privileges without requiring a computer connection. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.bleepingcomputer.com/news/security/redhook-android-malware-now-uses-wireless-adb-for-shell-access/>

02. [+24h Old] Compromised jscrambler 8.14.0 npm Release Drops Rust Infostealer During Install

The jscrambler npm package was compromised, and simply installing its 8.14.0 release runs an infostealer on your machine. Published on July 11, 2026, the malicious version carries a preinstall hook that drops and executes a native binary, one build each for Windows, macOS, and Linux. Socket flagged the release six minutes after it was published. If you or o...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://thehackernews.com/2026/07/compromised-jscrambler-8140-npm-release.html>

03. [+24h Old] Ghost Accounts Abuse GitHub API in Mass Recon Campaign

Multiple campaigns are using ghost accounts to map GitHub organizations, including their repositories and members. The post Ghost Accounts Abuse GitHub API in Mass Recon Campaign appeared first on SecurityWeek .

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.securityweek.com/ghost-accounts-abuse-github-api-in-mass-recon-campaign/>

04. [+48h Old] New U-Boot flaws could enable stealthy firmware attacks

Six vulnerabilities in the widely used U-Boot bootloader have been discovered that could allow attackers to execute malicious code during device boot, potentially enabling stealthy firmware attacks that compromise security protections and install persistent malware. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.bleepingcomputer.com/news/security/new-u-boot-flaws-could-enable-stealthy-firmware-attacks/>

05. [+48h Old] NHS staff warned of jail time for unauthorized patient data access

The NHS is implementing a new awareness campaign and updated guidance for healthcare organizations to prevent, monitor, and report unauthorized access to patient records.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources:

<https://www.scworld.com/brief/nhs-staff-warned-of-jail-time-for-unauthorized-patient-data-access>

06. [+48h Old] Destructive Windows backdoor stuffs multiple wipers and ransomware code into a single package

Microsoft says GigaWiper combines at least 3 malware families into one modular tool

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.theregister.com/security/2026/07/10/destructive-windows-backdoor-stuffs-multiple-wipers-and-ransomware-code-into-a-single-package/5270053>

07. [+48h Old] Six New U-Boot Flaws Could Let Malicious Images Crash Devices or Run Code at Boot

Researchers at firmware security firm Binarly have found six new flaws in U-Boot, the small program that starts up hardware as varied as home routers, smart cameras, and the management chips inside data-center servers. Four of the bugs can crash a device. The other two could let an attacker who slips a malicious image in front of the bootloader run their own...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://thehackernews.com/2026/07/six-new-u-boot-flaws-could-let.html>

08. [+48h Old] Microsoft Warns New 'GigaWiper' Malware Combines Espionage and Destructive Capabilities

A new multi-purpose backdoor allows cyber threat actors to conduct both quiet espionage activity and destructive wiping operations

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.infosecurity-magazine.com/news/new-gigawiper-espionage-destructive/>

09. [+48h Old] This new Windows malware can take over your PC and wipe it clean

GigaWiper is a remote access Trojan that can spy on victims and permanently wipe their systems in three different ways.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.malwarebytes.com/blog/news/2026/07/this-new-windows-malware-can-take-over-your-pc-and-wipe-it-clean>

10. [+48h Old] New MODBEACON RAT Uses gRPC Streaming for Encrypted C2 Traffic

The China-linked cybercrime group known as Silver Fox has been attributed to a new Rust-based remote access trojan (RAR) called MODBEACON. Chinese cybersecurity company QiAnXin said that while the threat cluster may appear like a low-sophistication, high-activity operation that propagates malware via counterfeit installers using SEO poisoning techniques, it...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://thehackernews.com/2026/07/new-modbeacon-rat-uses-grpc-streaming.html>

Latest Vulnerabilities (10)

01. [+24h Old] Week in review: Accenture data breach, great open-source cybersecurity tools

Here's an overview of some of last week's most interesting news, articles, interviews and videos: Securing the inbox: Where identity, brand and security meet Getting a verified logo to appear next to your email has traditionally meant having to work with two separate entities. You have to work with a DMARC partner for setting up DMARC and BIMI, then use a t...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.helpnetsecurity.com/2026/07/12/week-in-review-accenture-data-breach-great-open-source-cybersecurity-tools/>

02. [+24h Old] Hackers Weaponize Balochistan Police Portal in Multi-Group Espionage Campaigns

Cybersecurity researchers have disclosed details of sustained cyber espionage activity against several Pakistani law enforcement organizations undertaken by suspected China- and India-aligned threat actors between February 2024 and April 2026. "At Balochistan Police, the compromised assets included servers hosting web applications that manage police and cit...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://thehackernews.com/2026/07/hackers-weaponize-balochistan-police.html>

03. [+24h Old] Australia warns of global campaign targeting vulnerable CMS platforms

The Australian Cyber Security Centre (ACSC) issued an alert about a global exploitation campaign targeting vulnerable content management systems (CMS) and plugins. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.bleepingcomputer.com/news/security/australia-warns-of-global-campaign-targeting-vulnerable-cms-platforms/>

04. [+48h Old] Critical Zimbra Flaw Could Let Crafted Emails Run Malicious Code in User Sessions

Zimbra is urging customers to apply updates to address a critical security vulnerability impacting the Classic Web Client that could result in arbitrary code execution. The vulnerability has been described as a case of stored cross-site scripting (XSS) that could allow specially crafted emails to execute malicious scripts in a user's session. It has yet to...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: https://thehackernews.com/2026/07/critical-zimbra-flaw-could-let-crafted_0483473395.html

05. [+48h Old] Zimbra urges patching of critical XSS vulnerability in Classic Web Client

The vulnerability, which currently lacks a CVE ID, impacts the Classic Web Client interface of the Zimbra Collaboration suite, used by millions globally, including businesses and government agencies.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources:

<https://www.scworld.com/brief/zimbra-urges-patching-of-critical-xss-vulnerability-in-classic-web-client>

06. [+48h Old] VU#564823: GNU Wget enables SSRF via unvalidated FTP PASV IPs

Overview GNU Wget, versions 1.25.0 and earlier, contains a server-side request forgery (SSRF) vulnerability in its implementation of FTP passive mode. Because Wget does not properly validate IP addresses obtained from PASV responses, an attacker-controlled FTP endpoint can redirect the client's connection to arbitrary IPs, potentially exposing internal netw...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://kb.cert.org/vuls/id/564823>

07. [+48h Old] AWS designated as a critical third party to the UK financial sector

Amazon Web Services EMEA Sarl (AWS) has been designated as a critical third party (CTP) to the UK financial sector by HM Treasury. The CTP regime came into force on January 1, 2025, and establishes a framework through which the Bank of England, PRA, and FCA (collectively the UK regulators) can set requirements on and [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://aws.amazon.com/blogs/security/aws-designated-as-a-critical-third-party-to-the-uk-financial-sector/>

08. [+48h Old] Hackers exploit critical auth bypass in Gitea Docker image

Hackers are actively exploiting a critical vulnerability in the official Docker image for the Gitea self-hosted Git service that allows attackers to impersonate any user, including administrators. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.bleepingcomputer.com/news/security/hackers-exploit-critical-auth-bypass-in-gitea-docker-image/>

09. [+48h Old] Laser Attack Resets Tangem Wallet Passwords on Cards That Can't Be Patched

Researchers at Ledger's Donjon security team have shown that a precisely timed laser pulse, aimed at the chip inside a Tangem crypto wallet card, can reset the card's password to anything the attacker picks. No old password. No backup card. Once it is reset, whoever did it controls the wallet and can move the coins out. This is not an emergency for most own...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://thehackernews.com/2026/07/laser-attack-resets-tangem-wallet.html>

10. [+48h Old] EU extends mass scanning of messages without a warrant

Members of the European Parliament (MEPs) have failed to block a proposal extending the mass scanning of private communications, a measure they have previously rejected twice. This time too, more votes were cast against the proposal than in favor, but due to the absence of numerous MEPs on the eve of the summer recess, the motion to reject did not attain th...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.csoononline.com/article/4195680/eu-extends-mass-scanning-of-messages-without-a-warrant.html>

Data Breach & Cybercrime (10)

01. [+48h Old] No Manners Here: The Ruthless Rise of The Gentlemen Ransomware

Unit 42 explores The Gentlemen ransomware operations, revealing the affiliate model driving its rapid growth. Learn more here. The post No Manners Here: The Ruthless Rise of The Gentlemen Ransomware appeared first on Unit 42 .

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: <https://unit42.paloaltonetworks.com/the-gentlemen-ransomware/>

02. [+48h Old] Inmate charged with stealing seized cryptocurrency while serving prison sentence

A Bulgarian national, already serving a lengthy prison sentence for laundering millions stolen from American fraud victims, has been charged with stealing \$290,000 in

government-seized cryptocurrency.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.scworld.com/brief/inmate-charged-with-stealing-seized-cryptocurrency-while-serving-prison-sentence>

03. [+48h Old] Dutch police suspect Dutch hackers in Odido data breach

The breach, which occurred on February 7 and was disclosed on February 12, affected 6.2 million Odido customers.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.scworld.com/brief/dutch-police-suspect-dutch-hackers-in-odido-data-breach>

04. [+48h Old] Armenian man pleads guilty to deploying Ryuk ransomware

Bleeping Computer reports that Karen Serobovich Vardanyan, a 34-year-old Armenian national, has pleaded guilty in the United States to charges related to deploying the Ryuk ransomware.

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: <https://www.scworld.com/brief/armenian-man-pleads-guilty-to-deploying-ryuk-ransomware>

05. [+48h Old] Ryuk ransomware member pleads guilty in the US, faces 15 years in prison

A 34-year-old Armenian man has pleaded guilty to hacking U.S. companies and deploying the infamous Ryuk ransomware to encrypt their systems. [...]

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: <https://www.bleepingcomputer.com/news/security/ryuk-ransomware-member-pleads-guilty-in-the-us-faces-15-years-in-prison/>

06. [+48h Old] Police suspects Dutch hackers were involved in Odido breach

The Dutch National Police (Politie) says it has found "strong indications" that Dutch hackers have been involved in a February breach at the telecommunications provider Odido. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/police-suspects-dutch-hackers-were-involved-in-odido-breach/>

07. [+48h Old] The Good, the Bad and the Ugly in Cybersecurity - Week 28

Authorities launch Operation First Light 2026, attackers deploy Forg365 to hijack Microsoft accounts, and rival cyberspies breach Pakistani police networks.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.sentinelone.com/blog/the-good-the-bad-and-the-ugly-in-cybersecurity-week-28-8/>

08. [+48h Old] Money launderer accused of stealing seized crypto while in prison

A Bulgarian national has been charged with stealing \$290,000 in government-seized cryptocurrency while serving 121 months in prison for helping launder millions stolen from American fraud victims. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/money-launderer-accused-of-stealing-seized-crypto-while-in-prison/>

09. [+48h Old] In Other News: DHS Database Hacked, Adobe Boosts Patch Cadence, Canada Disrupts Ransomware Ops

Other noteworthy stories that might have slipped under the radar: Abnormal AI sued by Anthropic, AssuranceAmerica data breach affects 7 million people, NSA brings back TAO. The post In Other News: DHS Database Hacked, Adobe Boosts Patch Cadence, Canada Disrupts Ransomware Ops appeared first on SecurityWeek .

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: <https://www.securityweek.com/in-other-news-dhs-database-hacked-adobe-boosts-patch-cadence-canada-disrupts-ransomware-ops/>

10. [+48h Old] Third US Security Expert Sentenced to Prison for Helping Ransomware Gang

Angelo Martino, a former ransomware negotiator, was sentenced to 70 months for helping the BlackCat/Alphv group. The post Third US Security Expert Sentenced to Prison for Helping Ransomware Gang appeared first on SecurityWeek .

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: <https://www.securityweek.com/third-us-security-expert-sentenced-to-prison-for-helping-ransomware-gang/>