Cybersecurity Daily Newsletter

Vol. 007 | 2026-11-05 09:00 WIB

Top 5 Highlights

- Russian state-backed hackers launch mobile cyberespionage campaign
- Operation CloudFire: phishing campaign targets corporate Google sessions
- SonicWall warns of unpatched vulnerabilities in end-of-life management software
- Texas A&M develops sovereign AI platform for research
- Vercel rolls out new protection against stolen session cookie attacks

Threat Intelligence (10)

01. Russian state-backed hackers launch mobile cyberespionage campaign

A sophisticated cyberespionage campaign linked to the Russian Foreign Intelligence Service group APT29 has targeted mobile device users through watering hole attacks, with further coverage provided by Infosecurity Magazine.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: https://www.scworld.com/brief/russian-state-backed-hackers-launch-mobile-cyberespionage-campaign

02. Operation CloudFire: phishing campaign targets corporate Google sessions

Per Bleeping Computer, a sophisticated phishing operation active since mid-August 2026 has been harvesting live Google sessions from corporate users by leveraging legitimate infrastructure to bypass traditional security filters.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: https://www.scworld.com/brief/operation-cloudfire-phishing-campaign-targets-corporate-google-sessions

03. Debian and Ubuntu APT Flaw Lets MitM Attackers Swap Verified Packages and Run Code as Root

A flaw in APT, the package manager for Debian and Ubuntu, allows an attacker who can modify package downloads to swap a checked package for their own. The attacker's code then runs as root, according to advisories that Debian, Ubuntu, and APT's developers published on November 4. The attack needs APT to retry failed downloads, which it does by default from…

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: https://thehackernews.com/2026/11/debian-and-ubuntu-apt-flaw-lets-mitm.html

04. NIKKE PC game launcher hacked to spread remote access, data-stealing malware

The developers of Goddess of Victory: NIKKE have confirmed that hackers tampered with the game's PC launcher scripts in a supply-chain attack, distributing malware capable of stealing credentials and cryptocurrency wallet data. […]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: https://www.bleepingcomputer.com/news/security/nikke-pc-game-launcher-hacked-to-spread-remote-access-data-stealing-malware/

05. Google, Partners Disrupt 1.3 Million-Device-Strong XCPE Botnet

Google alleges that Android device manufacturer Videostrong ran the operation, which infected set-top boxes and IoT devices with a backdoor to create infrastructure for criminal activity.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: https://www.darkreading.com/endpoint-security/google-13-million-device-strong-xcpe-botnet

06. Google Calendar phishing campaign hijacks sessions, bypasses MFA

A phishing campaign used Google Calendar invites, trusted redirects, and fake login pages to hijack corporate Google sessions and bypass MFA protections. Material Security examines how Operation CloudFire tracked the attacks, blocked malicious messages, and helped take down nearly 900 domains used by the attackers. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: https://www.bleepingcomputer.com/news/security/google-calendar-phishing-campaign-hijacks-sessions-bypasses-mfa/

07. China-Aligned Group Abuses Sogou Input Method to Deliver Malware

SlippyNunchucks used DNS hijacking to turn Sogou brand promotions into a malware channel

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: https://www.infosecurity-magazine.com/news/slippynunchucks-sogou-dns-hijacking/

08. APT29-Linked Hackers Hijack Web Analytics Script to Deliver iOS and Android Exploits

The Russia-linked threat actor known as APT29 is said to be behind a large-scale watering hole campaign targeting iOS and Android users through compromised websites, fake domains, and a supply chain attack involving a Ukrainian web analytics service called Plerdy SEO Tracker. "The injected JavaScript code collects browser and device attributes," Sekoia rese…

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Audit build pipelines, rotate CI/CD secrets, enforce package integrity controls, and review developer workstation hardening.

Sources: https://thehackernews.com/2026/11/apt29-linked-hackers-hijack-web.html

09. Fake software installers are turning your PCs into profit centers for hackers

Users looking for cracked commercial software, free games, plugins, and unofficial utilities could be signing up for more than a free download. Microsoft has observed an evolving campaign that uses trojanized installers to turn the downloading Windows devices into money-making machines, consuming their computing resources and internet bandwidth without info…

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: https://www.csoonline.com/article/4244528/fake-software-installers-are-turning-your-pcs-into-profit-centers-for-hackers.html

10. China-Aligned Hackers Hijack Sogou Input Method DNS Requests to Deploy DarkVigil Backdoor

A China-aligned threat actor known as SlippyNunchucks has been attributed to a Domain Name System (DNS) hijacking operation abusing insecure HTTP communications in Windows versions of Sogou Input Method as part of a surveillance campaign designed to deploy an implant called DarkVigil (aka FDMTP). The campaign, observed starting July 1, 2026, is assessed to…

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: https://thehackernews.com/2026/11/china-aligned-hackers-hijack-sogou.html

Latest Vulnerabilities (10)

01. SonicWall warns of unpatched vulnerabilities in end-of-life management software

In a report by Bleeping Computer, SonicWall has issued a warning regarding two critical security vulnerabilities affecting its Global Management System, or GMS, which has reached its end-of-life status.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: https://www.scworld.com/brief/sonicwall-warns-of-unpatched-vulnerabilities-in-end-of-life-management-software

02. Texas A&M develops sovereign AI platform for research

As noted by Silicon Angle, university research labs are increasingly prioritizing sovereign AI to maintain control over data, models and computing resources. This shift is essential for institutions balancing open education with sensitive federal research requirements.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: https://www.scworld.com/brief/texas-am-develops-sovereign-ai-platform-for-research

03. Vercel rolls out new protection against stolen session cookie attacks

Vercel is gradually rolling out Device Bound Session Credentials (DBSC) on its platform as a key defense against information stealer malware. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: https://www.bleepingcomputer.com/news/security/vercel-rolls-out-new-protection-against-stolen-session-cookie-attacks/

04. Zyxel fixes zero-day exploited to hack nearly 1,000 network switches

Zyxel has patched a zero-day vulnerability in its GS1900 series network switches that hackers exploited to compromise nearly 1,000 devices worldwide and steal configuration files and credentials. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: https://www.bleepingcomputer.com/news/security/zyxel-fixes-zero-day-exploited-to-hack-nearly-1-000-network-switches/

05. SonicWall Won't Patch EoL GMS Flaws That Could Expose Files, Alter Database Records

SonicWall has warned of two vulnerabilities impacting end-of-life Global Management System (GMS) systems that it said will not be patched. Details of the security flaws, which affect SonicWall GMS 9.5.2 and earlier versions, are below - CVE-2026-109593 (CVSS score: 9.1) - An unauthenticated file read vulnerability that could allow an attacker with network a…

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: https://thehackernews.com/2026/11/sonicwall-wont-patch-eol-gms-flaws-that.html

06. Cloud Agent, now in a Container: Host Security for Nodes You Can’t Touch

A single container image that brings Vulnerability Management and Policy Audit to every Kubernetes node, on immutable and mutable Linux alike, deployed the way your container workloads already are. Key Takeaways The Qualys Cloud Agent is now available as a container image on Docker Hub, bringing host-based Vulnerability Management and Policy Audit to every…

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: https://blog.qualys.com/product-tech/2026/11/04/cloud-agent-now-in-a-container-host-security-for-nodes-you-cant-touch

07. SonicWall warns of unpatched flaws in end-of-life GMS software

SonicWall warned customers of two security flaws affecting end-of-life Global Management System (GMS) systems that will not be patched. […]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: https://www.bleepingcomputer.com/news/security/sonicwall-warns-of-unpatched-flaws-in-end-of-life-gms-software/

08. Russian hackers target iOS and Android users with n-day exploits

Russia’s APT29 has been using compromised websites, lookalike domains and a hijacked web analytics service to target iOS and Android users with exploits for patched flaws and steal their cookies, messages and Wi-Fi passwords, according to Sekoia. APT29 watering holes target mobile devices with n-day exploits (Source: Sekoia) The company’s Threat Detection &…

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: https://www.helpnetsecurity.com/2026/11/04/apt29-watering-hole-mobile-devices-n-day-exploits/

09. Barracuda ESG Authentication Bypass Flaw Opens Path to Root

An authentication bypass and a command injection flaw can be chained for root access on Barracuda’s Email Security Gateway appliances. The post Barracuda ESG Authentication Bypass Flaw Opens Path to Root appeared first on SecurityWeek .

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: https://www.securityweek.com/barracuda-email-security-gateway-authentication-bypass-opens-path-to-root/

10. Live Q&A: CISSP exam prep with ISC2 experts

Join ISC2 on November 6, 2026 at 7:00pm CET for a live Q&A about the CISSP exam. A panel of experts will answer your questions, explain what it takes to earn the certification, and walk through the exam domains. You'll also learn about self-study resources and training options to help you prepare for exam day. You'll learn: How CISSP builds your end-to-end…

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: https://www.helpnetsecurity.com/2026/11/04/isc2-cissp-exam-prep-webinar/

Data Breach & Cybercrime (10)

01. DreamHost confirms data breach exposed FTP logins and webmail sessions

DreamHost is warning of a data breach after attackers gained access to its File Manager platform for two months and stole customers' FTP/SFTP usernames and passwords. […]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: https://www.bleepingcomputer.com/news/security/dreamhost-confirms-data-breach-exposed-ftp-logins-and-webmail-sessions/

02. US charges two Canadians accused of hacking US universities

A federal grand jury indicted two Canadians suspected of hacking multiple US universities and using the compromised systems to mine for cryptocurrency. […]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: https://www.bleepingcomputer.com/news/security/us-charges-two-canadians-accused-of-hacking-us-universities/

03. AI-Linked Breaches Mount as WorkOS, Northflank, Trigger.dev Disclose Hacks

Hackers have been harvesting AI access tokens and have been using AI-assisted offensive tools to automate attacks. The post AI-Linked Breaches Mount as WorkOS, Northflank, Trigger.dev Disclose Hacks appeared first on SecurityWeek .

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: https://www.securityweek.com/ai-linked-breaches-mount-as-workos-northflank-trigger-dev-disclose-hacks/

04. Canadian Extradited to US Over Cryptomining Hacks on University Supercomputers

A federal grand jury indicted two Canadian men for hijacking university supercomputers to secretly mine Electroneum cryptocurrency. The post Canadian Extradited to US Over Cryptomining Hacks on University Supercomputers appeared first on SecurityWeek .

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: https://www.securityweek.com/canadian-extradited-to-us-over-cryptomining-hacks-on-university-supercomputers/

05. 3AM Ransomware Used Human-AI Hybrid Tactics in UK School Estate Compromise

Bitdefender highlighted a unique human-AI approach during a September attack on a UK school estate, which resulted in financial data being exfiltrated

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: https://www.infosecurity-magazine.com/news/3am-ransomware-hybrid-ai-uk-school/

06. Fake job interview opened the door to $6.34 billion Binance heist

A tampered software installer and a fake job interview gave attackers the access they needed to steal about $6.34 billion in digital assets from Binance. “It was not a single isolated breach or a simple phishing incident,” Binance wrote in its incident report. “The attackers combined a range of techniques, including social engineering by fake recruitment in…

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: https://www.helpnetsecurity.com/2026/11/04/binance-hack-north-korea-fake-job-interview/

07. [+24h Old] Russian Police Arrest 3 Suspected VasyGrek Hackers, Dismantle Criminal Infrastructure

Russian authorities have arrested three suspected members of a threat group known as VasyGrek and dismantled its criminal infrastructure. Also known as Fluffy Wolf, the threat actor has a history of targeting Russian and international companies since 2016. The Ministry of Internal Affairs of the Russian Federation (MVD) said members of the group are "suspec…

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: https://thehackernews.com/2026/11/russian-police-arrest-3-suspected.html

08. [+24h Old] Philippine Migrant Worker Data Likely Leaked in 69GB Government Breach

An unknown operator appears to have exfiltrated SQL Server backups from the Philippine Overseas Employment Administration in under a half hour.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: https://www.darkreading.com/cyberattacks-data-breaches/philippine-migrant-worker-data-69gb-government-breach

09. [+24h Old] North Korean fake job interview led to $6.3B Binance heist

'It was not a single isolated breach or a simple phishing incident,' exchange says

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: https://www.theregister.com/security/2026/11/03/north-korean-fake-job-interview-led-to-63b-binance-heist/5307398

10. [+24h Old] Germany Busts 'Crime-as-a-Service' Investment Fraud Outfit

Authorities seized more than 100 servers and arrested seven as part of a crackdown on a fraud network spanning more than 50 countries.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: https://www.darkreading.com/cybersecurity-operations/germany-crime-service-investment-fraud