

Cybersecurity Daily Newsletter

Vol. 001 | 2026-05-25 07:00 WIB

Top 5 Highlights

- Wireshark 4.6.6 Released, (Sun, May 24th)
- Ghost CMS SQL injection flaw exploited in large-scale ClickFix campaign
- CVE-2026-9486 | SourceCodester Student Grades Management System 1.0 cross-site request forgery
- CVE-2026-9485 | SourceCodester Student Grades Management System 1.0 students.php Remarks cross site scripting
- CVE-2026-9484 | SourceCodester Student Grades Management System 1.0 classroom.php getClassroomStudents/removeStudentFromClassroom classroom_id improper authorization

Threat Intelligence (10)

01. [+24h Old] Laravel Lang packages hijacked to deploy credential-stealing malware

A supply chain attack targeting the Laravel Lang localization packages has exposed developers to a sophisticated credential-stealing malware campaign after attackers abused GitHub version tags to distribute malicious code through Composer packages. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Audit build pipelines, rotate CI/CD secrets, enforce package integrity controls, and review developer workstation hardening.

Sources: <https://www.bleepingcomputer.com/news/security/laravel-lang-packages-hijacked-to-deploy-credential-stealing-malware/>

02. [+24h Old] npm Adds 2FA-Gated Publishing and Package Install Controls Against Supply Chain Attacks

GitHub has rolled out new controls for npm to improve the security of the software supply chain, giving maintainers the ability to explicitly approve a release prior to the packages becoming publicly available for installation. Called staged publishing, the feature is now generally available on npm. It mandates that a human maintainer pass a two-factor auth...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Audit build pipelines, rotate CI/CD secrets, enforce package integrity controls, and review developer workstation hardening.

Sources: <https://thehackernews.com/2026/05/npm-adds-2fa-gated-publishing-and.html>

03. [+24h Old] Packagist Supply Chain Attack Infects 8 Packages Using GitHub-Hosted Linux Malware

A new "coordinated" supply chain attack campaign has impacted eight packages on Packagist including malicious code designed to run a Linux binary retrieved from a GitHub Releases URL. "Although the affected packages were all Composer packages, the malicious code was not added to composer.json," Socket said. "Instead, it was inserted into package.json, target..."

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Audit build pipelines, rotate CI/CD secrets, enforce package integrity controls, and review developer workstation hardening.

Sources: <https://thehackernews.com/2026/05/packagist-supply-chain-attack-infects-8.html>

04. [+24h Old] Laravel-Lang PHP Packages Compromised to Deliver Cross-Platform Credential Stealer

Cybersecurity researchers have flagged a fresh software supply chain attack campaign that has targeted multiple PHP packages belonging to Laravel-Lang to deliver a

comprehensive credential-stealing framework. The affected packages include - laravel-lang/lang laravel-lang/http-statuses laravel-lang/attributes laravel-lang/actions "The timing and pattern of t...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Audit build pipelines, rotate CI/CD secrets, enforce package integrity controls, and review developer workstation hardening.

Sources: <https://thehackernews.com/2026/05/laravel-lang-php-packages-compromised.html>

05. [+24h Old] An Example of Stack String in High Level Language, (Sat, May 23rd)

This week, I'm attending the SEC670[1] training (œRed Teaming Tools - Developing Windows Implants, Shellcode, Command and Controlâ€). From my point of view, this training fits perfectly with FOR610 or FOR710 (malware analysis) because it addresses malware from the opposite: Instead of performing reverse engineering, you write malicious code! Always inter...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://isc.sans.edu/diary/rss/33008>

06. [+24h Old] Italy disrupts CINEMAGOAL piracy app that stole streaming auth codes

Italian authorities have dismantled a piracy ecosystem centered around the CINEMAGOAL app that provided access to various streaming platforms, including Netflix, Disney+, and Spotify. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.bleepingcomputer.com/news/legal/italy-disrupts-cinemagoal-piracy-app-that-stole-streaming-auth-codes/>

07. [+24h Old] Claude Mythos AI Finds 10,000 High-Severity Flaws in Widely Used Software

Anthropic on Friday disclosed that Project Glasswing has helped uncover more than 10,000 high- or critical-severity vulnerabilities across some of the most "systemically" important software across the world since the cybersecurity initiative went live last month. Project Glasswing is a defensive effort launched by the artificial intelligence (AI) company to...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://thehackernews.com/2026/05/claude-mythos-ai-finds-10000-high.html>

08. [+24h Old] Dirty Frag, Copy Fail, Fragnesia: The start of a worrisome Linux security trend

Or is it just life today, with AI constantly digging through code repositories in search of security holes?

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.theregister.com/security/2026/05/23/dirty-frag-copy-fail-fragnesia-the-start-of-a-worrisome-linux-security-trend/5244742>

09. [+48h Old] 2026-05-22: SmartApeSG ClickFix --> Unidentified RAT --> NetSupport RAT

2026-05-22: SmartApeSG ClickFix --> Unidentified RAT --> NetSupport RAT

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.malware-traffic-analysis.net/2026/05/22/index.html>

10. [+48h Old] A Russian speaker and jailbroken Gemini went on a hacking spree and emptied at least one MAGA victim's crypto wallets

Hey, Gemini, how much can we earn from one pump-and-dump cycle?

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.theregister.com/cyber-crime/2026/05/22/jailbroken-gemini-helped-russian-speaking-fraudster-target-maga-crypto-users/5245390>

Latest Vulnerabilities (10)

01. Wireshark 4.6.6 Released, (Sun, May 24th)

Wireshark release 4.6.6 fixes 1 vulnerability and 11 bugs.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://isc.sans.edu/diary/rss/33010>

02. Ghost CMS SQL injection flaw exploited in large-scale ClickFix campaign

A large-scale campaign is exploiting a critical SQL injection vulnerability (CVE-2026-26980) in Ghost CMS to inject malicious JavaScript code that triggers ClickFix attack flows. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.bleepingcomputer.com/news/security/ghost-cms-sql-injection-flaw-exploited-in-large-scale-clickfix-campaign/>

03. CVE-2026-9486 | SourceCodester Student Grades Management System 1.0 cross-site request forgery

A vulnerability labeled as problematic has been found in SourceCodester Student Grades Management System 1.0 . This affects an unknown part. The manipulation results in cross-site request forgery. This vulnerability is identified as CVE-2026-9486 . The attack can be executed remotely. Additionally, an exploit exists.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://vuldb.com/vuln/365467>

04. CVE-2026-9485 | SourceCodester Student Grades Management System 1.0 students.php Remarks cross site scripting

A vulnerability identified as problematic has been detected in SourceCodester Student Grades Management System 1.0 . Affected by this issue is some unknown functionality of the file students.php . The manipulation of the argument Remarks leads to cross site scripting. This vulnerability is referenced as CVE-2026-9485...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://vuldb.com/vuln/365466>

05. CVE-2026-9484 | SourceCodester Student Grades Management System 1.0 classroom.php getClassroomStudents/removeStudentFromClassroom classroom_id improper authorization

A vulnerability categorized as critical has been discovered in SourceCodester Student Grades Management System 1.0 . Affected by this vulnerability is the function getClassroomStudents/removeStudentFromClassroom of the file classroom.php...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://vuldb.com/vuln/365465>

06. CVE-2026-9483 | SourceCodester Student Grades Management System 1.0 grades.php student_id improper authorization

A vulnerability was found in SourceCodester Student Grades Management System 1.0 . It has been rated as critical . Affected is an unknown function of the file grades.php . Performing a manipulation of the argument student_id results in improper authorization. This vulnerability was named CVE-2026-9483...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://vuldb.com/vuln/365464>

07. CVE-2026-9482 | Edimax EW-7438RPn 1.31 /goform/formSDHCP submit-url stack-based overflow

A vulnerability was found in Edimax EW-7438RPn 1.31 . It has been declared as critical . This impacts the function formSDHCP of the file /goform/formSDHCP . Such manipulation of the argument submit-url leads to stack-based buffer overflow. This vulnerability is uniquely identified as CVE-2026-9482...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://vuldb.com/vuln/365463>

08. CVE-2026-9479 | Edimax EW-7438RPn 1.31 /goform/formLogout submit-url stack-based overflow

A vulnerability has been found in Edimax EW-7438RPn 1.31 and classified as critical . The affected element is the function formLogout of the file /goform/formLogout . The manipulation of the argument submit-url leads to stack-based buffer overflow. This vulnerability is traded as CVE-2026-9479...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://vuldb.com/vuln/365460>

09. CVE-2026-9478 | Totolink A8000RU 7.1cu.643_b20200521 Web Management Interface /cgi-bin/cstecgi.cgi setParentalRules enable os

command injection

A vulnerability, which was classified as critical , was found in Totolink A8000RU 7.1cu.643_b20200521 . Impacted is the function setParentalRules of the file /cgi-bin/cstecgi.cgi of the component Web Management Interface . Executing a manipulation of the argument enable can lead to os command injection. This vulnerability appears as CVE-2026-9478...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://vuldb.com/vuln/365459>

10. CVE-2026-9477 | Totolink A8000RU 7.1cu.643_b20200521 Web Management Interface /cgi-bin/cstecgi.cgi setAccessDeviceCfg mac os command injection

A vulnerability, which was classified as critical , has been found in Totolink A8000RU 7.1cu.643_b20200521 . This issue affects the function setAccessDeviceCfg of the file /cgi-bin/cstecgi.cgi of the component Web Management Interface...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://vuldb.com/vuln/365458>

Data Breach & Cybercrime (10)

01. [+48h Old] Former executives plead guilty in global tech support fraud scheme

Former CEO Adam Young and former CSO Harrison Gevirtz admitted to a misprision of a felony charge. They operated C.A. Cloud Attribution, Ltd. between early 2017 and April 2022, providing services to customers known to be engaged in telemarketing and tech support fraud scams.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources:

<https://www.scworld.com/brief/former-executives-plead-guilty-in-global-tech-support-fraud-scheme>

02. [+48h Old] Dutch authorities arrest two in connection with sanctioned web hosting company

The Dutch financial crime investigators (FIOD) arrested a 57-year-old company director and a 39-year-old who headed a separate firm providing internet connectivity.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.scworld.com/brief/dutch-authorities-arrest-two-in-connection-with-sanctioned-web-hosting-company>

03. [+48h Old] First VPN Dismantled in Global Takedown Over Use by 25 Ransomware Groups

Authorities in Europe and North America have announced the dismantling of a criminal virtual private network (VPN) service used by criminal actors to obscure the origins of ransomware attacks, data theft, scanning, and denial-of-service attacks. Codenamed Operation Saffron, the disruption of First VPN Service was led by France and the Netherlands, with seve...

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: <https://thehackernews.com/2026/05/first-vpn-dismantled-in-global-takedown.html>

04. [+48h Old] Netherlands seizes 800 servers of hosting firm enabling cyberattacks

Financial crime investigators in the Netherlands (FIOD) arrested two men and seized 800 servers linked to a web hosting company that enabled cyberattacks, interference operations, and disinformation campaigns. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/netherlands-seizes-800-servers-of-hosting-firm-enabling-cyberattacks/>

05. [+48h Old] Police take down VPN service (this time with a good reason)

European authorities have cracked down on a VPN that has been used for various criminal activities. The operation, led by investigators in France and the Netherlands with help from Europol and Eurojust, has dismantled First VPN, a service that has been heavily promoted within Russia as a way of evading law enforcement. Criminals used it to conceal their ide...

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: <https://www.csoononline.com/article/4176442/police-take-down-vpn-service-this-time-with-a-good-reason-2.html>

06. [+48h Old] Lawmakers Demand Answers as CISA Tries to Contain Data Leak

Lawmakers in both houses of Congress are demanding answers from the U.S. Cybersecurity & Infrastructure Security Agency (CISA) after KrebsOnSecurity reported this week that a CISA contractor intentionally published AWS GovCloud keys and a vast trove of other agency secrets on a public GitHub account. The inquiry comes as CISA is still struggling to contain...

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources:

<https://krebsonsecurity.com/2026/05/lawmakers-demand-answers-as-cisa-tries-to-contain-data-leak/>

07. [+48h Old] Former US execs plead guilty to aiding tech support scammers

Two former executives of a call-tracking and analytics company pleaded guilty to concealing a years-long tech support fraud scheme that victimized individuals worldwide. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/former-us-execs-plead-guilty-to-aiding-tech-support-scammers/>

08. [+48h Old] Verizon DBIR: Healthcare Fends Off Increased Social Engineering Attacks

Ransomware and vendor breaches persist. The "2026 Data Breach Investigations Report" (DBIR) highlights how evolving social engineering tactics make the sector more vulnerable.

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: <https://www.darkreading.com/cyber-risk/verizon-dbir-healthcare-fends-off-increased-social-engineering-attacks>

09. [+48h Old] Why Chargebacks are Just One Piece of the Fraud Puzzle

Fraud losses don't stop at chargebacks. False declines, account takeovers, and abuse also damage revenue and trust. IPQS breaks down why fraud teams need broader visibility into risk and customer impact. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/why-chargebacks-are-just-one-piece-of-the-fraud-puzzle/>

10. [+48h Old] Canadian Man Arrested for Operating Kimwolf Botnet

Jacob Butler, 23, has been arrested in Canada and US authorities are seeking his extradition on computer hacking charges. The post Canadian Man Arrested for Operating Kimwolf Botnet appeared first on SecurityWeek .

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.securityweek.com/canadian-man-arrested-for-operating-kimwolf-botnet/>