

Cybersecurity Daily Newsletter

Vol. 005 | 2026-09-14 09:00 WIB

Top 5 Highlights

- Hackers exploit Tencent app flaw to deploy GrayRabbit malware
- Attackers Use Passkey Phishing to Hijack Microsoft Cloud Accounts and Exfiltrate Data
- [+24h Old] Week in review: Linux rootkit deployed on F5 BIG-IP APM devices, Cisco FMC bugs exploited
- [+24h Old] CISA Adds 5 Actively Exploited Artifactory, ScreenConnect, and RouterOS Flaws to KEV
- [+24h Old] Dutch NCSC: Critical Check Point VPN flaws exploitation is imminent

Threat Intelligence (10)

01. [+48h Old] OpenAI Agents Linked to RubyGems Campaign That Gained RCE on RubyDoc Servers

The "major malicious attack" that targeted RubyGems in May 2026 was the work of a swarm of OpenAI agents, according to a new report published by researchers Spencer Kitts, Thomas Larsen, and Sydney Von Arx. On May 12, Maciej Mensfeld, senior product manager for software supply chain security at Mend.io, disclosed details of a coordinated cyber attack that t...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Audit build pipelines, rotate CI/CD secrets, enforce package integrity controls, and review developer workstation hardening.

Sources: <https://thehackernews.com/2026/09/openai-agents-linked-to-rubygems.html>

02. [+48h Old] 9/11 at 25, OfferLoader, Gemini CLI, Liquid, 10% Doom, Josh Marpet, and More - SWN #615

9/11 at 25, OfferLoader, Gemini CLI, Liquid, 10% Doom, Josh Marpet, and More - SWN #615

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.scworld.com/podcast-segment/15298-9-11-at-25-offerloader-gemini-cli-liquid-10-doom-josh-marpet-and-more-swn-615>

03. [+48h Old] Artifactory flaws chained in attacks deploying backdoor malware

Threat actors are exploiting critical and high-severity vulnerabilities in JFrog Artifactory to bypass authentication, gain administrative privileges, and deploy a Rust backdoor on vulnerable self-hosted servers. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.bleepingcomputer.com/news/security/artifactory-flaws-chained-in-attacks-deploying-backdoor-malware/>

04. [+48h Old] In Other News: InjectEave Attack, SIM Swapper Sentenced, Glasswing Findings Review

Noteworthy stories that might have slipped under the radar: Invisible Unicode slips past phishing filters, US puts \$10 million bounty on Iranian cyber official, military ties of Chinese hacking group QTFY. The post In Other News: InjectEave Attack, SIM Swapper Sentenced, Glasswing Findings Review appeared first on SecurityWeek .

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: <https://www.securityweek.com/in-other-news-injectave-attack-sim-swapper-sentenced-glasswing-findings-review/>

05. [+48h Old] Russian State-Sponsored Hackers Use Claude to Rebuild Malware After Detection

Anthropic on Thursday revealed it disrupted a campaign mounted by a Russian state-sponsored threat actor that abused Claude for developing an AI-assisted workflow to get ahead of the detection curve. The operation has been attributed to a cyber espionage group it calls GTG-20006 (where "GTG" stands for Generative Threat Group), which aligns with broader rep...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://thehackernews.com/2026/09/russian-state-sponsored-hackers-use.html>

06. [+48h Old] How Threat Actors Are Turning Trusted AI Platforms Into an Attack Surface

Threat actors are abusing trusted AI platforms to host malicious content, poison search results, and trick users into installing malware. Huntress examines campaigns targeting AI users through weaponized Claude Artifacts, shared AI conversations, sponsored search results, and ClickFix-style lures. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.bleepingcomputer.com/news/security/how-threat-actors-are-turning-trusted-ai-platforms-into-an-attack-surface/>

07. [+48h Old] Hackers Favor US Eastern Business Hours in M365 Phishing Campaign

KnowBe4 researchers observed a new phishing campaign leveraging Microsoft 365's Direct Send to send malicious emails

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: <https://www.infosecurity-magazine.com/news/hackers-us-business-hours-m365/>

08. [+48h Old] Trezor Says 347,000 Users Received Phishing Emails After Brevo Hack

Hackers compromised the Brevo marketing platform and used that access to send phishing emails to users of Trezor, BitBox, and CoinTracking. The post Trezor Says 347,000 Users Received Phishing Emails After Brevo Hack appeared first on SecurityWeek .

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources:

<https://www.securityweek.com/trezor-says-347000-users-received-phishing-emails-after-brevo-hack/>

09. [+48h Old] Ukrainian lawyer's second career as a Conti coder earns him 4 years behind bars

Swapping legal work for malware development ended in extradition and a guilty plea

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.theregister.com/cyber-crime/2026/09/11/ukrainian-lawyers-second-career-as-a-conti-coder-earns-him-4-years-behind-bars/5295841>

10. [+48h Old] Android malware creates a hidden copy of your banking app

The Gigabud banking Trojan can clone a banking app into a separate work profile on an Android device to help hide fraudulent transactions.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.malwarebytes.com/blog/mobile/2026/09/android-malware-creates-a-hidden-copy-of-your-banking-app>

Latest Vulnerabilities (10)

01. Hackers exploit Tencent app flaw to deploy GrayRabbit malware

Threat actors linked to a China-aligned espionage group are exploiting a critical vulnerability (CVE-2026-51990) in Tencent's Sogou Input Method for Windows to deploy the GrayRabbit backdoor. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.bleepingcomputer.com/news/security/hackers-exploit-tencent-app-flaw-to-deploy-grayrabbit-malware/>

02. [+24h Old] Week in review: Linux rootkit deployed on F5 BIG-IP APM devices, Cisco FMC bugs exploited

Here's an overview of some of last week's most interesting news, articles, interviews and videos: Zero trust AI agents demand a different kind of security In this interview, Chris Webber, VP, Product Marketing at Teleport, explains why zero trust principles need to change for AI agents. He covers how agents act fast, unpredictably, and continuously, and why...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.helpnetsecurity.com/2026/09/13/week-in-review-linux-rootkit-deployed-on-f5-big-ip-apm-devices-cisco-fmc-bugs-exploited/>

03. [+24h Old] CISA Adds 5 Actively Exploited Artifactory, ScreenConnect, and RouterOS Flaws to KEV

The U.S. Cybersecurity and Infrastructure Security Agency (CISA) has added five security flaws impacting JFrog Artifactory, ConnectWise ScreenConnect, and MikroTik RouterOS to its Known Exploited Vulnerabilities (KEV) catalog, following reports of active exploitation in the wild. Details of the vulnerabilities are as follows - CVE-2026-42016 (CVSS score: 8....

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://thehackernews.com/2026/09/cisa-adds-5-actively-exploited.html>

04. [+24h Old] Dutch NCSC: Critical Check Point VPN flaws exploitation is imminent

The Dutch Nationaal Cyber Security Centrum (NCSC) is warning of imminent exploitation of two critical flaws in Check Point VPN tracked as CVE-2026-85102 and CVE-2026-85103. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.bleepingcomputer.com/news/security/dutch-ncsc-critical-check-point-vpn-flaws-exploitation-is-imminent/>

05. [+24h Old] BlueMoon Exploit Kit Chains Recent Chrome, Windows Zero-Days

Multiple espionage-motivated threat actors have adopted BlueMoon in opportunistic, rushed deployments. The post BlueMoon Exploit Kit Chains Recent Chrome, Windows Zero-Days appeared first on SecurityWeek .

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.securityweek.com/bluemoon-exploit-kit-chains-recent-chrome-windows-zero-days/>

06. [+48h Old] Why AI raises the stakes for exposure validation

AI dominated the conversation at Fal.Con 2026, but one of the most important takeaways wasn't simply how AI is changing cyber defense. It was how AI is changing the speed and scale of a problem defenders already face. Security teams already have more vulnerabilities and security signals than they can reasonably act on. As AI makes it faster to discover vuln...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources:

<https://www.csoononline.com/article/4221299/why-ai-raises-the-stakes-for-exposure-validation.html>

07. [+48h Old] Max severity GitLab path traversal flaw under active reconnaissance

The flaw could enable sensitive files to be read with just an HTTP request.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources:

<https://www.scworld.com/news/max-severity-gitlab-path-traversal-flaw-under-active-reconnaissance>

08. [+48h Old] VU#369611: ExLlamaV3 contains Denial of Service vulnerability via insufficient bounds checking on kernel dispatch index

Overview An out-of-bounds (OOB) memory access vulnerability involving unchecked array indexing has been identified in the exllamav3_ext compute unified device architecture (CUDA) extension. Successful exploitation can lead to an immediate denial of service or application instability. This vulnerability is tracked as CVE-2026-84286. Description An OOB memo...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://kb.cert.org/vuls/id/369611>

09. [+48h Old] Check Point patches two critical VPN gateway bugs

Check Point fixed two 9.8-severity VPN flaws before any known exploitation in the wild.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.scworld.com/news/check-point-patches-two-critical-vpn-gateway-bugs>

10. [+48h Old] CISA Calls for More Guidance, Less Spin, as Cyber Outages Escalate

A new joint government advisory signals a regulatory shift, pressing organizations to adopt more transparent breach notification and incident response protocols.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.darkreading.com/cyber-risk/cisa-calls-for-more-guidance-less-spin-as-cyber-outage-s-escalate>

Data Breach & Cybercrime (10)

01. Attackers Use Passkey Phishing to Hijack Microsoft Cloud Accounts and Exfiltrate Data

Microsoft has disclosed details of two campaigns in which threat actors are abusing third-party email delivery infrastructure to blast financial fraud scam messages and using passkey-themed social engineering to breach cloud environments. The first campaign, per the tech giant, involved sending over a million scam emails between August 3 and 5, 2026, by mas...

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://thehackernews.com/2026/09/attackers-use-passkey-phishing-to.html>

02. [+48h Old] Threat Actor Generates 1M Personalized Fraud Emails in 3 Days

Cybercriminals behind malicious email campaigns no longer have to compromise volume for credibility, or vice versa, thanks to AI.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources:

<https://www.darkreading.com/cyberattacks-data-breaches/1m-personalized-fraud-emails-3-days>

03. [+48h Old] Florida confirms DMV database breached via stolen police account

The Florida Department of Highway Safety and Motor Vehicles (FLHSMV) has confirmed that its DAVID driver database suffered a data breach, saying the attackers gained access using credentials belonging to a police department employee. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/florida-confirms-dmv-database-breached-via-stolen-police-account/>

04. [+48h Old] Why AI Is So Good at Scamming Humans

Fred Heiding of Menlo Park Intelligence talks with the Dark Reading News Desk about his research on frontier models, and their ability to influence human behavior and create emotional dependency.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.darkreading.com/cyber-risk/ai-scamming-humans>

05. [+48h Old] Passkey-themed phishing attacks lead to Microsoft 365 data theft

Microsoft says threat actors linked to ShinyHunters, Helix, and other extortion gangs are using passkey and single sign-on-themed social engineering attacks to compromise corporate Microsoft accounts and steal data from Microsoft 365 services. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/passkey-themed-phishing-attacks-lead-to-microsoft-365-data-theft/>

06. [+48h Old] Phishing Research Challenges Conventional Security Awareness Testing

Analysis of 2.47 million simulated attacks shows why organizations should measure credential leaks and reporting, not just clicks. The post Phishing Research Challenges Conventional Security Awareness Testing appeared first on SecurityWeek .

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources:

<https://www.securityweek.com/phishing-research-challenges-conventional-security-awareness-testing/>

07. [+48h Old] Papercut AI Swarm Attack Heralds Changes for Cyber Kill Chain

From creating lab environments for staging and testing agentic attacks to reconnaissance to lateral movement and exfiltration, the most innovative attackers are widely incorporating AI.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources:

<https://www.darkreading.com/cyberattacks-data-breaches/papercut-ai-swarm-attack-cyber-kill-chain>

08. [+48h Old] Crypto customers targeted by scammers after email marketing provider breach

A breach at email marketing company Brevo exposed Trezor, CoinTracking, and BitBox customers to phishing emails, but others may also be at risk.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.malwarebytes.com/blog/news/2026/09/crypto-customers-targeted-by-scammers-after-email-marketing-provider-breach>

09. [+48h Old] The Self-Expanding Stolen Inference Supply Chain: An AI Agent Harvesting and Re-Serving LLM Access, (Fri, Sep 11th)

I identified an attacker using a semi-autonomous coding agent to run an offensive operation: finding poorly secured LLM resale gateways, acquiring API access through ordinary web flaws and account farming, validating the resulting inference capacity, and aggregating it behind a single gateway of their own.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://isc.sans.edu/diary/rss/33332>

10. [+48h Old] Ukrainian Conti Ransomware Developer Sentenced to 4 Years in US Prison

Oleksii Oleksiyovych Lytvynenko has been sentenced to 4 years in prison after he was arrested in Ireland in 2023. The post Ukrainian Conti Ransomware Developer Sentenced to 4 Years in US Prison appeared first on SecurityWeek .

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: <https://www.securityweek.com/ukrainian-anti-ransomware-developer-sentenced-to-4-years-in-us-prison/>