

Cybersecurity Daily Newsletter

Vol. 003 | 2026-07-06 07:00 WIB

Top 5 Highlights

- [local] MEmu Android Emulator 9.2.7.0 - Local Privilege Escalation
- [webapps] KeepInMind 0.8.4.2 - Stored XSS
- [webapps] WordPress Plugin WPZOOM Portfolio 1.4.21 - Reflected Cross-Site Scripting (XSS)
- [+24h Old] JadePuffer ransomware used AI agent to automate entire attack
- [+24h Old] U.S. Government Entity Paid Kairos \$1 Million in Data-Theft Extortion Case

Threat Intelligence (10)

01. [+24h Old] North Korean Hackers Publish 108 Malicious Packages and Extensions in PolinRider Campaign

The North Korean threat actors linked to the Contagious Interview campaign have been observed publishing 108 unique packages and web browser extensions spanning npm, Packagist, Go, and Google Chrome as part of an ongoing activity referred to as PolinRider. "The campaign remains active, and new malicious packages are likely to continue appearing as threat ac...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://thehackernews.com/2026/07/north-korean-hackers-publish-108.html>

02. [+48h Old] New Avalon Malware Framework Packs CrownX Ransomware Capabilities

Cybersecurity researchers have discovered a previously undocumented modular malware framework codenamed Avalon that's distributed by means of a multi-stage phishing chain capable of bypassing traditional security controls. Avalon combines credential collection, lateral movement, remote access, recovery disruption, and ransomware execution, bringing together...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: <https://thehackernews.com/2026/07/new-avalon-malware-framework-packs.html>

03. [+48h Old] AdaptHealth says attackers sweet-talked their way into cloud systems and stole patient data

Third-party contractor compromise exposed health information and insurance billing passwords

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.theregister.com/security/2026/07/03/adapthealth-crooks-stole-our-passwords-patient-health-data/5266512>

04. [+48h Old] ARToken PhaaS exposes EvilTokens' Microsoft 365 phishing toolkit

A new phishing-as-a-service (PhaaS) platform dubbed "ARToken" appears to operate as an affiliate of the EvilTokens phishing platform, giving researchers a glimpse into an extensive toolkit designed to compromise Microsoft 365. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: <https://www.bleepingcomputer.com/news/security/artoken-phaas-exposes-eviltokens-microsoft-365-phishing-toolkit/>

05. [+48h Old] Armored Likho Targets Government Agencies, Power Sector with BusySnake Stealer

A previously undocumented threat actor known as Armored Likho has been attributed to cyber attacks targeting government agencies and the electric power sector across Russia, Brazil, and Kazakhstan. "Armored Likho blends financially motivated campaigns targeting private individuals with targeted cyber espionage aimed at organizations," Kaspersky said in a te...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://thehackernews.com/2026/07/armored-likho-targets-government.html>

06. [+48h Old] Verified X ad spreads Mac malware, while ConsentFix steals Microsoft accounts

Two new campaigns show how cybercriminals are increasingly relying on social engineering instead of software exploits to compromise devices and accounts.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.malwarebytes.com/blog/news/2026/07/verified-x-ad-spreads-mac-malware-while-consentfix-steals-microsoft-accounts>

07. [+48h Old] NetNut cracked as Google and FBI target 2 million-device botnet

Other residential proxy brands may rely on the same network

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.theregister.com/security/2026/07/03/netnut-cracked-as-google-and-fbi-target-2-million-device-botnet/5266414>

08. [+48h Old] Armored Likho digging a snake pit: inside the covert BusySnake Stealer campaign

An inside look at the active Armored Likho APT campaign. The attackers are using spear-phishing, AI-generated loaders, and a new Python-based tool, BusySnake Stealer, to target organizations in Russia, Kazakhstan, and Brazil.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: <https://securelist.com/tr/armored-likho-apt-with-busysnake-stealer/120292/>

09. [+48h Old] FBI, Google Take Down NetNut Proxy Network Used by Cyber Threat Actors

The NetNut proxy network and the 'Popa' botnet are known to have infected devices with variants of Mirai DDoS botnets

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.infosecurity-magazine.com/news/fbi-google-take-down-netnut-proxy/>

10. [+48h Old] FBI Seizes NetNut Proxy Platform, Popa Botnet

The Federal Bureau of Investigation (FBI) said today it worked with industry partners to seize hundreds of domains associated with NetNut, a sprawling residential proxy service operated by the publicly-traded Israeli company Alarum Technologies [NASDAQ: ALAR]. The action comes roughly two weeks after KrebsOnSecurity published findings from multiple security...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://krebsonsecurity.com/2026/07/fbi-seizes-netnut-proxy-platform-popa-botnet/>

Latest Vulnerabilities (10)

01. [local] MEmu Android Emulator 9.2.7.0 - Local Privilege Escalation

MEmu Android Emulator 9.2.7.0 - Local Privilege Escalation

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.exploit-db.com/exploits/52615>

02. [webapps] KeepInMind 0.8.4.2 - Stored XSS

KeepInMind 0.8.4.2 - Stored XSS

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.exploit-db.com/exploits/52614>

03. [webapps] WordPress Plugin WPZOOM Portfolio 1.4.21 - Reflected Cross-Site Scripting (XSS)

WordPress Plugin WPZOOM Portfolio 1.4.21 - Reflected Cross-Site Scripting (XSS)

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.exploit-db.com/exploits/52611>

04. [+48h Old] Unpatched Flaws Disclosed in Filesystem Bundled Into Millions of Embedded Devices

Security firm runZero has disclosed seven vulnerabilities in FatFs, a small filesystem library that lets a device read and write the FAT and exFAT formats used on USB drives and SD cards. The flaws matter because FatFs is nearly everywhere. It ships inside the firmware that runs security cameras, drones, industrial controllers, hardware crypto wallets, and...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://thehackernews.com/2026/07/unpatched-flaws-disclosed-in-filesystem.html>

05. [+48h Old] New "Bad Epoll" Linux Kernel Flaw Lets Unprivileged Users Gain Root, Hits Android

A newly disclosed Linux kernel flaw called Bad Epoll (CVE-2026-46242) lets an ordinary user with no special access take full control of a machine as root. It affects Linux desktops, servers, and Android, and a fix is out. Bad Epoll sits in the same small stretch of kernel code where Anthropic's most powerful AI model, Mythos, recently found a different bug....

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://thehackernews.com/2026/07/new-bad-epoll-linux-kernel-flaw-lets.html>

06. [+48h Old] Microsoft 365 users fall victim to one-in-a-million password spray attack

Microsoft users have been hit by a massive, automated password spray attack. Among those targeted by the attack were clients of security company Huntress. It reported that the attackers made 81 million attempts to log into its customers' accounts between June 12 and 26 - and succeeded in at least 78 cases. And that's just the attacks on Microsoft account ho...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.csoonline.com/article/4192819/microsoft-365-users-fall-victim-to-one-in-a-million-password-spray-attack.html>

07. [+48h Old] In Other News: Canadian Hacker Jailed, Open Source Zero-Days, Two Sentenced for ATM Jackpotting

Noteworthy stories that might have slipped under the radar: Anonymous-linked Canadian hacker jailed, researcher drops zero-days in open source projects, Venezuelans sentenced in the US over ATM jackpotting. The post In Other News: Canadian Hacker Jailed, Open Source Zero-Days, Two Sentenced for ATM Jackpotting appeared first on SecurityWeek .

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.securityweek.com/in-other-news-canadian-hacker-jailed-open-source-zero-days-two-sentenced-for-atm-jackpotting/>

08. [+48h Old] Adobe premieres a second Patch Tuesday each month to deliver fixes faster

Adobe will now issue security patches for its products twice as often to deal with the increasing pace of software vulnerability discovery and exploitation. This follows Oracle's decision to increase its quarterly patch program to a monthly one. Adobe issues patches on the second Tuesday of each month, as do Microsoft and SAP. Starting in July, it will also...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.csoonline.com/article/4192789/adobe-premieres-a-second-patch-tuesday-each-month-to-deliver-fixes-faster.html>

09. [+48h Old] New CitrixBleed-like NetScaler flaw sees exploit attempts in the wild

Citrix NetScaler appliances have been a constant target for attackers in recent years, most recently through an information leak vulnerability dubbed CitrixBleed 3, the latest in a series of NetScaler memory overreads going back to 2023. This week, Citrix patched yet another CitrixBleed-like vulnerability and there are signs of in-the-wild exploitation alre...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.csoonline.com/article/4192741/new-citrixbleed-like-netscaler-flaw-sees-exploit-attempts-in-the-wild.html>

10. [+48h Old] Agentic AI Used to Conduct Ransomware Attack via Langflow

Attack demonstrates how LLM agents can combine known exploitation techniques with real-time reasoning to automate complex, multi-stage intrusions. The post Agentic AI Used to Conduct Ransomware Attack via Langflow appeared first on SecurityWeek .

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.securityweek.com/agentic-ai-used-to-conduct-ransomware-attack-via-langflow/>

Data Breach & Cybercrime (10)

01. [+24h Old] JadePuffer ransomware used AI agent to automate entire attack

Researchers identified what they believe is the first documented case of a ransomware operation, JadePuffer, conducted entirely by a large language model (LLM) agent. [...]

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: <https://www.bleepingcomputer.com/news/security/jadepuffer-ransomware-used-ai-agent-to-automate-entire-attack/>

02. [+24h Old] U.S. Government Entity Paid Kairos \$1 Million in Data-Theft Extortion Case

A U.S. government entity paid about \$1 million to keep stolen files from being leaked, according to a new case study by Rakesh Krishnan for Ransom-ISAC, built on a leaked negotiation chat and the blockchain trail the payment left. The odd part: the group that took the money calls itself Kairos, but it may not be a ransomware gang at all. Krishnan found no s...

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: <https://thehackernews.com/2026/07/us-government-entity-paid-kairos-group.html>

03. [+48h Old] The Good, the Bad and the Ugly in Cybersecurity - Week 27

FBI apprehends IRGC-linked cybercriminal, Russian hackers steal Signal backup keys, and unknown hackers breach the DHS information network.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.sentinelone.com/blog/the-good-the-bad-and-the-ugly-in-cybersecurity-week-27-7/>

04. [+48h Old] Qilin Dominates Ransomware Market Amid Growing Cybercrime Consolidation

The ransomware landscape is reconsolidating around major players, with Qilin emerging as the leading RaaS operation, researchers say

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: <https://www.infosecurity-magazine.com/news/qilin-dominates-ransomware-market/>

05. [+48h Old] Cyber readiness for SMBs: Getting the basics right

AI is changing cybercrime, but SMB cyber readiness still largely depends on closing the familiar gaps

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources:

<https://www.welivesecurity.com/en/business-security/cyber-readiness-smbs-getting-basics-right/>

06. [+48h Old] Warning Over “Industrialized” Cyber-Attacks After Ransomware Gang Partners With TeamPCP

Researchers warn that collaboration could lead to “unprecedented” ransomware attacks, as FBI also issues warning

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: <https://www.infosecurity-magazine.com/news/industrialized-cyberattacks/>

07. [+48h Old] Medtronic Data Breach Impacts 3.8 Million People

In April, ShinyHunters accessed the company’s corporate IT systems and stole patients’ personal and medical information. The post Medtronic Data Breach Impacts 3.8 Million People appeared first on SecurityWeek .

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.securityweek.com/medtronic-data-breach-impacts-3-8-million-people/>

08. [+48h Old] Aussies Face Reduced Cybercrime Risk, as Pressure Shifts to SMBs

Improved institutional safeguards and stricter regulations have pushed the burdens of protection and risk reduction on to Australian businesses.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.darkreading.com/cybersecurity-analytics/aussies-face-reduced-cybercrime-risk-pressure-shifts-smb>s

09. [+48h Old] DHS investigating breach of intelligence sharing platform

Hackers reportedly gained access to HSIN servers in late May and early June, potentially exposing sensitive but unclassified information.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.scworld.com/brief/dhs-investigating-breach-of-intelligence-sharing-platform>

10. [+48h Old] 1st 'agentic ransomware' JADEPUFFER invades database at machine speed

The LLM fixed a failed login attempt within 31 seconds, demonstrating real-time adaptability.

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources:

<https://www.scworld.com/news/1st-agentic-ransomware-jadepuffer-invades-database-at-machine-speed>