

Cybersecurity Daily Newsletter

Vol. 004 | 2026-08-14 09:00 WIB

Top 5 Highlights

- Loongson processors vulnerable to LoongLeak cache attack
- APPLE-SA-08-06-2026-2 macOS Sequoia 15.7.9
- APPLE-SA-08-06-2026-3 macOS Sonoma 14.8.9
- Ukraine shuts down 94 fraudulent call centers, seize millions in cash
- The Breached WiFi AI Ports... What? - PSW #939

Threat Intelligence (10)

01. APPLE-SA-08-06-2026-2 macOS Sequoia 15.7.9

Posted by Apple Product Security via Fulldisclosure on Aug 13 APPLE-SA-08-06-2026-2 macOS Sequoia 15.7.9 macOS Sequoia 15.7.9 addresses the following issues. Information about the security content is also available at <https://support.apple.com/en-us/148171...>

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://seclists.org/fulldisclosure/2026/Aug/37>

02. APPLE-SA-08-06-2026-3 macOS Sonoma 14.8.9

Posted by Apple Product Security via Fulldisclosure on Aug 13 APPLE-SA-08-06-2026-3 macOS Sonoma 14.8.9 macOS Sonoma 14.8.9 addresses the following issues. Information about the security content is also available at <https://support.apple.com/en-us/148172...>

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://seclists.org/fulldisclosure/2026/Aug/36>

03. AI agents wage near-autonomous cyberattack on Asian government networks

Autonomous AI agents built on open-source frameworks breached Taiwanese government systems, compromised credentials, and probed a nuclear safety agency in a multi-day cyberattack that researchers say signals a new phase in AI-enabled operations. The campaign unfolded over four days in early July, during which multiple AI agents operated in parallel to map n...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Audit build pipelines, rotate CI/CD secrets, enforce package integrity controls, and review developer workstation hardening.

Sources: <https://www.csoononline.com/article/4209210/ai-agents-wage-near-autonomous-cyberattack-on-asian-government-networks.html>

04. New Android malware lets criminals use your bank card in real time

Social engineering, a Remote Access Trojan (RAT), and NFC relay malware walk up to an ATM. It's no joke. Together, they can empty your bank account.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.malwarebytes.com/blog/mobile/2026/08/new-android-malware-lets-criminals-use-your-bank-card-in-real-time>

05. 'Jewelbug' APT Balances State Espionage & Cryptocurrency Theft

Researchers discovered hackers-for-hire performing cyber espionage and financially motivated heists from the same Web panel.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources:

<https://www.darkreading.com/threat-intelligence/jewelbug-apt-state-espionage-cryptocurrency-theft>

06. [+24h Old] Armored Likho expands its cyber-espionage toolkit

Kaspersky experts break down a new Armored Likho campaign that poses as a fundraising efforts and delivers a new Still Toolkit aimed at stealing Telegram data and eavesdropping on victims.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://securelist.com/armored-likho-still-toolkit/121033/>

07. [+24h Old] DDoS attacks hit record scale as 1 Tbps+ campaigns become more common

DDoS attacks grew in scale during the first half of 2026, bringing larger traffic floods, shorter attack durations, and increasingly automated campaigns. Cloudflare's H1 2026 DDoS Threat Report shows threat actors relying on multi-vector techniques and large-scale network-layer attacks to disrupt online services across multiple industries. L3/4 attack-size...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.helpnetsecurity.com/2026/08/13/cloudflare-h1-2026-ddos-trends-report/>

08. [+24h Old] ISC Stormcast For Thursday, August 13th, 2026

<https://isc.sans.edu/podcastdetail/10050>, (Thu, Aug 13th)

ISC Stormcast For Thursday, August 13th, 2026 <https://isc.sans.edu/podcastdetail/10050>, (Thu, Aug 13th)

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://isc.sans.edu/diary/rss/33244>

09. [+24h Old] Using Gemma4 with Ollama - Testing File Hash Analysis and Recommendations with AI, (Wed, Aug 12th)

In the past few weeks, I have been using Gemma4 as a Large Language Model (LLM) to see how useful it can be to analyze some of the malware hashes uploaded to the DShield sensor over the past 30 days and figure out how its recommendation can be considered useful about the activity my DShield sensor is collecting and tracking. The model I use for this testing...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://isc.sans.edu/diary/rss/33242>

10. [+24h Old] Malware Crypting Services and the Threat Actors Who Sell Them

Insikt Group analyzes 24 threat actors selling malware crypting services. Learn about their evasion techniques, market dynamics, and how defenders can prioritize behavioral detection over static analysis.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.recordedfuture.com/research/malware-crypting-services-threat-actors>

Latest Vulnerabilities (10)

01. Global Threat Campaign Hits Critical VMware vCenter Flaw

Exploitation against CVE-2026-59310 began earlier this month, and patching the vulnerability may not be enough to fully mitigate the threat.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.darkreading.com/vulnerabilities-threats/global-threat-campaign-critical-vmware-vcenter-flaw>

02. Attackers target zero-day vulnerability in geospatial data platform GeoServer

Security researchers have seen evidence that attackers are attempting to exploit a currently unpatched SQL injection vulnerability in GeoServer, an open-source web server for managing and publishing geospatial data. The software is widely used by organizations in many industries, including the government, defense, science, education,

engineering and technol...

Why it matters: Publicly discussed 0-days often see rapid weaponization, increasing the risk of opportunistic attacks at scale.

Recommendation: Apply vendor guidance immediately, reduce attack surface, and monitor for IoCs/exploitation telemetry until patches are fully deployed.

Sources: <https://www.csoonline.com/article/4209388/attackers-target-zero-day-vulnerability-in-geospatial-data-platform-geoserver.html>

03. Microsoft patches LegacyHive Windows zero-day vulnerability

Microsoft has released security patches to address a Windows zero-day vulnerability known as "LegacyHive," disclosed after the July 2026 Patch Tuesday. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.bleepingcomputer.com/news/microsoft/microsoft-patches-legacyhive-windows-zero-day-vulnerability/>

04. AI 'watermark removers' flood the web. Almost none can prove they work.

Multiple 'watermark removers' have surfaced days after Anthropic began watermarking text generated by Claude, including an open source project with over 4,500 GitHub stars and paid AI detection evasion services. None of the tools' claims about defeating the text watermark can be verified, as Anthropic has not released a detector. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.bleepingcomputer.com/news/security/ai-watermark-removers-flood-the-web-almost-none-can-prove-they-work/>

05. Critical VMware vCenter RCE flaw exploited for reverse SSH access

A recently patched critical vulnerability (CVE-2026-59310) in VMware vCenter Syslog Server is being exploited in an active campaign to deploy a reverse SSH tool for persistence and remote access. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.bleepingcomputer.com/news/security/critical-vmware-vcenter-rce-flaw-exploited-for-reverse-ssh-access/>

06. What 50 open source projects taught us about security in the AI era

See how the open source projects in Session 4 of the GitHub Secure Open Source Fund combined AI-assisted workflows, maintainer expertise, GitHub security tools, expert

guidance, and funding to improve project security. The post [What 50 open source projects taught us about security in the AI era](#) appeared first on [The GitHub Blog](#) .

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://github.blog/open-source/maintainers/what-50-open-source-projects-taught-us-about-security-in-the-ai-era/>

07. Adobe Commerce Bug Targeted Immediately After Disclosure

The first exploitation attempts targeting CVE-2026-71362 were observed shortly after Adobe released patches. The post [Adobe Commerce Bug Targeted Immediately After Disclosure](#) appeared first on [SecurityWeek](#) .

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.securityweek.com/adobe-commerce-bug-targeted-immediately-after-disclosure/>

08. Who Vets AI's Code? The Scale Challenge Facing Open Source Ingestion

AI coding tools can introduce unvetted or hallucinated open source dependencies faster than traditional security reviews can keep pace. [ActiveState](#) explains why organizations should govern packages at the point of selection, before they enter the development pipeline. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.bleepingcomputer.com/news/security/who-vets-ais-code-the-scale-challenge-facing-open-source-ingestion/>

09. vCenter Flaw Exploited Just Five Days After Disclosure

Attackers exploited a critical-severity vCenter flaw five days after Broadcom disclosed it

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.infosecurity-magazine.com/news/vcenter-cve-2026-59310-exploited/>

10. Attackers exploit critical SharePoint flaw after PoC goes public (CVE-2026-55040)

Threat actors have begun exploiting a critical Microsoft SharePoint flaw following the release of proof-of-concept (PoC) exploit code by Rapid7. About CVE-2026-55040 Tracked as CVE-2026-55040, the vulnerability was patched by Microsoft as part of its July 2026

Patch Tuesday updates. “The authentication feature could be bypassed as this vulnerability allows...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources:

<https://www.helpnetsecurity.com/2026/08/13/microsoft-sharepoint-cve-2026-55040-poc-exploit/>

Data Breach & Cybercrime (10)

01. Loongson processors vulnerable to LoongLeak cache attack

German researchers from the Helmholtz Center for Information Security discovered that Loongson processors, which utilize the LoongArch instruction set architecture, possess caches that leak data.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.scworld.com/brief/loongson-processors-vulnerable-to-loongleak-cache-attack>

02. Ukraine shuts down 94 fraudulent call centers, seize millions in cash

Authorities in Ukraine shut down 94 fraudulent call centers across the country that lured people into investment scams or tried to obtain access to bank accounts. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/ukraine-shuts-down-94-fraudulent-call-centers-seize-millions-in-cash/>

03. The Breached WiFi AI Ports... What? - PSW #939

The Breached WiFi AI Ports... What? - PSW #939

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.scworld.com/podcast-segment/14978-the-breached-wifi-ai-ports-what-psw-939>

04. Akira hackers disable EDR with Safe Mode, steal data but fail to encrypt

An Akira ransomware affiliate disabled the endpoint detection and response (EDR) solution on a compromised system by restarting the machine into Safe Mode with Networking. [...]

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: <https://www.bleepingcomputer.com/news/security/akira-hackers-disable-edr-with-safe-mode-steal-data-but-fail-to-encrypt/>

05. Hackers breach govt webmail while running parallel crypto fraud

The Jewelbug hacker group has been carrying out espionage operations targeting governments and militaries while also engaging in cryptocurrency fraud. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/hackers-breach-govt-webmail-while-running-parallel-crypto-fraud/>

06. Exposed AWS Access Key Linked to Data Breach Affecting 1500+ UK Charities

CRM provider Beacon has revealed that a compromised AWS access key was the likely root cause of the breach of 1500 UK charities' data

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.infosecurity-magazine.com/news/exposed-aws-key-data-charities/>

07. Trezor discloses data breach affecting nearly 14,000 customers

Hardware wallet manufacturer Trezor disclosed a data breach affecting nearly 14,000 of its customers after ShipMonk, its shipping and logistics provider, was hacked [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/trezor-discloses-data-breach-affecting-nearly-14-000-customers/>

08. White House taps security firms for offensive hack-back operations

A new White House memo signed by U.S. President Donald Trump instructs the National Coordination Center (NCC) to establish a program that would allow private security companies to apply for approval to hack foreign cybercrime organizations. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/white-house-taps-security-firms-for-offensive-hack-back-operations/>

09. The State of Ransomware Q2 2026

For the past year, the ransomware conversation has centered on concentration: a handful of dominant RaaS operations controlling most of the damage, and a shrinking pool of active groups fighting over the same territory. The State of Ransomware Q2 2026 report from Check Point Research shows that picture starting to shift. The leaders are still winning, but [...]

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: <https://research.checkpoint.com/2026/the-state-of-ransomware-q2-2026/>

10. Trump administration opens door to private-sector cyber offensives

The Trump administration is opening the door for vetted US companies to conduct cyber operations against foreign cybercriminal organizations under federal supervision, giving the private sector a more direct role in disrupting cyber-enabled crime. A presidential memorandum issued on August 12 directs the National Coordination Center to create a program auth...

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.csoonline.com/article/4209169/trump-administration-opens-door-to-private-sector-cyber-offensives.html>