

Cybersecurity Daily Newsletter

Vol. 001 | 2026-05-27 07:00 WIB

Top 5 Highlights

- ShinyHunters extorts Charter Communications after data breach
- Iranian-backed hackers linked to Los Angeles transit system breach
- From poisoned search results to GPU mining: A cryptojacking campaign abusing ScreenConnect and Microsoft .NET utilities
- KnowledgeDeliver flaw exploited as a zero-day to install web shells
- Feeding Frenzy: 'Megalodon' Malware Infects Thousands of GitHub Repos

Threat Intelligence (10)

01. From poisoned search results to GPU mining: A cryptojacking campaign abusing ScreenConnect and Microsoft .NET utilities

Microsoft exposes a cryptojacking campaign using SEO poisoning and ScreenConnect to target high-performance PCs, with malicious sites also surfaced through AI chatbots. The post From poisoned search results to GPU mining: A cryptojacking campaign abusing ScreenConnect and Microsoft .NET utilities appeared first on Microsoft Security Blog .

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.microsoft.com/en-us/security/blog/2026/05/26/poisoned-search-results-gpu-mining-cryptojacking-campaign-abusing-screenconnect-microsoft-net-utilities/>

02. Feeding Frenzy: 'Megalodon' Malware Infects Thousands of GitHub Repos

In just six hours, the campaign quietly pushed thousands of malicious commits to more than 5,500 GitHub repositories, stealing credentials, developer secrets, and more.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.darkreading.com/application-security/megalodon-malware-infects-thousands-github-repos>

03. MuddyWater Uses DLL Side-Loading in Espionage Campaign Targeting 9 Countries

The Iranian hacking group known as MuddyWater has been linked to a new campaign affecting at least nine organizations across nine countries on four continents in the first quarter of 2026. The activity targeted industrial and electronics manufacturing, education and public-sector bodies, financial services, and professional services, per the Threat Hunter T...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://thehackernews.com/2026/05/muddywater-uses-dll-side-loading-in.html>

04. GitHub Actions abused by Megalodon attack to slip malicious commits into 5,500 repos

A large-scale automated GitHub backdooring campaign was caught pushing thousands of malicious commits into public repositories while posing as routine CI/CD upkeep.

Researchers at SafeDep observed the campaign, Megalodon, touching more than five thousand repositories over a six-hour window on May 18. The attack was in the form of a

malicious commit, “acac5a...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.csoonline.com/article/4177124/github-actions-abused-by-megalodon-attack-to-slip-malicious-commits-into-5500-repos.html>

05. BTMOB Android RAT Spreads Through No-Code Builder Tooling

BTMOB Android RAT sold as a service with a no-code builder for fast, regional phishing lures

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: <https://www.infosecurity-magazine.com/news/btmob-android-rat-maas-builder/>

06. Iranian APT Targets Aviation, Software Companies With Updated Tools

Nimbus Manticore has continued its operations during and after the US military campaign against Iran. The post Iranian APT Targets Aviation, Software Companies With Updated Tools appeared first on SecurityWeek .

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources:

<https://www.securityweek.com/iranian-apt-targets-aviation-software-companies-with-updated-tools/>

07. [THN Webinar] New AI DDoS Attacks Are Smarter. Learn How to Fight Back

Every single day, hackers are finding new ways to crash websites and steal data. But right now, something has changed. Hackers are no longer working alone. They are now using powerful Artificial Intelligence (AI) tools to make their attacks faster, stronger, and much harder to stop. According to recent updates from The Hacker News, bad actors are using AI t...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://thehackernews.com/2026/05/new-ai-ddos-attacks-are-smarter-learn.html>

08. Major Cyber Attacks in May 2026: Fake Invitations, Agent Tesla, BlobPhish, and More

May 2026 showed how fast routine business activity can turn into real security exposure. ANY.RUN observed phishing campaigns, fileless malware delivery, credential theft, OTP

interception, and remote access abuse targeting organizations across industries. From fake invitations and banking portals to compromised B2B websites and Word Online lures, the month'...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: <https://any.run/cybersecurity-blog/major-cyber-attacks-may-2026/>

09. 700+ education and tech websites hijacked in huge ClickFix malware campaign

Hackers are abusing a Ghost CMS website flaw to serve fake Cloudflare verification pages that pressure users into infecting their own PCs.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.malwarebytes.com/blog/bugs/2026/05/700-education-and-tech-websites-hijacked-in-huge-clickfix-malware-campaign>

10. Iran-Linked Hackers Target US Aviation with Phishing and SEO Poisoning Campaign

Iran's Nimbus Manticore pushes AI-built MiniFast backdoor via phishing and SEO poisoning

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: <https://www.infosecurity-magazine.com/news/iranian-hackers-us-aviation/>

Latest Vulnerabilities (10)

01. KnowledgeDeliver flaw exploited as a zero-day to install web shells

Hackers exploited a critical zero-day vulnerability in a server running the KnowledgeDeliver learning management system (LMS) to deploy the Godzilla web shell. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.bleepingcomputer.com/news/security/knowledgedeliver-flaw-exploited-as-a-zero-day-to-install-web-shells/>

02. The Hackers Behind Shai-Hulud: Lucky or Skilled?

TeamPCP, the hackers behind the Shai-Hulud worm, has done significant damage to the open source ecosystem. But it's not necessarily due to skill alone.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.darkreading.com/application-security/shai-hulud-hackers-teampcp-lucky-skilled>

03. Welcoming the AWS Customer Incident Response Team

May 26, 2026: This post was originally published in July 2022. It has been updated to reflect current engagement options, new threat intelligence resources such as the Threat Technique Catalog for AWS (TTC), additional open-source tools, and the distinction between AWS CIRT support and the AWS Security Incident Response managed service. Welcome back, or wel...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://aws.amazon.com/blogs/security/welcoming-the-aws-customer-incident-response-team/>

04. Drupal bug added to CISA list of known exploited vulnerabilities

Drupal SQL injection flaw CVE-2026-9082 added to CISA KEV as active attacks target sites.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.scworld.com/news/drupal-bug-added-to-cisa-list-of-known-exploited-vulnerabilities>

05. Microsoft Issues Out-of-Band SharePoint Patch

SharePoint access often means access to the keys of the kingdom, something attackers and defenders understand all too well.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.darkreading.com/vulnerabilities-threats/microsoft-issues-sharepoint-patch>

06. Well-architected best practices for software supply chain security

There have been multiple notable supply chain attacks using the npm Registry since September: Shai-Hulud, Chalk/Debug, one abusing tea.xyz tokens, and recently axios. Thanks to community efforts involving the Amazon Inspector team, the Open Source Security Foundation, and others, the affected packages were quickly flagged, which

reduced the impact of these...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://aws.amazon.com/blogs/security/well-architected-best-practices-for-software-supply-chain-security/>

07. Chinese Threat Actors Ditch Static Phishing Pages for Live Credential Interception

Almost all organizations impersonated by Chinese phishing platforms are non-Chinese entities, suggesting operators deliberately avoid domestic targets

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.infosecurity-magazine.com/news/chinese-phishing-live-credential/>

08. Anthropic: Claude Mythos identified 10,000+ software flaws

Anthropic and its Project Glasswing partners have identified more than 10,000 high- or critical-severity vulnerabilities in critical software systems, the company announced in an update on the project's progress. Mythos identifies thousands of high-severity vulnerabilities In April 2026, Anthropic introduced Claude Mythos Preview, a new large language model...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.helpnetsecurity.com/2026/05/26/anthropic-project-glasswing-update/>

09. Chinese phishing gangs grow into a force to be reckoned with

Chinese-language phishing-as-a-service (PhaaS) communities are expanding in an area historically dominated by Russian-speaking cybercriminal groups. The Google Threat Intelligence Group (GTIG) analyzed a dozen active PhaaS offerings operating in Chinese-language underground communities and found mature services, with several likely linked to broader crimina...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.helpnetsecurity.com/2026/05/26/chinese-language-phishing-services/>

10. EXPOSURE 2026 prepares cybersecurity professionals for the AI era

Cybersecurity leaders and practitioners brought their burning AI cybersecurity questions to EXPOSURE 2026. They left with clear answers and a blueprint for building an exposure management program. Get a recap and see highlights from the event in words and pictures. Key takeaways As frontier AI models simultaneously accelerate the pace of vulnerability disco...

Why it matters: Publicly discussed 0-days often see rapid weaponization, increasing the risk of opportunistic attacks at scale.

Recommendation: Apply vendor guidance immediately, reduce attack surface, and monitor for IoCs/exploitation telemetry until patches are fully deployed.

Sources:

<https://www.tenable.com/blog/exposure-2026-prepares-cybersecurity-professionals-for-the-ai-era>

Data Breach & Cybercrime (10)

01. ShinyHunters extorts Charter Communications after data breach

The incident came to light after Charter was listed on ShinyHunters' data leak site, where the group claimed to have stolen 40 million records.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.scworld.com/brief/shinyhunters-extorts-charter-communications-after-data-breach>

02. Iranian-backed hackers linked to Los Angeles transit system breach

The hacktivist group Ababil of Minab initially claimed responsibility for the breach, stating they had stolen and subsequently deleted data from the Los Angeles County Metropolitan Transportation Authority (LACMTA) systems.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources:

<https://www.scworld.com/brief/iranian-backed-hackers-linked-to-los-angeles-transit-system-breach>

03. Charter confirms data breach after ShinyHunters extortion threat

U.S. telecommunications giant Charter Communications has confirmed it suffered a data breach after the ShinyHunters extortion group threatened to leak stolen data unless a ransom is paid. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/charter-confirms-data-breach-after-shinyhunters-extortion-threat/>

04. When ransomware shuts the ER, cyber resilience can help teams mitigate the damage

Here's five ways to implement a cyber resilience plan well before a medical facility experiences a crisis.

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: <https://www.scworld.com/perspective/when-ransomware-shutters-the-er-cyber-resilience-can-help-teams-mitigate-the-damage>

05. MyPillow must decide whether to be firm or soft as ransomware crims demand pay

Guess they could deny the alleged intrusion ... like the 2020 election results

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: <https://www.theregister.com/cyber-crime/2026/05/26/mypillow-appears-on-play-ransomware-leak-site/5246513>

06. Experts pour cold borscht on Farage's Russian hack claim

Reform UK leader alleges Moscow broke into his phone and leaked £5M gift story, but security specialists await evidence

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.theregister.com/security/2026/05/26/experts-question-nigel-farages-russian-phone-hacking-claims/5246114>

07. 185,000 Likely Impacted by 7-Eleven Data Breach

The allegedly stolen information leaked by ShinyHunters contains email addresses, names, addresses, and dates of birth. The post 185,000 Likely Impacted by 7-Eleven Data Breach appeared first on SecurityWeek .

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.securityweek.com/185000-likely-impacted-by-7-eleven-data-breach/>

08. Personal information of 185,000 people exposed after cyberattack on 7-Eleven

Data belonging to about 185,000 people was exposed following a cyberattack on convenience store chain 7-Eleven that was later claimed by the ShinyHunters extortion gang, according to Have I Been Pwned. The exposed information includes email addresses, names, physical addresses, dates of birth, and phone numbers, while a small number of records also containe...

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.helpnetsecurity.com/2026/05/26/7-eleven-data-breach-shinyhunters/>

09. TrapDoor malware campaign puts developer workstations in CISO spotlight

A malicious package campaign across npm, PyPI, and Crates.io has put developer workstations back under scrutiny, after researchers said it targeted developer workflows and AI coding assistant files. Researchers at Socket said the campaign, which they are tracking as TrapDoor, “spans more than 34 malicious packages and 384+ related versions and artifacts” ac...

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.csoononline.com/article/4177019/trapdoor-malware-campaign-puts-developer-workstations-in-ciso-spotlight.html>

10. Lithuania Suspects Foreign Involvement in Data Leak of Over 600,000 National Register Entries

Lithuanian authorities are on high alert after a massive data leak involving more than 600,000 entries from national data registers. The post Lithuania Suspects Foreign Involvement in Data Leak of Over 600,000 National Register Entries appeared first on SecurityWeek .

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.securityweek.com/lithuania-suspects-foreign-involvement-in-data-leak-of-over-600-000-national-register-entries/>