

Cybersecurity Daily Newsletter

Vol. 002 | 2026-06-30 07:00 WIB

Top 5 Highlights

- 'Djinn' Stealer Targets Cloud, AI Credentials
- Vulnerabilities Expose Private Data in Indian Government Systems
- Nissan discloses employee data breach linked to Oracle zero-day attacks
- NAIC says public data stolen in ShinyHunters' PeopleSoft breach
- Iran, Russia, China Target Water Systems for Sabotage

Threat Intelligence (10)

01. 119 Edge extensions promised useful tools, instead downloaded malware
Microsoft has removed over 100 Edge extensions that were delivering malware hidden in images.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.malwarebytes.com/blog/news/2026/06/119-edge-extensions-promised-useful-tools-instead-downloaded-malware>

02. Telegram-Based Millenium RAT Campaign Infects 60,000 Devices

Group-IB says Millenium RAT, now rewritten in C++, has hit 62,289 devices in 160+ countries

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.infosecurity-magazine.com/news/millenium-rat-telegram-60000/>

03. Webinar: Why business email compromise attacks keep succeeding

Business email compromise attacks increasingly rely on convincing impersonation rather than malware, making them harder for employees and traditional email defenses to detect. This webinar explores how behavioral AI can help identify sophisticated email threats and automate response workflows. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.bleepingcomputer.com/news/security/webinar-why-business-email-compromise-attacks-keep-succeeding/>

04. FBI Sounds Alarm Over Russian Intelligence Signal Phishing

The FBI claims Russian spies are targeting Signal backup keys

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: <https://www.infosecurity-magazine.com/news/fbi-alarm-russian-intelligence/>

05. [+24h Old] Week in review: Fortibleed campaign's impact on orgs, Cisco Unified CM flaw exploited

Here's an overview of some of last week's most interesting news, articles, interviews and videos: Encrypted DNS still tells an eavesdropper where to look Encrypted DNS runs across much of the Internet. DNS over TLS, HTTPS, and QUIC keep the contents of a query away from anyone watching a network link. The encryption covers the message inside each packet. Th...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.helpnetsecurity.com/2026/06/28/week-in-review-fortibleed-campaigns-impact-on-orgs-cisco-unified-cm-flaw-exploited/>

06. [+48h Old] Clean GitHub repo tricks AI coding agents into running malware

An agentic coding tool tasked with cloning and setting up a seemingly benign GitHub repository could execute a malicious payload that remains invisible to security scanners, AI agents, and human reviewers. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.bleepingcomputer.com/news/security/clean-github-repo-tricks-ai-coding-agents-into-running-malware/>

07. [+48h Old] FBI: Russian hackers now target Signal backup recovery keys

The FBI and CISA are warning that a phishing campaign targeting Signal users tied to Russian intelligence services has evolved to steal Signal Backup Recovery Keys, allowing attackers to access victims' historical messages. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: <https://www.bleepingcomputer.com/news/security/fbi-russian-hackers-now-target-signal-backup-recovery-keys/>

08. [+48h Old] Order-tracking app Shop abused to push callback phishing attacks

Threat actors are increasingly abusing Shop, the order-tracking app from Shopify, by adding fake purchase receipts in users' order histories to trick them into providing sensitive data or installing remote access software. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: <https://www.bleepingcomputer.com/news/security/order-tracking-app-shop-abused-to-push-call-back-phishing-attacks/>

09. [+48h Old] New macOS malware embeds fake errors to confuse AI analysis tools

A newly discovered macOS malware dubbed "Gaslight" is designed to confuse AI-assisted malware analysis tools by hiding prompt injection strings and fake debugging data within the executable. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.bleepingcomputer.com/news/security/new-macos-malware-embeds-fake-errors-to-confuse-ai-analysis-tools/>

10. [+48h Old] Bluekit phishing kit adopts browser-in-the-middle for login theft

The Bluekit phishing-as-a-service platform continues to evolve with nearly 70 new hostnames identified over the past week and by adding browser-in-the-middle capabilities for improved data theft. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: <https://www.bleepingcomputer.com/news/security/bluekit-phishing-kit-adopts-browser-in-the-middle-for-login-theft/>

Latest Vulnerabilities (10)

01. 'Djinn' Stealer Targets Cloud, AI Credentials

The infostealer was delivered via CVE-2026-48558, a critical authentication bypass vulnerability in SimpleHelp, targeting credentials linking development and admin environments to wider enterprise systems.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources:

<https://www.darkreading.com/cyberattacks-data-breaches/djinn-stealer-targets-cloud-ai-credentials>

02. Vulnerabilities Expose Private Data in Indian Government Systems

One critical vulnerability, among many discovered by a researcher, could have allowed anyone to walk in and take over a national government portal.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.darkreading.com/vulnerabilities-threats/vulnerabilities-private-data-indian-government-systems>

03. Nissan discloses employee data breach linked to Oracle zero-day attacks

Nissan is warning that it suffered a data breach affecting current and former employees after threat actors exploited an Oracle PeopleSoft vulnerability in data theft attacks previously linked to the ShinyHunters extortion group. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.bleepingcomputer.com/news/security/nissan-discloses-employee-data-breach-linked-to-oracle-zero-day-attacks/>

04. Microsoft extends Windows Server 2022 hotpatching until October 2027

Microsoft has extended Windows Server 2022 hotpatching until October 2027, one year after the mainstream end date of October 2026. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.bleepingcomputer.com/news/microsoft/microsoft-extends-windows-server-2022-hotpatching-until-october-2027/>

05. JSP webshells being dropped on unpatched PTC Windchill instances

The US Cybersecurity and Infrastructure Security Agency (CISA) added a vulnerability (CVE-2026-12569) in Windchill and FlexPLM, two product lifecycle management software platforms developed by PTC, to its Known Exploited Vulnerabilities (KEV) catalog. Entries in the KEV catalog don't contain links to reports of exploitation, but PTC's advisory keeps getting...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.helpnetsecurity.com/2026/06/29/ptc-windchill-cve-2026-12569-exploited/>

06. Inside the Advisory Database and what happens when vulnerability volume breaks records

The GitHub Advisory Database is processing more vulnerability reports than ever before. Here's what's driving the surge, how we're responding, and how the community can help. The post Inside the Advisory Database and what happens when vulnerability volume breaks records appeared first on The GitHub Blog .

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://github.blog/security/supply-chain-security/inside-the-advisory-database-and-what-happens-when-vulnerability-volume-breaks-records/>

07. Critical SimpleHelp flaw exploited to deploy new stealer malware

Hackers are exploiting a recently disclosed critical vulnerability (CVE-2026-48558) in SimpleHelp to deploy Djinn Stealer, a previously undocumented cross-platform information stealer targeting Windows, macOS, and Linux. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.bleepingcomputer.com/news/security/hackers-exploit-critical-simplehelp-flaw-deploy-new-djinn-infostealer-taskweaver-malware/>

08. Hackers now exploit critical Oracle E-Business flaw in attacks

Attackers have begun exploiting a critical vulnerability (CVE-2026-46817) in the Oracle E-Business Suite (EBS) financial application, according to threat intelligence company Defused. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.bleepingcomputer.com/news/security/new-oracle-e-business-suite-flaw-now-exploited-in-attacks/>

09. Amazon Q VS Extension Flaw Leads to Cloud Credential Theft

Adversaries could plant a malicious repository that can execute arbitrary code and steal cloud credentials by exploiting the vulnerability, which showcases growing MCP risk.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources:

<https://www.darkreading.com/cloud-security/amazon-q-vs-extension-flaw-leads-cloud-credential-theft>

10. Mozilla warns of indirect prompt injection risk in AI coding agents

A malicious GitHub repository can silently compromise a developer's machine without containing a single line of malicious code, security researchers at Mozilla's Zero Day Investigative Network (ODIN) warned. The attack The proof-of-concept attack targets AI-powered coding agents such as Claude Code, and uses indirect prompt injection to

manipulate an AI agent...

Why it matters: Publicly discussed 0-days often see rapid weaponization, increasing the risk of opportunistic attacks at scale.

Recommendation: Apply vendor guidance immediately, reduce attack surface, and monitor for IoCs/exploitation telemetry until patches are fully deployed.

Sources: <https://www.helpnetsecurity.com/2026/06/29/mozilla-warns-of-indirect-prompt-injection-risk-in-ai-coding-agents/>

Data Breach & Cybercrime (10)

01. NAIC says public data stolen in ShinyHunters' PeopleSoft breach

The National Association of Insurance Commissioners (NAIC) says the ShinyHunters extortion group stole only publicly available data, outdated logs, and configuration files after breaching its systems by exploiting a zero-day vulnerability in an Oracle PeopleSoft server. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/naic-says-public-data-stolen-in-shinyhunters-peoplesoft-breach/>

02. Iran, Russia, China Target Water Systems for Sabotage

Nation-state attackers breach water systems through weak passwords, exposed PLCs, and poor segmentation - not sophisticated malware.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.darkreading.com/ics-ot-security/iran-russia-china-target-water-systems-sabotage>

03. 29th June - Threat Intelligence Report

For the latest discoveries in cyber research for the week of 29th June, please download our Threat Intelligence Bulletin. TOP ATTACKS AND BREACHES Polymarket, a large cryptocurrency-based prediction market, has confirmed a supply chain attack after a third-party frontend vendor breach led to malicious JavaScript being injected into its website. Attackers tr...

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://research.checkpoint.com/2026/29th-june-threat-intelligence-report-2/>

04. PrivacyHawk Enterprise helps organizations find shadow IT and minimize third-party cyber risk

PrivacyHawk has announced the general availability of PrivacyHawk Enterprise, a solution that identifies and eliminates the shadow IT accounts, abandoned SaaS subscriptions, and forgotten third-party services quietly exposing organizations to breach risk. Every organization has an invisible attack surface. Shadow AI tools. Free trials nobody cancelled. Thir...

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.helpnetsecurity.com/2026/06/29/privacyhawk-enterprise/>

05. Russian Hackers Accused of Destructive Cyber-Attack on Jaguar Land Rover

Experts warn the Jaguar Land Rover breach bears hallmarks of Kremlin-backed hackers, citing novel ransomware, strategic timing and efforts to obscure attribution

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: <https://www.infosecurity-magazine.com/news/russian-hackers-destructive-jaguar/>

06. Sycophantic chatbots and the harms that build over many chats

People use AI chatbots for company, advice, and emotional support, and these systems answer in ways meant to hold their attention. Researchers describe the resulting risks as affective safety, a class of harm that exists because humans are emotional beings and because the systems engage directly with that emotional life. The damage happens during ordinary u...

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.helpnetsecurity.com/2026/06/29/sycophantic-chatbots-affective-ai-safety/>

07. [+24h Old] Data breach exposes up to 14.2 million email logins at six ISPs

Japanese telecommunications operator KDDI Corporation disclosed a data breach where threat actors gained access to one of its email systems used by five other internet service providers (ISPs) in the country. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/data-breach-exposes-up-to-142-million-email-logins-at-six-isps/>

08. [+48h Old] Third-Party Breaches Teach Education Sector a Costly Lesson in Vendor Risk

Rising threats from third-party actors are forcing institutions to play defense to protect student data from ransomware and other attacks.

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources:

<https://www.darkreading.com/cyber-risk/third-party-breaches-teaches-education-lesson-vendor-risk>

09. [+48h Old] Polymarket customers lose \$3 million in supply-chain attack

Polymarket says it will fully reimburse customers who lost an estimated \$3 million after hackers injected a malicious script into the platform's frontend following a breach at a third-party vendor. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/polymarket-customers-lose-3-million-in-supply-chain-attack/>

10. [+48h Old] Cybersecurity firms targeted by fraudulent OpenAI organization invites

Threat actors are creating OpenAI tenants that impersonate legitimate companies and inviting employees to join them, in what appears to be a ploy to trick targets into submitting sensitive company information in chats and projects. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/cybersecurity-firms-targeted-by-fraudulent-openai-organization-invites/>