

Cybersecurity Daily Newsletter

Vol. 004 | 2026-08-03 09:00 WIB

Top 5 Highlights

- COLDCARD wallet RNG flaw likely linked to \$88 million Bitcoin theft
- [+24h Old] Week in review: Claude breached three companies during tests, AD CS domain-takeover PoC released
- [+24h Old] Rails patches critical Active Storage flaw with RCE potential
- [+24h Old] Ruby on Rails Patches Critical Vulnerability
- [+48h Old] Phishing Campaigns Targeting AI Solutions Providers, (Sat, Aug 1st)

Threat Intelligence (10)

01. [+48h Old] Phishing Campaigns Targeting AI Solutions Providers, (Sat, Aug 1st)

Most phishing campaigns rely on the fact that the victim is afraid to lose "something": money, access to information, ... Many brands have been impersonated by campaigns but I spotted some phishing emails that focus on AI services like ChatGPT.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: <https://isc.sans.edu/diary/rss/33206>

02. [+48h Old] Hijacked Hotel Wi-Fi Pushes Fake Updates to Deliver Surveillance Malware

A fake browser update served over hijacked hotel Wi-Fi has been used to deliver CornFlake, a remote access trojan (RAT) that can capture webcam images, microphone audio, and keystrokes, Microsoft said in its latest report. Researchers track the operation as CaptiveCrunch and attribute it to Storm-2945. It assesses Storm-2945 to be an operational sub-cluster...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://thehackernews.com/2026/08/hijacked-hotel-wi-fi-pushes-fake.html>

03. [+48h Old] New HollowFrame loader and Matryoshka malware family discovered

The attack chain begins with a spear-phishing email containing a link to an encrypted archive.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources:

<https://www.scworld.com/brief/new-hollowframe-loader-and-matryoshka-malware-family-discovered>

04. [+48h Old] Arch Linux disables AUR package adoption to stop malware flood

The Arch Linux project has temporarily disabled adoption of Arch User Repository (AUR) packages after a surge in malicious takeovers of existing packages. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.bleepingcomputer.com/news/security/arch-linux-disables-aur-package-adoption-to-stop-malware-flood/>

05. [+48h Old] CaptiveCrunch: Midnight Blizzard targets travelers worldwide for malware delivery and credential theft

Storm-2945, a sub-cluster of the Russian threat actor Midnight Blizzard, has been observed compromising the sign-in portals of hospitality-related organizations such as hotels since May 2026 in order to deliver malware to travelers and steal credentials in an operation we call CaptiveCrunch. The post CaptiveCrunch: Midnight Blizzard targets travelers worldw...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.microsoft.com/en-us/security/blog/2026/07/31/captivecrunch-midnight-blizzard-targets-travelers-worldwide-for-malware-delivery-and-credential-theft/>

06. [+48h Old] 2026-07-31: SmartApeSG ClickFix campaign pushes unidentified RAT

2026-07-31: SmartApeSG ClickFix campaign pushes unidentified RAT

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.malware-traffic-analysis.net/2026/07/31/index.html>

07. [+48h Old] HollowFrame Loader Deploys Matryoshka Backdoor in Spear-Phishing Attack on Law Firm

Cybersecurity researchers have shed light on a previously undocumented Go-based loader framework called HollowFrame and a Rust-based malware family tracked as Matryoshka. According to Blackpoint Cyber, the intrusion sequence begins with a spear-phishing message containing a link to an encrypted archive, which holds a Windows Shortcut (LNK). Executing the fi...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: <https://thehackernews.com/2026/07/hollowframe-loader-deploys-matryoshka.html>

08. [+48h Old] ESET tracks rise in malicious AI skills and adaptable malware

Attackers are adapting established techniques to AI platforms, emerging technologies, and changing user behavior. ESET's new threat report examines the rise of malicious AI

skills, AI-assisted malware, ClickFix attacks, record quishing activity, and ransomware tools designed to disable security software. [...]

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.bleepingcomputer.com/news/security/eset-tracks-rise-in-malicious-ai-skills-and-adaptable-malware/>

09. [+48h Old] 6 Reasons Why Device Code Phishing is the Fastest-Growing Threat of 2026

Device code phishing - the abuse of the OAuth 2.0 device authorization grant to steal access tokens - has evolved from a niche red-team technique to an industrial-scale threat in under six months. Designed for input-constrained devices like smart TVs, printers, and so on, the device authorization login flow has been adopted by a wide range of apps and use-c...

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Tighten email authentication and filtering, run targeted user awareness, and monitor for lookalike domains and suspicious inbox rules.

Sources: <https://thehackernews.com/2026/07/6-reasons-why-device-code-phishing-is.html>

10. [+48h Old] Fake Flash Player installs AtlasRAT

Researchers have uncovered a new campaign that spreads the AtlasRAT remote access Trojan by disguising it as a Flash Player installer.

Why it matters: Threat-actor tradecraft and active campaigns help defenders anticipate techniques likely to be used against their environment.

Recommendation: Update detections and threat hunts using reported TTPs/IOCs, review email/web controls, and harden high-risk internet-facing services.

Sources: <https://www.malwarebytes.com/blog/news/2026/07/fake-flash-player-installs-atlasrat>

Latest Vulnerabilities (10)

01. COLDCARD wallet RNG flaw likely linked to \$88 million Bitcoin theft

A vulnerability in COLDCARD hardware wallet firmware allowed attackers to steal an estimated \$88.6 million in Bitcoin from thousands of wallets whose seeds were generated using a flawed random number generator. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.bleepingcomputer.com/news/security/coldcard-wallet-rng-flaw-likely-linked-to-88-million-bitcoin-theft/>

02. [+24h Old] Week in review: Claude breached three companies during tests, AD CS domain-takeover PoC released

Here's an overview of some of last week's most interesting news, articles, interviews and videos: Nono: Open-source sandbox for AI agents AI coding agents run with the same permissions as their users, meaning they can access sensitive files, credentials, and production systems. A prompt injection, hallucinated command, or simple mistake can quickly turn tha...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.helpnetsecurity.com/2026/08/02/week-in-review-claude-breached-three-companies-during-tests-ad-cs-domain-takeover-poc-released/>

03. [+24h Old] Rails patches critical Active Storage flaw with RCE potential

A critical vulnerability in the Active Storage framework can allow an unauthenticated attacker to read arbitrary files from a Rails application, and potentially escalate to remote code execution (RCE). [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.bleepingcomputer.com/news/security/rails-patches-critical-active-storage-flaw-with-rce-potential/>

04. [+24h Old] Ruby on Rails Patches Critical Vulnerability

The flaw can be exploited by unauthenticated attackers to read arbitrary files and potentially achieve remote code execution (RCE). The post Ruby on Rails Patches Critical Vulnerability appeared first on SecurityWeek .

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.securityweek.com/ruby-on-rails-patches-critical-vulnerability/>

05. [+48h Old] Adobe Campaign Classic CVSS 10.0 Flaw Could Run Code Without User Interaction

Adobe has released security updates to address a maximum-severity security flaw in Campaign Classic (ACC), its enterprise-focused marketing automation platform, that could result in arbitrary code execution. The vulnerability, tracked as CVE-2026-48449, carries a severity score of 10.0 on the CVSS scoring system. It has been described as a case of incorrect...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://thehackernews.com/2026/08/adobe-campaign-classic-cvss-100-flaw.html>

06. [+48h Old] Interpol's I-GRIP mechanism intercepts millions in fraud attempts

The I-GRIP initiative connects law enforcement agencies across 196 countries with financial institutions to expedite the process of stopping fraudulent money transfers.

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.scworld.com/brief/interpols-i-grip-mechanism-intercepts-millions-in-fraud-attempts>

07. [+48h Old] Hacker uses DeepSeek AI to autonomously attack vulnerable servers

A Chinese-speaking threat actor is using the DeepSeek AI model and the open-source Hermes Agent to conduct autonomous cyberattacks on exposed servers with limited human involvement. [...]

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.bleepingcomputer.com/news/security/hacker-uses-deepseek-ai-to-autonomously-attack-vulnerable-servers/>

08. [+48h Old] In Other News: OpenAI Open Source Tool, AWS Links Hacks to North Korea, Mythos Crypto Research

Noteworthy stories that might have slipped under the radar: parcel delivery company OnTrac hacked, Adobe patches, UK Department for Education loses 607,000 records. The post In Other News: OpenAI Open Source Tool, AWS Links Hacks to North Korea, Mythos Crypto Research appeared first on SecurityWeek .

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.securityweek.com/in-other-news-openai-open-source-tool-aws-links-hacks-to-north-korea-mythos-crypto-research/>

09. [+48h Old] VU#243636: VPS.org one-click deployment templates contain multiple vulnerabilities

Overview VPS.org's one-click deployment templates provision services with default passwords and predefined network bindings instead of generating randomized secrets or applying per-deployment hardening measures. Description VPS.org is a cloud and virtual

private server hosting provider that offers a library of templates for quickly provisioning common appli...

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://kb.cert.org/vuls/id/243636>

10. [+48h Old] Chinese Hacker Uses DeepSeek AI to Orchestrate Vulnerability Exploits

A Chinese-speaking threat actor has been using DeepSeek's AI models to orchestrate cyber-attacks targeting Asian organizations

Why it matters: Exploit-ready vulnerabilities can rapidly translate into compromise-especially for internet-facing services and widely deployed products.

Recommendation: Prioritize patching/mitigations, review exposure, and add detection for exploitation attempts (e.g., WAF/EDR signatures and logs).

Sources: <https://www.infosecurity-magazine.com/news/chinese-hacker-deepseek-ai/>

Data Breach & Cybercrime (10)

01. [+48h Old] Fuyao operation uses Android TV boxes for ad fraud

Bitsight researchers uncovered the operation by monitoring an expired domain used for factory backdoors and telemetry.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.scworld.com/brief/fuyao-operation-uses-android-tv-boxes-for-ad-fraud>

02. [+48h Old] AI chatbots outperform humans in building trust for scams

Researchers from four universities conducted a study pitting AI chatbots against human scammers in a simulation of "pig butchering" scams, a form of romance scam that escalates to fake cryptocurrency investments.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.scworld.com/brief/ai-chatbots-outperform-humans-in-building-trust-for-scams>

03. [+48h Old] Amgen says cloud data breach exposed patient health, proprietary info

Pharmaceutical company Amgen says it suffered a data breach after threat actors stole corporate data and patient information stored in multiple cloud systems operated by

third-party service providers. [...]

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.bleepingcomputer.com/news/security/amgen-says-cloud-data-breach-exposed-patient-health-proprietary-info/>

04. [+48h Old] Rogue AI, the Bar, Breaches, BMC, Hugging Face, Helmuth von Multke, Ike, Shieldfont, - SWN #603

Rogue AI, the Bar, Breaches, BMC, Hugging Face, Helmuth von Multke, Ike, Shieldfont, - SWN #603

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.scworld.com/podcast-segment/15060-rogue-ai-the-bar-breaches-bmc-hugging-face-helmuth-von-multke-ike-shieldfont-swn-603>

05. [+48h Old] Fake Fortnite rewards are stealing players' accounts

Scammers are using fake V-Bucks offers and locker value sites to hijack Fortnite accounts.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources:

<https://www.malwarebytes.com/blog/scams/2026/07/fake-fortnite-rewards-are-stealing-players-accounts>

06. [+48h Old] What we learned about zero-trust from the OpenAI breach of HuggingFace

Here's why in a world where AI models can hack other companies, we have to outreason our adversaries.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.scworld.com/perspective/what-we-learned-about-zero-trust-from-the-openai-breach-of-huggingface>

07. [+48h Old] This month in security with Tony Anscombe - July 2026 edition

OpenAI models going rogue, the first documented agentic ransomware operation, and an emergent AI-driven supply chain threat made for a packed July roundup

Why it matters: Ransomware operations combine disruption with extortion, making recovery speed and data-resilience core business risks.

Recommendation: Verify offline backups, test restores, harden remote access, and review segmentation to limit lateral movement.

Sources: <https://www.welivesecurity.com/en/videos/month-security-tony-anscombe-july-2026/>

08. [+48h Old] The Good, the Bad and the Ugly in Cybersecurity - Week 31

Police flag 4,000 URLs to disrupt The Com, theft victims sue Apple over a \$1.8M wallet scam, and OpenAI and Anthropic models reach real systems in cyber tests.

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.sentinelone.com/blog/the-good-the-bad-and-the-ugly-in-cybersecurity-week-31-8/>

09. [+48h Old] Cybercrime goes subscription: AI, malware and infrastructure on demand

Cybercrime has become a commercialized ecosystem where criminals can buy or rent nearly every capability needed to launch sophisticated attacks. These services provide anonymity, plausible deniability, and access to short-lived infrastructure that is difficult to detect, attribute, and disrupt, enabling low-skilled actors to operate at scale, according to t...

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.helpnetsecurity.com/2026/07/31/infoblox-domain-abuse-campaigns-report/>

10. [+48h Old] Anthropic Reveals Claude Escaped Testing, Breaching Three Companies

Anthropic has revealed that Claude AI models compromised third-party organizations

Why it matters: Breaches and cybercrime activity signal where attackers are focusing and what data types are actively monetized.

Recommendation: Validate incident-response readiness, monitor for exposed credentials, and reinforce MFA, phishing resistance, and data-loss controls.

Sources: <https://www.infosecurity-magazine.com/news/anthropic-claude-breached-three/>