


Miri Artifact Lifecycle — Command-Line Tools

From first release to end-of-life: stages, metadata state, consumer signals, and the standards trail (RFC 9745 · 8594 · purl · OSV · OpenEoX · K8s policy)

1 The Artifact Lifecycle




Stage	support.status	Metadata actions	Consumers see	Standards
1 · Development	—	Command surface authored as schema-as-data; lifecycle blocks added as flags evolve	Nothing — unreleased	CLI Spec §2.3
2 · Release	active	One schema struct derives --help, --describe, changelog; SBOM (non-Go); release manifest updated; SKILL.md regenerated; linter scores	Miri score gates release; manifest advertises the version	CLI Spec §3/§5 · Checklist
3 · Active	active	check-update serves latest; changelog --since answers what moved; advisories attach via OSV; surfaces deprecate per nested lifecycle	Full Miri surface: identity, advisory join, update state, per-flag lifecycle	CLI Spec §4–6 · OSV
4 · Maintenance	maintenance	Security fixes only; supported_versions narrows; deprecations accumulate	Reduced-support signal from --describe	CLI Spec §3.2
5 · Deprecated	deprecated	support.replacement set (successor purl / absorbing subcommand); check-update points forward	Every --describe call teaches the successor — reaching frozen-weights consumers at call time	CLI Spec §3.2

Stage	support.status	Metadata actions	Consumers see	Standards
6 · EOL	eol	Terminal release; manifest final entry marks EOL; advisories may still be filed	Any use treated as a finding; OpenEoX once ratified	CLI Spec §3.2 · OpenEoX
7 · Withdrawn	eol	Distribution ends (registry deprecation message, archived releases); manifest remains the historical record	Installers warn where the channel supports it	Signaling §2

2 Cross-Cutting Events

Event	Mechanism	Effect	Standards
Advisory published	Home database → OSV, against the CLI's purl	check-update flips to urgency: security; fleet policy can refuse affected versions	CLI Spec §5.1/§8.4
Wire schema bump	schema_version increments independently	Consumers pin or negotiate; payload contract moves on its own clock	CLI Spec §3.1
Skill regeneration	agent-context --write re-derives SKILL.md	Upgrade re-teaches every agent in the repo; diff surfaces in review	Landscape §4.5

3 The Nested Surface Lifecycle (inside stages 3–5)



Coherence rule: Active → Removed without passing through Deprecated is a conformance failure (no silent removals — checklist MIRI-CLI-037). The deprecating release's changelog must record it; replacements must resolve in the current `--describe`; removed surfaces answer with the structured teaching error, converting a stale-weights invocation into a one-turn recovery.

4 The Three Clocks

Three versions advance independently; collapsing any two loses the ability to change one without a major bump in the other.

