

Object :
Installation :
Project number : Khamsa Restaurant
Date : 29.04.2026

RELUX®

Description, Floor 1

Floor 3D




-please put your own address here-

Object :
Installation :
Project number : Khamsa Restaurant
Date : 29.04.2026



Description, Floor 1

Floor plan



Object :
Installation :
Project number : Khamsa Restaurant
Date : 29.04.2026

RELUX®

Description, Floor 1

Floor 3D




-please put your own address here-

Object :
 Installation :
 Project number : Khamsa Restaurant
 Date : 29.04.2026



Summary, Floor 1

Floor overview



Number of rooms 9
 Total area 240.0 m²
 Total volume 720.0 m³
 Number of luminaires 47
 Total luminous flux 120523 lm
 Total power 1110.67 W
 Total power per area 4.63 W/m²

 Nominal values met
 Nominal values not met

Parts list

Type No. Make

		LTS	
3	1 x	Order No.	: CERS-P 104.830.1/DALI WH
		Luminaire name	: Cerchio Small
		with	: 8 x CERS-P 104.830.1/DALI WH
		Equipment	: 1 x LED 10 W / 594 lm
			
		ESYLUX	
12	17 x	Order No.	: EO10850011
		Luminaire name	: ELLEN WCL 300 OP 1500 830 IP20
		Equipment	: 1 x LED circular area 830 11 W / 1450 lm

-please put your own address here-

Object :
Installation :
Project number : Khamsa Restaurant
Date : 29.04.2026




Summary, Floor 1

Floor overview

		Glamox	
5	8 x	Order No.	: A20-S620 LED 3500 830
		Luminaire name	: A20-S620
		Equipment	: 1 x LED 830 39 W / 3383 lm
6	2 x	Order No.	: A35-P555 4700 830
		Luminaire name	: A35-P
		Equipment	: 1 x LED 830 38 W / 4470 lm
		Fluora	
10	1 x	Order No.	: 13AI.0420.830.6OF
		Luminaire name	: Avola 420 Pendel office
		Equipment	: 1 x LED 42 W / 5410 lm
		Delta Light	
11	1 x	Order No.	: 10726 9228/W
		Luminaire name	: BOXY L 92733 DIM8
		Equipment	: 1 x LED ARRAY BR-V8D-G8 2700K-cri90-350mA 6 W / 753 lm
14	6 x	Order No.	: 388 01 22
		Luminaire name	: B-LINER 6522 IP
		Equipment	: 1 x LED cluster 17 W / 2159 lm
		Fluolite	
13	10 x	Order No.	: 88110080
		Luminaire name	: FLAT-A 1200 OP BASIC 830 3500lm 29W
		Equipment	: 1 x 1-1172-11p10s/LM281B+/ 1050 29 W / 3500 lm
		OPPLE	
15	1 x	Order No.	: 523003011600
		Luminaire name	: LEDsparrow-E 15W-DIM-830/840/850
		Equipment	: 1 x LED 15 W / 1000 lm

Rooms

Restaurant Hall	15 x Luminaires
Floor area	120.0 m ²
Wall area (without windows)	129.6 m ²
Window area	2.4 m ²
Volume	360.0 m ³
Total luminous flux	44770 lm
Total power	494 W
Total power per area (120 m ²)	4.12 W/m ²
$\bar{E}_m$	288 lx
E_{min}	100 lx
$E_{min}/\bar{E}_m (U_o)$	0.35
Rug	≤ 26.3




Object :
 Installation :
 Project number : Khamsa Restaurant
 Date : 29.04.2026

RELUX®


Summary, Floor 1

Floor overview


Bar	2 x Luminaires
Floor area	12.0 m ²
Wall area (without windows)	41.7 m ²
Window area	0.3 m ²
Volume	36.0 m ³
Total luminous flux	8940 lm
Total power	76 W
Total power per area (12 m ²)	6.33 W/m ²
$\bar{E}_m$	366 lx (≥ 300 lx)
E_{min}	266 lx
$E_{min}/\bar{E}_m (U_o)$	0.73 (≥ 0.60)
RUG	≤ 18.2 (< 22.00)




Manage's Office	3 x Luminaires
Floor area	12.0 m ²
Wall area (without windows)	41.7 m ²
Window area	0.3 m ²
Volume	36.0 m ³
Total luminous flux	7163 lm
Total power	63.67 W
Total power per area (12 m ²)	5.31 W/m ²
$\bar{E}_m$	372 lx (≥ 300 lx)
E_{min}	149 lx
$E_{min}/\bar{E}_m (U_o)$	0.40 (≥ 0.40)
RUG	10.0 (< 19.00)



Restroom W	6 x Luminaires
Floor area	12.0 m ²
Wall area (without windows)	41.8 m ²
Window area	0.2 m ²
Volume	36.0 m ³
Total luminous flux	8700 lm
Total power	66 W
Total power per area (12 m ²)	5.50 W/m ²
$\bar{E}_m$	203 lx (≥ 200 lx)
E_{min}	0.0 lx
$E_{min}/\bar{E}_m (U_o)$	--- (≥ 0.40)
RUG	≤ 17.4 (< 25.00)



Restroom M	6 x Luminaires
Floor area	12.0 m ²
Wall area (without windows)	41.8 m ²
Window area	0.2 m ²
Volume	36.0 m ³
Total luminous flux	8700 lm
Total power	66 W
Total power per area (12 m ²)	5.50 W/m ²
$\bar{E}_m$	214 lx (≥ 200 lx)
E_{min}	0.0 lx
$E_{min}/\bar{E}_m (U_o)$	--- (≥ 0.40)
RUG	≤ 17.4 (< 25.00)



-please put your own address here-


Object :
 Installation :
 Project number : Khamsa Restaurant
 Date : 29.04.2026

RELUX®


Summary, Floor 1

Floor overview


Corridor	4 x Luminaires
Floor area	36.0 m ²
Wall area (without windows)	90.0 m ²
Window area	0.0 m ²
Volume	108.0 m ³
Total luminous flux	14000 lm
Total power	116 W
Total power per area (36 m ²)	3.22 W/m ²
$\bar{E}_m$	180 lx (≥ 100 lx)
E_{min}	83 lx
$E_{min}/\bar{E}_m (U_o)$	0.46 (≥ 0.40)
RUG	≤ 20.7 (< 28.00)




Relaxing Room	5 x Luminaires
Floor area	12.0 m ²
Wall area (without windows)	41.8 m ²
Window area	0.2 m ²
Volume	36.0 m ³
Total luminous flux	7250 lm
Total power	55 W
Total power per area (12 m ²)	4.58 W/m ²
$\bar{E}_m$	219 lx (≥ 200 lx)
E_{min}	200 lx
$E_{min}/\bar{E}_m (U_o)$	0.91 (≥ 0.40)
RUG	≤ 17.4 (< 22.00)



Storage Room	2 x Luminaires
Floor area	12.0 m ²
Wall area (without windows)	41.7 m ²
Window area	0.3 m ²
Volume	36.0 m ³
Total luminous flux	7000 lm
Total power	58 W
Total power per area (12 m ²)	4.83 W/m ²
$\bar{E}_m$	204 lx (≥ 100 lx)
E_{min}	155 lx
$E_{min}/\bar{E}_m (U_o)$	0.76 (≥ 0.40)
RUG	≤ 18.0 (< 25.00)



Kitchen	4 x Luminaires
Floor area	12.0 m ²
Wall area (without windows)	41.6 m ²
Window area	0.4 m ²
Volume	36.0 m ³
Total luminous flux	14000 lm
Total power	116 W
Total power per area (12 m ²)	9.67 W/m ²
$\bar{E}_m$	541 lx (≥ 500 lx)
E_{min}	417 lx
$E_{min}/\bar{E}_m (U_o)$	0.77 (≥ 0.60)
RUG	≤ 18.0 (< 22.00)




Object :
Installation :
Project number : Khamsa Restaurant
Date : 29.04.2026

RELUX®

Restaurant Hall

Description, Restaurant Hall, Light scene 1

3D view, View 1




-please put your own address here-

Object :
Installation :
Project number : Khamsa Restaurant
Date : 29.04.2026



Description, Restaurant Hall, Light scene 1

Floor plan



Room data:

W1 : 12.00
W2 : 10.00
W3 : 12.00
W4 : 10.00
W5 : ----
W6 : ----
Floor: ----
Ceiling: ----
Room height [m]:
Height of ref. plane [m]:

Reflectance:

50.0 %
50.0 %
50.0 %
50.0 %



20.0 %
70.0 %
3.00
0.75

-please put your own address here-



Restaurant Hall

Calculation results, Restaurant Hall, Light scene 1

3D mountain plot, Reference plane 1.1 (E)



Calculation results, Restaurant Hall, Light scene 1
3D pseudo colours, View 1 (E)



Object :
Installation :
Project number : Khamsa Restaurant
Date : 29.04.2026

RELUX®

Bar

Description, Bar

3D view, View 1




-please put your own address here-

Object :
Installation :
Project number : Khamsa Restaurant
Date : 29.04.2026



Description, Bar

Floor plan



Room data:

W1 : 3.00
W2 : 4.00
W3 : 3.00
W4 : 4.00
W5 : ----
W6 : ----
Floor: ----
Ceiling: ----

Reflectance:

50.0 %
50.0 %
50.0 %
50.0 %

20.0 %
70.0 %

Room height [m]:
Height of ref. plane [m]:
Height of luminaire plane [m]:

3.00
0.75
2.50


Object :
Installation :
Project number : Khamsa Restaurant
Date : 29.04.2026

RELUX®

Manage's Office

Description, Manage's Office


3D view, View 1



-please put your own address here-

Description, Manage's Office

Floor plan



Room data:

W1 : 3.00
W2 : 4.00
W3 : 3.00
W4 : 4.00
W5 : ----
W6 : ----
Floor: ----
Ceiling: ----
Room height [m]:
Height of ref. plane [m]:

Reflectance:

50.0 %
50.0 %
50.0 %
50.0 %

20.0 %
70.0 %
3.00
0.75


Object :
Installation :
Project number : Khamsa Restaurant
Date : 29.04.2026

RELUX®

Restroom W

Description, Restroom W


3D view, View 1



-please put your own address here-

Description, Restroom W

Floor plan



Room data:

W1 : 3.00
W2 : 4.00
W3 : 3.00
W4 : 4.00
W5 : ----
W6 : ----
Floor: ----
Ceiling: ----

Reflectance:

50.0 %
50.0 %
50.0 %
50.0 %

20.0 %
70.0 %

Room height [m]: 3.00
Height of ref. plane [m]: 0.75
Height of luminaire plane [m]: 3.00



Object :
Installation :
Project number : Khamsa Restaurant
Date : 29.04.2026

RELUX®

Restroom W

Summary, Restroom W

Result overview, Evaluation area 1



General

Calculation algorithm used	Average indirect fraction
Height of luminaire plane	3.00 m
Maintenance factor	0.80
Luminaire luminous flux	8700.00 lm
Total power	66.0 W
Total power per area (12.00 m²)	5.50 W/m² (2.71 W/m²/100lx)

Evaluation area 1

Usage profile

Reference plane 1.1

Cloakroom (area), washrooms, bathrooms, dressing-, lockers-, shower-, sink- and toilet areas

10.4 (EN 12464-1, 11.2021) ($R_a > 80.00$)

Horizontal cylindrical

$\bar{E}_m$	203 lx	(≥ 200 lx)	88 lx	(≥ 75 lx)
E_{min}	0.00 lx		0.00 lx	
$E_{min}/\bar{E}_m (U_o)$	---	(≥ 0.40)	---	(≥ 0.10)
$E_{min}/E_{max} (U_d)$	---			
E_z/E_h			0.34	
Position	0.75 m		1.20 m	
$R_{UG} (1.8H \ 2.4H)$	≤ 17.4	(< 25.00)		

Luminaire :
(ELLEN WCL 300 OP 1500 830 IP20, LED circular area 830, EO10850011, 11.0 W)

Major surfaces

	$\bar{E}_m$		U_o	
M 1.5 (Ceiling)	124 lx	(≥ 50 lx)	---	(≥ 0.10)
M 1.1 (Wall)	184 lx	(≥ 75 lx)	0.42	(≥ 0.10)
M 1.2 (Wall)	178 lx	(≥ 75 lx)	0.36	(≥ 0.10)

-please put your own address here-

Object :
Installation :
Project number : Khamsa Restaurant
Date : 29.04.2026



Restroom W

Summary, Restroom W

Result overview, Evaluation area 1

M 1.3 (Wall)	203 lx	(>= 75 lx)	0.37	(>= 0.10)
M 1.4 (Wall)	176 lx	(>= 75 lx)	0.35	(>= 0.10)

Type No.\Make

12	6 x	ESYLUX	
		Order No.	: EO10850011
		Luminaire name	: ELLEN WCL 300 OP 1500 830 IP20
		Equipment	: 1 x LED circular area 830 11 W / 1450 lm


Object :
Installation :
Project number : Khamsa Restaurant
Date : 29.04.2026

RELUX®

Restroom M

Description, Restroom M


3D view, View 1



-please put your own address here-

Description, Restroom M

Floor plan



Room data:

W1 : 3.00
W2 : 4.00
W3 : 3.00
W4 : 4.00
W5 : ----
W6 : ----
Floor: ----
Ceiling: ----

Reflectance:

50.0 %
50.0 %
50.0 %
50.0 %

20.0 %
70.0 %

Room height [m]: 3.00
Height of ref. plane [m]: 0.75
Height of luminaire plane [m]: 3.00


Object :
Installation :
Project number : Khamsa Restaurant
Date : 29.04.2026

RELUX®

Corridor

Description, Corridor

3D view, View 1




-please put your own address here-

Object :
Installation :
Project number : Khamsa Restaurant
Date : 29.04.2026



Description, Corridor

Floor plan



Room data:

W1 : 12.00
W2 : 3.00
W3 : 12.00
W4 : 3.00
W5 : ----
W6 : ----
Floor: ----
Ceiling: ----
Room height [m]:
Height of ref. plane [m]:

Reflectance:

50.0 %
50.0 %
50.0 %
50.0 %

20.0 %
70.0 %
3.00
0.00

-please put your own address here-


Object :
Installation :
Project number : Khamsa Restaurant
Date : 29.04.2026



Relaxing Room

Description, Relaxing Room

Floor plan



Room data:

W1 : 4.00
W2 : 3.00
W3 : 4.00
W4 : 3.00
W5 : ----
W6 : ----
Floor: ----
Ceiling: ----

Reflectance:

50.0 %
50.0 %
50.0 %
50.0 %

20.0 %
70.0 %

Room height [m]: 3.00
Height of ref. plane [m]: 0.75
Height of luminaire plane [m]: 3.00


-please put your own address here-

Object :
Installation :
Project number : Khamsa Restaurant
Date : 29.04.2026

RELUX®

Description, Relaxing Room

3D view, View 1



-please put your own address here-


Object :
Installation :
Project number : Khamsa Restaurant
Date : 29.04.2026



Storage Room

Description, Storage Room

Floor plan



Room data:

W1 : 4.00
W2 : 3.00
W3 : 4.00
W4 : 3.00
W5 : ----
W6 : ----
Floor: ----
Ceiling: ----

Reflectance:

50.0 %
50.0 %
50.0 %
50.0 %

20.0 %
70.0 %

Room height [m]: 3.00
Height of ref. plane [m]: 0.00
Height of luminaire plane [m]: 3.00


-please put your own address here-

Object :
Installation :
Project number : Khamsa Restaurant
Date : 29.04.2026

RELUX®

Description, Storage Room

3D view, View 1



-please put your own address here-


Object :
Installation :
Project number : Khamsa Restaurant
Date : 29.04.2026



Kitchen

Description, Kitchen

Floor plan



Room data:

W1 : 4.00
W2 : 3.00
W3 : 4.00
W4 : 3.00
W5 : ----
W6 : ----
Floor: ----
Ceiling: ----

Reflectance:

50.0 %
50.0 %
50.0 %
50.0 %

20.0 %
70.0 %

Room height [m]: 3.00
Height of ref. plane [m]: 0.75
Height of luminaire plane [m]: 3.00


-please put your own address here-

Object :
Installation :
Project number : Khamsa Restaurant
Date : 29.04.2026

RELUX®

Description, Kitchen

3D view, View 1




-please put your own address here-

Object :
Installation :
Project number : Khamsa Restaurant
Date : 29.04.2026

RELUX®

Calculation results, Restaurant Hall, Light scene 1

3D luminance, View 1



Luminance in the scene

Minimum: : 0 cd/m²
Maximum: : 120 cd/m²

-please put your own address here-