Activity 14 - Compile a Vertex AI Pipeline

Course: Google Professional Machine Learning Engineer Training Course code: C740 Version: v2.0 | 12 September 2026 Evidence: activity artifacts

Objective

Connect validate, transform, train, evaluate and conditional deployment components.

Deliverables

- pipeline.py
- pipeline_spec.json
- component_contracts.yaml
- A completed evidence/ folder with decision notes and verification output

Prerequisites

- Python 3.11 or later and a terminal; Docker only where the activity explicitly uses it.
- For optional live Google Cloud steps: the safe training project created in Activity 01.
- Start in this activity folder so relative paths and cleanup commands remain scoped.

Safety, cost and privacy

- Use a training project that contains no production or personal data.
- Replace every placeholder such as <PROJECT_ID> and <REGION> before a cloud command.
- Do not paste API keys or service-account JSON into notebooks, scripts or screenshots.
- Prefer Cloud Shell and Application Default Credentials. Never commit .env or credentials.
- Verify the result against the acceptance checklist, then run the cleanup section.

Evidence to retain

Create an evidence/ folder locally. Save command output, job or revision IDs, metric tables, screenshots without secrets, and a short decision note. Use filenames that include the activity number and date. Evidence is part of the learning outcome, not an optional extra.

Detailed step-by-step guide

Step 1 - Read component_contracts.yaml and identify explicit inputs, outputs, artifacts and metrics for every component

Read component_contracts.yaml and identify explicit inputs, outputs, artifacts and metrics for every component.

Check: Record the observable result or explain the error before continuing.

Step 2 - Open pipeline.py; trace validate, transform, train, evaluate and conditional deploy dependencies

Open pipeline.py; trace validate, transform, train, evaluate and conditional deploy dependencies.

Check: Record the observable result or explain the error before continuing.

Step 3 - Run the local compiler to produce compiled_pipeline.json

Run the local compiler to produce compiled_pipeline.json.

```
python3 pipeline.py --compile compiled_pipeline.json
```

Check: Record the observable result or explain the error before continuing.

Step 4 - Compare the compiled graph with pipeline_spec.json; confirm deployment consumes the current evaluation artifact

Compare the compiled graph with pipeline_spec.json; confirm deployment consumes the current evaluation artifact.

Check: Record the observable result or explain the error before continuing.

Step 5 - Change the quality threshold, recompile and inspect the parameter diff

Change the quality threshold, recompile and inspect the parameter diff.

Check: Record the observable result or explain the error before continuing.

Step 6 - Explain which components may be cached and which must rerun after a data-version change

Explain which components may be cached and which must rerun after a data-version change.

Check: Record the observable result or explain the error before continuing.

Step 7 - Design the pipeline service-account role matrix and reject default broad identities

Design the pipeline service-account role matrix and reject default broad identities.

Check: Record the observable result or explain the error before continuing.

Step 8 - Record compiled checksum, component versions and expected lineage path

Record compiled checksum, component versions and expected lineage path.

Check: Record the observable result or explain the error before continuing.

Acceptance checklist

[ ] Every required artifact exists and opens without error.

[ ] Results are tied to the supplied mock data or an approved training project.

[ ] The conclusion cites metrics, IDs or command output rather than opinion alone.

[ ] No credentials, tokens, personal data or unredacted sensitive prompts are present.

[ ] Cleanup is completed or the retained resource is documented with an owner and expiry.

Troubleshooting

Symptom	Likely cause	Corrective action
403 PERMISSION_DENIED	API disabled, wrong project, or IAM role missing	Verify gcloud config get-value project, API state and the least-privilege role.
429 RESOURCE_EXHAUSTED	Quota or rate limit reached	Stop retries, inspect quota, add exponential backoff, and ask the trainer before increasing quota.
Region/location mismatch	Dataset, bucket, model or endpoint uses another location	Recreate only the training resource in one approved region; do not copy sensitive data casually.
Result differs from expected	Data, dependency or configuration version drifted	Compare file hashes, pinned versions and parameters; retain the diff as evidence.

Cleanup

Stop local processes and remove only resources created for this activity. For live cloud work, use the Console resource views and activity evidence to verify deletion. Do not delete a shared project, dataset, bucket, registry or endpoint unless the trainer identifies it as disposable.