Activity 16 - Investigate Drift, Bias and an ML Incident

Course: Google Professional Machine Learning Engineer Training Course code: C740 Version: v2.0 | 12 September 2026 Evidence: activity artifacts

Objective

Calculate drift and slice metrics, enforce SLOs and produce an incident evidence pack.

Deliverables

- baseline.csv
- current.csv
- monitor.py
- incident_template.md
- A completed evidence/ folder with decision notes and verification output

Prerequisites

- Python 3.11 or later and a terminal; Docker only where the activity explicitly uses it.
- For optional live Google Cloud steps: the safe training project created in Activity 01.
- Start in this activity folder so relative paths and cleanup commands remain scoped.

Safety, cost and privacy

- Use a training project that contains no production or personal data.
- Replace every placeholder such as <PROJECT_ID> and <REGION> before a cloud command.
- Do not paste API keys or service-account JSON into notebooks, scripts or screenshots.
- Prefer Cloud Shell and Application Default Credentials. Never commit .env or credentials.
- Verify the result against the acceptance checklist, then run the cleanup section.

Evidence to retain

Create an evidence/ folder locally. Save command output, job or revision IDs, metric tables, screenshots without secrets, and a short decision note. Use filenames that include the activity number and date. Evidence is part of the learning outcome, not an optional extra.

Detailed step-by-step guide

Step 1 - Inspect baseline.csv and current.csv; identify the monitored feature, outcome, prediction, group and timestamps

Inspect baseline.csv and current.csv; identify the monitored feature, outcome, prediction, group and timestamps.

Check: Record the observable result or explain the error before continuing.

Step 2 - Run the monitor to calculate PSI, accuracy, group true-positive rates and p95 latency

Run the monitor to calculate PSI, accuracy, group true-positive rates and p95 latency.

```
python3 monitor.py --baseline baseline.csv --current current.csv --out monitoring_report.json
```

Check: Record the observable result or explain the error before continuing.

Step 3 - Classify each signal as training-serving skew, data drift, concept drift, bias risk or service degradation

Classify each signal as training-serving skew, data drift, concept drift, bias risk or service degradation.

Check: Record the observable result or explain the error before continuing.

Step 4 - Use persistence and minimum-sample rules before escalating; one noisy window is not sufficient evidence

Use persistence and minimum-sample rules before escalating; one noisy window is not sufficient evidence.

Check: Record the observable result or explain the error before continuing.

Step 5 - Open incident_template.md; complete impact, timeline, affected versions, containment, recovery and actions

Open incident_template.md; complete impact, timeline, affected versions, containment, recovery and actions.

Check: Record the observable result or explain the error before continuing.

Step 6 - Choose containment: rollback candidate, disable corrupt feature or scale capacity, and justify it from the evidence

Choose containment: rollback candidate, disable corrupt feature or scale capacity, and justify it from the evidence.

Check: Record the observable result or explain the error before continuing.

Step 7 - Verify logs and screenshots contain no PII, tokens or full prompts

Verify logs and screenshots contain no PII, tokens or full prompts.

Check: Record the observable result or explain the error before continuing.

Step 8 - Create an executive summary and a technical evidence appendix, then peer-review against A4 and A5

Create an executive summary and a technical evidence appendix, then peer-review against A4 and A5.

Check: Record the observable result or explain the error before continuing.

Acceptance checklist

[ ] Every required artifact exists and opens without error.

[ ] Results are tied to the supplied mock data or an approved training project.

[ ] The conclusion cites metrics, IDs or command output rather than opinion alone.

[ ] No credentials, tokens, personal data or unredacted sensitive prompts are present.

[ ] Cleanup is completed or the retained resource is documented with an owner and expiry.

Troubleshooting

Symptom	Likely cause	Corrective action
403 PERMISSION_DENIED	API disabled, wrong project, or IAM role missing	Verify gcloud config get-value project, API state and the least-privilege role.
429 RESOURCE_EXHAUSTED	Quota or rate limit reached	Stop retries, inspect quota, add exponential backoff, and ask the trainer before increasing quota.
Region/location mismatch	Dataset, bucket, model or endpoint uses another location	Recreate only the training resource in one approved region; do not copy sensitive data casually.
Result differs from expected	Data, dependency or configuration version drifted	Compare file hashes, pinned versions and parameters; retain the diff as evidence.

Cleanup

Stop local processes and remove only resources created for this activity. For live cloud work, use the Console resource views and activity evidence to verify deletion. Do not delete a shared project, dataset, bucket, registry or endpoint unless the trainer identifies it as disposable.