

Change Summary

- Project: codexa
- Worktree: isolated codexa worktree
- Branch: codex/general/codexa-20260628-170957-focus-orientation
- Base: main
- Primary commit: 44217cd
- Review fix commit: 39ed7ec
- Subject: fix(cli): route focused workspace sessions explicitly

Changed Files

44217cd fix(cli): route focused workspace sessions explicitly

```
src/cli.ts | 10 +-
src/cli/options.ts | 15 ++-
src/cli/query-commands.ts | 128 ++++++++-----
src/init.ts | 26 ++++-
...jects-malformed-integer-options-instead.test.ts | 80 ++++++++--
5 files changed, 188 insertions(+), 71 deletions(-)
```

39ed7ec fix(cli): route proof and eval workspace sessions

```
src/cli.ts | 12 ++++--
...jects-malformed-integer-options-instead.test.ts | 43 ++++++++
2 files changed, 51 insertions(+), 4 deletions(-)
```

Verification

- git diff --check: passed
- npm run check: passed
- git diff --check: passed
- Codexa session-start workspace-session routing smoke: passed
- Codexa brief workspace-session routing smoke: passed
- Codexa proof-card workspace-session routing smoke: passed
- focused CLI workspace routing regression test: passed
- Codexa post-edit-review: local artifact recorded
- Codexa test-plan: local artifact recorded
- git diff --cached --check: passed
- staged safety scan: passed

Notes

Adds explicit workspace focus/session routing flags for session-start and Codexa query commands so workspace launch roots can resolve to the intended focused worktree without relying on inherited shell environment.