Problem 1 - Burger Bus



The Burger Bus travels around the country and serves delicious burgers. You need to help the owner keep track of his income and expenses along the way.

First, you will receive the number of cities the bus has visited. Then for every city, you will receive:

- the name of the city
- how much money the owner earned
- owner's expenses

Every 3rd (third) city the bus visits, the owner organizes a special event to ensure a true "Burger Bus" experience, spending an additional 50% over costs.

In every 5th (fifth) city, it is raining, and the owner losses 10% of the money he earned. In a rainy city, there is no possibility to organize a special event.

You have to calculate the owner's profit for each city and his total profit from the tour. Profit is calculated by deducting the expenses from the income.

Input

The input will consist of:

- Number of cities integer in the range [1...15]
- For each city, you will receive the following information:
 - name of the city string
 - owner's income a real number in the range [0.0...10 000.0]
 - owner's expenses a real number in the range [0.0...10 000.0]
- The input will always be in the correct format.

Output

- · For every city, you need to print the following message:
 - "In {cityName} Burger Bus earned {profit} leva."
- · At the end of the tour, print:
 - "Burger Bus total profit: {totalProfit} leva."

NOTE: The profit and the total profit should be formatted to the 2nd decimal place.





















Examples

Input	Output
3	In Sofia Burger Bus earned 682.17 leva.
Sofia	In Plovdiv Burger Bus earned 1672.94 leva.
895.67	In Burgas Burger Bus earned 1460.55 leva.
213.50	Burger Bus total profit: 3815.66 leva.
Plovdiv	
2563.20	
890.26	
Burgas	
2360.55	
600.00	
Input	Output
5	In Lille Burger Bus earned 1025.40 leva.
Lille	In Rennes Burger Bus earned 860.40 leva.
2226.00	In Reims Burger Bus earned -78.28 leva.
1200.60	In Bordeaux Burger Bus earned 4274.90 leva.
Rennes	In Montpellier Burger Bus earned 322.25 leva.
6320.60	Burger Bus total profit: 6404.67 leva.
5460.20	
Reims	
600.20	
452.32	
Bordeaux	
6925.30	
2650.40	
Montpellier	
680.50	
290.20	

JS Examples

The input will be provided as an array of strings.

Input	Output
(["3",	In Sofia Burger Bus earned 682.17 leva.
"Sofia",	In Plovdiv Burger Bus earned 1672.94 leva.
"895.67",	In Burgas Burger Bus earned 1460.55 leva.















"213.50",	Burger Bus total profit: 3815.66 leva.
"Plovdiv",	
"2563.20",	
"890.26",	
"Burgas",	
"2360.55",	
"600.00"])	
Input	Output
(["5",	In Lille Burger Bus earned 1025.40 leva.
"Lille",	In Rennes Burger Bus earned 860.40 leva.
"2226.00",	In Reims Burger Bus earned -78.28 leva.
"1200.60",	In Bordeaux Burger Bus earned 4274.90 leva.
"Rennes",	In Montpellier Burger Bus earned 322.25 leva.
"6320.60",	Burger Bus total profit: 6404.67 leva.
"5460.20",	
"Reims",	
"600.20",	
"452.32",	
"Bordeaux",	
"6925.30",	
"2650.40",	
"Montpellier",	
"680.50",	
"290.20"])	









