

```

import { useState, useEffect } from "react";

const DAYS = ["M", "T", "W", "T", "F", "S", "S"];
const MOTIVATIONS = [
  "Every rep counts. You're building momentum.",
  "The version of you 6 months from now is watching.",
  "Discipline is choosing your future self over your current mood.",
  "Small actions, compounded daily, become unstoppable.",
  "You showed up. That's already a win.",
];

const DEFAULT_HABITS = [
  { id: 1, name: "Morning walk", emoji: "🌅", color: "#F4A261", streak: 5, log: [
    { id: 2, name: "Read 20 pages", emoji: "📖", color: "#2A9D8F", streak: 3, log: [
      { id: 3, name: "No sugar", emoji: "🍏", color: "#E76F51", streak: 7, log: [1,1,
      { id: 4, name: "Meditate", emoji: "🧘", color: "#9B72CF", streak: 2, log: [0,0,
    ]},
  ]},
];

const AICoach = ({ habits, onClose }) => {
  const [advice, setAdvice] = useState("");
  const [loading, setLoading] = useState(true);

  useEffect(() => {
    const generate = async () => {
      const summary = habits.map(h =>
        `${h.name}: ${h.streak} day streak, completed ${h.log.filter(Boolean).length}.join("; ");

    try {
      const res = await fetch("https://api.anthropic.com/v1/messages", {
        method: "POST",
        headers: { "Content-Type": "application/json" },
        body: JSON.stringify({
          model: "claude-sonnet-4-20250514",
          max_tokens: 1000,
          messages: [{
            role: "user",
            content: `You are a warm, insightful habit coach. Analyze this week
          }]
        })
      });
      const data = await res.json();
      setAdvice(data.content[0].text);
    } catch {

```

```

        setAdvice("• Keep stacking those streaks – consistency beats perfection e
    }
    setLoading(false);
};
generate();
}, []);

return (
    <div style={{
        position: "fixed", inset: 0, background: "rgba(0,0,0,0.7)", display: "flex"
        alignItems: "center", justifyContent: "center", zIndex: 100, padding: "20px
    }}>
        <div style={{
            background: "#1A1A2E", border: "1px solid #9B72CF", borderRadius: "20px",
            padding: "32px", maxWidth: "460px", width: "100%", position: "relative"
        }}>
            <div style={{ display: "flex", alignItems: "center", gap: "10px", marginB
                <div style={{
                    width: 36, height: 36, borderRadius: "50%", background: "linear-gradi
                    display: "flex", alignItems: "center", justifyContent: "center", font
                }}>★</div>
                <span style={{ color: "#fff", fontFamily: "'DM Serif Display', serif",
            </div>
            {loading ? (
                <div style={{ display: "flex", gap: "6px", justifyContent: "center", pa
                    {[0,1,2].map(i => (
                        <div key={i} style={{
                            width: 8, height: 8, borderRadius: "50%", background: "#9B72CF",
                            animation: `pulse 1s ease-in-out ${i*0.2}s infinite`
                        }}/>
                    )))
                </div>
            ) : (
                <p style={{
                    color: "#C8B8E8", fontFamily: "'DM Sans', sans-serif", lineHeight: 1.
                    fontSize: "0.9rem", whiteSpace: "pre-line", margin: 0
                }}>{advice}</p>
            )}
            <button onClick={onClose} style={{
                marginTop: "24px", width: "100%", padding: "12px", borderRadius: "10px"
                background: "linear-gradient(135deg, #9B72CF, #E76F51)", border: "none"
                color: "#fff", fontFamily: "'DM Sans', sans-serif", fontWeight: 600,
                cursor: "pointer", fontSize: "0.9rem"
            }}>Got it – back to grinding 🦵</button>
        </div>
        <style>{@keyframes pulse { 0%,100%{transform:scale(1);opacity:.5} 50%{tran
    </div>

```

```

    );
};

const AddModal = ({ onAdd, onClose }) => {
  const [name, setName] = useState("");
  const [emoji, setEmoji] = useState("🌟");
  const EMOJIS = ["🌟", "🏃", "💧", "📖", "🧘", "🍷", "💪", "🎯", "🌙", "🍷", "🎸", "🍷"];
  const COLORS = ["#F4A261", "#2A9D8F", "#E76F51", "#9B72CF", "#E9C46A", "#264653", "#F"];
  const [color, setColor] = useState("#F4A261");

  return (
    <div style={{
      position: "fixed", inset: 0, background: "rgba(0,0,0,0.7)", display: "flex"
      alignItems: "center", justifyContent: "center", zIndex: 100, padding: "20px"
    }}>
      <div style={{
        background: "#1A1A2E", border: "1px solid #333", borderRadius: "20px",
        padding: "28px", maxWidth: "380px", width: "100%"
      }}>
        <h3 style={{ color: "#fff", fontFamily: "'DM Serif Display', serif", margin: 0 }}>
          <input
            value={name} onChange={e => setName(e.target.value)}
            placeholder="e.g. Morning run"
            style={{
              width: "100%", padding: "12px 14px", borderRadius: "10px", border: "1px solid #0D0D1A", color: "#fff", fontFamily: "'DM Sans', sans-serif",
              fontSize: "0.9rem", boxSizing: "border-box", outline: "none", margin: 0
            }}
          />
          <p style={{ color: "#888", fontFamily: "'DM Sans', sans-serif", fontSize: "0.8em" }}>
            <div style={{ display: "flex", flexWrap: "wrap", gap: "8px", margin: "10px 0 0 0" }}>
              {EMOJIS.map(e => (
                <button key={e} onClick={() => setEmoji(e)} style={{
                  width: 36, height: 36, borderRadius: "8px", border: emoji === e ? "2px solid #9B72CF22" : "2px solid transparent", cursor: "pointer"
                }}>{e}</button>
              ))}
            </div>
          <p style={{ color: "#888", fontFamily: "'DM Sans', sans-serif", fontSize: "0.8em" }}>
            <div style={{ display: "flex", gap: "8px", margin: "10px 0 0 0" }}>
              {COLORS.map(c => (
                <button key={c} onClick={() => setColor(c)} style={{
                  width: 24, height: 24, borderRadius: "50%", background: c,
                  border: color === c ? "3px solid #fff" : "2px solid transparent", color: "#fff"
                }}>
              ))}
            </div>
          </p>
        </div>
      </div>
    </div>
  );
};

```

```

    <div style={{ display: "flex", gap: "10px" }}>
      <button onClick={onClose} style={{
        flex: 1, padding: "11px", borderRadius: "10px", border: "1px solid #4
        background: "transparent", color: "#888", cursor: "pointer", fontFami
      }}>Cancel</button>
      <button onClick={() => name.trim() && onAdd({ name: name.trim(), emoji,
        flex: 2, padding: "11px", borderRadius: "10px", border: "none",
        background: "linear-gradient(135deg, #9B72CF, #E76F51)", color: "#fff
        cursor: "pointer", fontFamily: "'DM Sans', sans-serif", fontWeight: 6
      }}>Add Habit</button>
    </div>
  </div>
</div>
);
};

export default function App() {
  const [habits, setHabits] = useState(DEFAULT_HABITS);
  const [todayIdx] = useState(new Date().getDay() === 0 ? 6 : new Date().getDay());
  const [showCoach, setShowCoach] = useState(false);
  const [showAdd, setShowAdd] = useState(false);
  const [motivation] = useState(MOTIVATIONS[Math.floor(Math.random() * MOTIVATION

const toggle = (habitId) => {
  setHabits(prev => prev.map(h => {
    if (h.id !== habitId) return h;
    const newLog = [...h.log];
    newLog[todayIdx] = newLog[todayIdx] ? 0 : 1;
    const streak = newLog[todayIdx]
      ? h.streak + 1
      : Math.max(0, h.streak - 1);
    return { ...h, log: newLog, streak };
  }));
};

const addHabit = ({ name, emoji, color }) => {
  setHabits(prev => [...prev, {
    id: Date.now(), name, emoji, color, streak: 0,
    log: [0,0,0,0,0,0,0]
  }]);
  setShowAdd(false);
};

const deleteHabit = (id) => setHabits(prev => prev.filter(h => h.id !== id));

const totalToday = habits.filter(h => h.log[todayIdx]).length;
const pct = Math.round((totalToday / habits.length) * 100) || 0;

```

```

const topStreak = Math.max(...habits.map(h => h.streak));

return (
  <div style={{
    minHeight: "100vh", background: "#0D0D1A",
    fontFamily: "'DM Sans', sans-serif", padding: "0 0 40px",
    backgroundImage: "radial-gradient(ellipse at 20% 10%, #1a0a2e 0%, transparen
  }}>
    <link href="https://fonts.googleapis.com/css2?family=DM+Serif+Display&famil

    { /* Header */ }
    <div style={{ padding: "28px 20px 0", maxWidth: 480, margin: "0 auto" }}>
      <div style={{ display: "flex", justifyContent: "space-between", alignItems
        <div>
          <p style={{ color: "#666", margin: "0 0 2px", fontSize: "0.8rem", let
            {new Date().toLocaleDateString("en-US", { weekday: "long", month: "
          </p>
          <h1 style={{ color: "#fff", fontFamily: "'DM Serif Display', serif",
            Good {new Date().getHours() < 12 ? "morning" : new Date().getHours(
          </h1>
        </div>
        <button onClick={() => setShowCoach(true)} style={{
          padding: "8px 14px", borderRadius: "20px",
          background: "linear-gradient(135deg, #9B72CF33, #E76F5133)",
          border: "1px solid #9B72CF66", color: "#C8B8E8",
          cursor: "pointer", fontSize: "0.78rem", fontFamily: "'DM Sans', sans-
          fontWeight: 600, letterSpacing: "0.03em"
        }}> AI Coach</button>
      </div>

      { /* Quote */ }
      <p style={{ color: "#556", fontStyle: "italic", fontSize: "0.82rem", marg
        "{motivation}"
      </p>

      { /* Progress ring area */ }
      <div style={{
        background: "linear-gradient(135deg, #1A1A2E, #16162A)", borderRadius:
        padding: "20px 24px", marginBottom: "16px",
        border: "1px solid #ffffff0a", display: "flex", alignItems: "center", g
      }}>
        <svg width="72" height="72" viewBox="0 0 72 72">
          <circle cx="36" cy="36" r="28" fill="none" stroke="#ffffff0d" strokeW
          <circle cx="36" cy="36" r="28" fill="none" stroke="#9B72CF" strokeWid
            strokeDasharray={`$${2 * Math.PI * 28}`}
            strokeDashoffset={`$${2 * Math.PI * 28 * (1 - pct / 100)}`}
            strokeLinecap="round" transform="rotate(-90 36 36)"

```

```

        style={{ transition: "stroke-dashoffset 0.6s ease" }}/>
<text x="36" y="40" textAnchor="middle" fill="#fff" fontSize="14" font
    fontFamily="DM Sans, sans-serif">{pct}%</text>
</svg>
<div>
    <p style={{ color: "#fff", margin: "0 0 4px", fontSize: "1rem", fontW
        {totalToday}/{habits.length} done today
    </p>
    <p style={{ color: "#666", margin: 0, fontSize: "0.8rem" }}>
        Best streak: <span style={{ color: "#F4A261", fontWeight: 600 }}>{t
    </p>
</div>
</div>

{/* Week header */}
<div style={{ display: "flex", justifyContent: "space-between", padding:
    {DAYS.map((d, i) => (
        <span key={i} style={{
            width: 28, textAlign: "center", fontSize: "0.7rem", fontWeight: 600
            color: i === todayIdx ? "#9B72CF" : "#444", letterSpacing: "0.05em"
        }}>{d}</span>
    ))}
</div>

{/* Habits */}
<div style={{ display: "flex", flexDirection: "column", gap: "10px" }}>
    {habits.map(habit => (
        <div key={habit.id} style={{
            background: "#1A1A2E", borderRadius: "16px", padding: "14px 16px",
            border: "1px solid #ffffff08",
            transition: "transform 0.15s ease",
        }}>
            <div style={{ display: "flex", alignItems: "center", marginBottom:
                <span style={{ fontSize: "1.2rem", marginRight: "10px" }}>{habit.
                <span style={{ color: "#ddd", flex: 1, fontWeight: 500, fontSize:
                <span style={{ color: habit.color, fontWeight: 700, fontSize: "0.
                    {habit.streak > 0 ? `${habit.streak}🔥` : "-"}
                </span>
                <button onClick={() => deleteHabit(habit.id)} style={{
                    background: "none", border: "none", color: "#444", cursor: "poi
                    fontSize: "0.9rem", padding: 2, lineHeight: 1
                }}>✕</button>
            </div>
        <div style={{ display: "flex", justifyContent: "space-between" }}>
            {habit.log.map((done, i) => (
                <button key={i} onClick={() => i === todayIdx && toggle(habit.i
                    width: 28, height: 28, borderRadius: "50%", cursor: i === tod

```

```

        border: i === todayIdx ? `2px solid ${habit.color}` : "none",
        background: done ? habit.color : "#ffffff0a",
        transition: "all 0.2s ease",
        transform: done && i === todayIdx ? "scale(1.15)" : "scale(1)",
        display: "flex", alignItems: "center", justifyContent: "center",
        fontSize: "0.7rem", color: done ? "#fff" : "#333"
      }}>{done ? "✓" : ""}</button>
    )))
  </div>
</div>
))}
</div>

{/* Add button */}
<button onClick={() => setShowAdd(true)} style={{
  marginTop: "16px", width: "100%", padding: "14px",
  borderRadius: "16px", border: "1px dashed #333",
  background: "transparent", color: "#555", cursor: "pointer",
  fontFamily: "'DM Sans', sans-serif", fontSize: "0.9rem",
  transition: "all 0.2s ease"
}}
  onMouseEnter={e => { e.target.style.borderColor = "#9B72CF"; e.target.s
  onMouseLeave={e => { e.target.style.borderColor = "#333"; e.target.styl
    >+ Add new habit</button>
</div>

{showCoach && <AICoach habits={habits} onClose={() => setShowCoach(false)}
{showAdd && <AddModal onAdd={addHabit} onClose={() => setShowAdd(false)} />
</div>
);
}

```