

General Instructions:

1. Answer **all the questions** in the answer script. Do not write anything on the question paper.
2. Write your **name, Student id, Section and set no** clearly on top of your answer script. Take help from the invigilator in case you need assistance.
3. **Return the answer script and the question paper** to the invigilator at the end of your exam.
4. Marks on the right margin indicate full marks.

Specific Instructions:

1. **Sign the Attendance Sheet.** Otherwise, if your answer script is lost you can't claim your attendance.
2. No Mobile / Electronic Devices are allowed in the exam hall. Switch off your mobile phone and put it in your bag.
3. Use of Calculator is STRICTLY prohibited.

1. Trace out the output of the following code: (Marks: 04)

```
x = int(input("Enter a number: "))
y = 0

while x % 2 == 0:
    y += 1
    x = x // 2
print(x, y)
```

Write the output of the code for the following inputs:

- a. 19
- b. 42
- c. 48
- d. 40

2. Trace out the output of the following code: (Marks: 03)

```
x = int(input("Enter a number: "))
y = int(input("Enter a number: "))

z = x+y
while x>0 and y>0:
```

```
x -= y
y -= 1
print(f"({x}, {z})")
print(y, z)
```

Write the output of the code for the following inputs:

- a. 7, 5
- b. 20, 4
- c. 40, 10

3. Check out the following code: (Marks: 04)

```
x = int(input("Enter a number: "))
y = int(input("Enter a number: "))

if x > y:
    x = x - 5
    y = y + 5
if x < y:
    x += 1
    y -= 1
else:
    x = y * 2
print(x, y)
```

Write the output of the code for the following inputs:

- a. 4, 7
- b. 3, 3
- c. 10, 5
- d. 20, 4

4. Check out the following code: (Marks: 04)

```
a = int(input("Enter a number: "))
b = int(input("Enter a number: "))

if a % b == 0:
    a = a / b

    if a < b:
        b = b - a

elif b % 2 == 0:
```

```
b = b / 2

else:
    a = a - b

print(a, b)
```

Write the output of the code for the following inputs:

- a. 20, 4
- b. 7, 6
- c. 14, 7
- d. 24, 8

5. Solve the following problem: (Marks: 05)

Take 2 integers from the user first integer represents the month (1 for January, 2 for February, etc, up to 12 for December) and the second integer represents the day (a value between 1 and 31) of the month.

Take 2 more integers from the user, the first integer represents the month (1 for January, 2 for February, etc, up to 12 for December) and the second integer represents the day (a value between 1 and 31) of the month.

Now, you have to write a program that will tell you whether or not the dates are at least a month apart. (Consider each month to have 30 days.)

Sample Input:

```
Enter the first month: 6
Enter the first day: 14
Enter the second month: 9
Enter the second day: 21
```

Sample Output:

```
June 14 and September 21 are at least a month apart
```

6. Solve the following problem: (Marks: 05)

Write a python program that will ask user for an integer and will all of the numbers from one to that integers, separated by commas. If the number is a multiple of 3, then print "Fizz" instead of the number. If the number is a multiple of 5, then print "Buzz" instead of the number. If the number is a multiple of both 3 and 5, then print "FizzBuzz" instead of the number. Print a new line after every 20 numbers.

Sample Input:

```
Enter an integer: 100
```

Sample Output:

```
1, 2, Fizz, 4, Buzz, Fizz, 7, 8, Fizz, Buzz, 11, Fizz, 13, 14, FizzBuzz, 16, 17, Fizz, 19, Buzz
Fizz, 22, 23, Fizz, Buzz, 26, Fizz, 28, 29, FizzBuzz, 31, 32, Fizz, 34, Buzz, Fizz, 37, 38, Fizz, Buzz
41, Fizz, 43, 44, FizzBuzz, 46, 47, Fizz, 49, Buzz, Fizz, 52, 53, Fizz, Buzz, 56, Fizz, 58, 59, FizzBuzz
61, 62, Fizz, 64, Buzz, Fizz, 67, 68, Fizz, Buzz, 71, Fizz, 73, 74, FizzBuzz, 76, 77, Fizz, 79, Buzz
Fizz, 82, 83, Fizz, Buzz, 86, Fizz, 88, 89, FizzBuzz, 91, 92, Fizz, 94, Buzz, Fizz, 97, 98, Fizz, Buzz
```

7. Consider the following values for the variables x, y, z and b: (Marks: 05)

```
x = 27
y = -1
z = 32
b = False
```

Write the result of the following expressions:

```
b or True
not (x % 2 == 1)
(x % 2 != 0) and b
not b and not b
not (x / 2 != 13) or b or (z * 3 == 96)
(z > x) == False
not ((x > 0) and (y > 0))
x + y != 0
x * (y + 2) < y - (y + z) * 2
(x == y) or (x <= z)
```