

From Pressman's Book:

The Golden Rules - Place the user in control

- Define interaction modes in a way that does not force a user into unnecessary or undesired actions.
- Provide for flexible interaction.
- Allow user interaction to be interruptible and undoable.
- Streamline interaction as skill levels advance, and allow the interaction to be customized.
- Hide technical internals from the casual user.
- Design for direct interaction with objects that appear on the screen.



The Golden Rules - Reduce the user's memory load

- Reduce demand on short-term memory.
- Establish meaningful defaults.
- Define shortcuts that are intuitive.
- The visual layout of the interface should be based on a real-world metaphor.
- Disclose information in a progressive fashion.



The Golden Rules - Make the interface consistent

- Allow the user to put the current task into a meaningful context.
- Maintain consistency across a complete product line.
- If past interactive models have created user expectations, do not make changes unless there is a compelling reason to do so.



OR YOU MAY USE THE FOLLOWING BREAKDOWN

(from

<https://theomandel.com/resources/golden-rules-of-user-interface-design/#:~:text=Mandel's%20Golden%20Rules,Make%20the%20Interface%20Consistent>)

Mandel's Golden Rules

The golden rules are divided into three groups:

1. Place Users in Control
2. Reduce Users' Memory Load
3. Make the Interface Consistent

Each of these groups contains a number of specific rules. The rules (and a keyword for each rule) for each group are:

Place Users in Control

1. Use modes judiciously (modeless)
2. Allow users to use either the keyboard or mouse (flexible)
3. Allow users to change focus (interruptible)

4. Display descriptive messages and text (Helpful)
5. Provide immediate and reversible actions, and feedback (forgiving)
6. Provide meaningful paths and exits (navigable)
7. Accommodate users with different skill levels (accessible)
8. Make the user interface transparent (facilitative)
9. Allow users to customize the interface (preferences)
10. Allow users to directly manipulate interface objects (interactive)

Reduce Users' Memory Load

1. Relieve short-term memory (remember)
2. Rely on recognition, not recall (recognition)
3. Provide visual cues (inform)
4. Provide defaults, undo, and redo (forgiving)
5. Provide interface shortcuts (frequency)
6. Promote an object-action syntax (intuitive)
7. Use real-world metaphors (transfer)
8. User progressive disclosure (context)
9. Promote visual clarity (organize)

Make the Interface Consistent

1. Sustain the context of users' tasks (continuity)
2. Maintain consistency within and across products (experience)
3. Keep interaction results the same (expectations)
4. Provide aesthetic appeal and integrity (attitude)
5. Encourage exploration (predictable)