



Nama : 1. Nur Afif Fadhlulloh (16090054)  
2. Faisal Syahrul Afwan (17090062)


## 1. Tampilan Home




## 2. Tampilan Login




### 3. Tampilan Berhasil Login



### 4. Tampilan Log out



## 5. Tampilan Registrasi




The screenshot shows a web browser window with the URL `localhost:8000/email/verify`. The page title is "Laravel". The navigation menu includes "Home", "Menu", "About", "Profile", "Login", and "Register". The main content area displays a "Register" form with the following fields:

- Name:
- E-Mail Address:
- Password:
- Confirm Password:

A blue "Register" button is located at the bottom right of the form. The browser's taskbar at the bottom shows the system time as 20:49.

## 6. Tampilan Berhasil Registrasi




The screenshot shows the same web browser window with the URL `localhost:8000/email/verify`. The page title is "Laravel". The navigation menu includes "Home", "Menu", "About", "Profile", and "You". The main content area displays a "Verify Your Email Address" message:

Verify Your Email Address


Before proceeding, please check your email for a verification link. If you did not receive the email, [click here to request another](#).

The browser's taskbar at the bottom shows the system time as 20:49.


## 7. Tampilan Verifikasi Email




## 8. Tampilan Berhasil Daftar




## 9. Tampilan Lupa Sandi




## 10. Tampilan Berhasil Terkirim Di Email




## 11. Tampilan Email



## 12. Tampilan Ganti Sandi




### 13. Tampilan Sandi Berhasil Diganti




### Source Code

1.




2.



```
1 <?php
2
3 namespace App\Http\Controllers\Auth;
4
5 use App\Http\Controllers\Controller;
6 use Illuminate\Foundation\Auth\AuthenticatesUsers;
7
8 class LoginController extends Controller
9 {
10     /**
11      * Login Controller
12      */
13
14     /**
15      * This controller handles authenticating users for the application and
16      * redirecting them to your home screen. The controller uses a trait
17      * to conveniently provide its functionality to your applications.
18      */
19
20
21     use AuthenticatesUsers;
22
23     /**
24      * Where to redirect users after login.
25      *
26      * @var string
27      */
28     protected $redirectTo = '/home';
29
30     /**
31      * Create a new controller instance.
32      *
33      * @return void
34      */
35     public function __construct()
36     {
37         $this->middleware('guest')->except('logout');
38     }
39 }
```

3.



```
1 <?php
2
3 namespace App\Http\Controllers\Auth;
4
5 use App\Users;
6 use App\Http\Controllers\Controller;
7 use Illuminate\Support\Facades\Hash;
8 use Illuminate\Support\Facades\Validator;
9 use Illuminate\Foundation\Auth\RegistersUsers;
10
11 class RegisterController extends Controller
12 {
13     /**
14      * Register Controller
15      */
16
17     /**
18      * This controller handles the registration of new users as well as their
19      * validation and creation. By default this controller uses a trait to
20      * provide this functionality without requiring any additional code.
21      */
22
23
24     use RegistersUsers;
25
26     /**
27      * Where to redirect users after registration.
28      *
29      * @var string
30      */
31     protected $redirectTo = '/home';
32
33     /**
34      * Create a new controller instance.
35      *
36      * @return void
37      */
38     public function __construct()
39     {
40     }
41 }
```




4.

```
1 <?php
2
3 namespace App\Http\Controllers\Auth;
4
5 use App\Http\Controllers\Controller;
6 use Illuminate\Foundation\Auth\ResetsPasswords;
7
8 class ResetPasswordController extends Controller
9 {
10     /**
11      * Password Reset Controller
12      *
13      * This controller is responsible for handling password reset requests
14      * and uses a simple trait to include this behavior. You're free to
15      * explore this trait and override any methods you wish to tweak.
16      */
17
18     use ResetsPasswords;
19
20     /**
21      * Where to redirect users after resetting their password.
22      *
23      * @var string
24      */
25     protected $redirectTo = '/home';
26
27     /**
28      * Create a new controller instance.
29      *
30      * @return void
31      */
32     public function __construct()
33     {
34         $this->middleware('guest');
35     }
36 }
```

5.

```
1 <?php
2
3 namespace App\Http\Controllers\Auth;
4
5 use App\Http\Controllers\Controller;
6 use Illuminate\Foundation\Auth\VerifiesEmails;
7
8 class VerificationController extends Controller
9 {
10     /**
11      * Email Verification Controller
12      *
13      * This controller is responsible for handling email verification for any
14      * user that recently registered with the application. Emails may also
15      * be re-sent if the user didn't receive the original email message.
16      */
17
18     use VerifiesEmails;
19
20     /**
21      * Where to redirect users after verification.
22      *
23      * @var string
24      */
25     protected $redirectTo = '/home';
26
27     /**
28      * Create a new controller instance.
29      *
30      * @return void
31      */
32     public function __construct()
33     {
34         $this->middleware('auth');
35         $this->middleware('signed')->only('verify');
36         $this->middleware('throttle:6,1')->only('verify', 'resend');
37     }
38 }
```


6.



The screenshot shows the Visual Studio Code editor with the file `ForgotPasswordController.php` open. The Explorer panel on the left shows the project structure, including the `Auth` directory. The main editor displays the following PHP code:

```
1 <?php
2
3 namespace App\Http\Controllers\Auth;
4
5 use App\Http\Controllers\Controller;
6 use Illuminate\Foundation\Auth\SendsPasswordResetEmails;
7
8 class ForgotPasswordController extends Controller
9 {
10     /**
11      * Password Reset Controller
12      *
13      * This controller is responsible for handling password reset emails and
14      * includes a trait which assists in sending these notifications from
15      * your application to your users. Feel free to explore this trait.
16      */
17
18     use SendsPasswordResetEmails;
19
20     /**
21      * Create a new controller instance.
22      *
23      * @return void
24      */
25     public function __construct()
26     {
27         $this->middleware('guest');
28     }
29 }
30
31
32
33
```

7.



The screenshot shows the Visual Studio Code editor with the file `login.blade.php` open. The Explorer panel on the left shows the project structure, including the `views` directory. The main editor displays the following Blade template code:

```
10 <div class="card-body">
11     <form method="POST" action="{{ route('login') }}">
12         @csrf
13
14         <div class="form-group row">
15             <label for="email" class="col-md-4 col-form-label text-md-right">{{ __('E-Mail Address') }}</label>
16
17             <div class="col-md-6">
18                 <input id="email" type="email" class="form-control @error('email') is-invalid @enderror" value="{{ old('email') }}">
19
20                 @error('email')
21                     <span class="invalid-feedback" role="alert">
22                         <strong>{{ $message }}</strong>
23                     </span>
24                 @enderror
25             </div>
26         </div>
27
28         <div class="form-group row">
29             <label for="password" class="col-md-4 col-form-label text-md-right">{{ __('Password') }}</label>
30
31             <div class="col-md-6">
32                 <input id="password" type="password" class="form-control @error('password') is-invalid @enderror" value="{{ old('password') }}">
33
34                 @error('password')
35                     <span class="invalid-feedback" role="alert">
36                         <strong>{{ $message }}</strong>
37                     </span>
38                 @enderror
39             </div>
40         </div>
41
42         <div class="form-group row">
43             <div class="col-md-6 offset-md-4">
44                 <input class="form-check-input" type="checkbox" name="remember" id="remember">
45                 <label class="form-check-label" for="remember">{{ __('Remember Me') }}</label>
46             </div>
47         </div>
48     </form>
49 </div>
```

8.

```

register.blade.php
resources > views > auth > register.blade.php
5 <div class="row justify-content-center">
6 <div class="col-md-8">
7 <div class="card">
8 <div class="card-header">{{ __('Register') }}</div>
9
10 <div class="card-body">
11 <form method="POST" action="{{ route('register') }}">
12 @csrf
13
14 <div class="form-group row">
15 <label for="name" class="col-md-4 col-form-label text-md-right">{{ __('Name') }}</label>
16
17 <div class="col-md-6">
18 <input id="name" type="text" class="form-control @error('name') is-invalid @enderror">
19
20 @error('name')
21 <span class="invalid-feedback" role="alert">
22 <strong>{{ $message }}</strong>
23 </span>
24 @enderror
25 </div>
26 </div>
27
28 <div class="form-group row">
29 <label for="email" class="col-md-4 col-form-label text-md-right">{{ __('E-Mail Address') }}</label>
30
31 <div class="col-md-6">
32 <input id="email" type="email" class="form-control @error('email') is-invalid @enderror">
33
34 @error('email')
35 <span class="invalid-feedback" role="alert">
36 <strong>{{ $message }}</strong>
37 </span>
38 @enderror
39 </div>
40 </div>
41
42 <div class="form-group row">

```

9.

```

verify.blade.php
resources > views > auth > verify.blade.php
1 @extends('layouts.app')
2
3 @section('content')
4 <div class="container">
5 <div class="row justify-content-center">
6 <div class="col-md-8">
7 <div class="card">
8 <div class="card-header">{{ __('Verify Your Email Address') }}</div>
9
10 <div class="card-body">
11 <div class="alert alert-success" role="alert">
12 {{ __('A fresh verification link has been sent to your email address.') }}
13 </div>
14 @endif
15
16 {{ __('Before proceeding, please check your email for a verification link.') }}
17 {{ __('If you did not receive the email') }}, <a href="{{ route('verification.resend') }}">{{ __('Resend') }}</a>
18 </div>
19 </div>
20 </div>
21 </div>
22 @endsection

```

10.

```

3  @section('content')
4  <div class="container">
5    <div class="row justify-content-center">
6      <div class="col-md-8">
7        <div class="card">
8          <div class="card-header">{{ __('Reset Password') }}</div>
9
10         <div class="card-body">
11           @if (session('status'))
12             <div class="alert alert-success" role="alert">
13               {{ session('status') }}
14             </div>
15           @endif
16
17           <form method="POST" action="{{ route('password.email') }}">
18             @csrf
19
20             <div class="form-group row">
21               <label for="email" class="col-md-4 col-form-label text-md-right">{{ __('E-Mail Address') }}</label>
22               <div class="col-md-6">
23                 <input id="email" type="email" class="form-control @error('email') is-invalid @enderror" value="{{ old('email') }}">
24
25                 @error('email')
26                   <span class="invalid-feedback" role="alert">
27                     <strong>{{ $message }}</strong>
28                   </span>
29                 @enderror
30               </div>
31             </div>
32
33             <div class="form-group row mb-0">
34               <div class="col-md-6 offset-md-4">
35                 <button type="submit" class="btn btn-primary">
36                   {{ __('Send Password Reset Link') }}
37                 </button>
38               </div>
39             </div>
40           </form>
41         </div>
42       </div>
43     </div>
44   </div>
45 @endsection

```

11.

```

5  <div class="row justify-content-center">
6    <div class="col-md-8">
7      <div class="card">
8        <div class="card-header">{{ __('Reset Password') }}</div>
9
10       <div class="card-body">
11         <form method="POST" action="{{ route('password.update') }}">
12           @csrf
13
14           <input type="hidden" name="token" value="{{ $token }}">
15
16           <div class="form-group row">
17             <label for="email" class="col-md-4 col-form-label text-md-right">{{ __('E-Mail Address') }}</label>
18             <div class="col-md-6">
19               <input id="email" type="email" class="form-control @error('email') is-invalid @enderror" value="{{ old('email') }}">
20
21               @error('email')
22                 <span class="invalid-feedback" role="alert">
23                   <strong>{{ $message }}</strong>
24                 </span>
25               @enderror
26             </div>
27           </div>
28
29           <div class="form-group row">
30             <label for="password" class="col-md-4 col-form-label text-md-right">{{ __('Password') }}</label>
31             <div class="col-md-6">
32               <input id="password" type="password" class="form-control @error('password') is-invalid @enderror" value="{{ old('password') }}">
33
34               @error('password')
35                 <span class="invalid-feedback" role="alert">
36                   <strong>{{ $message }}</strong>
37                 </span>
38               @enderror
39             </div>
40           </div>
41
42           <div class="form-group row mb-0">
43             <div class="col-md-6 offset-md-4">
44               <button type="submit" class="btn btn-primary">
45                 {{ __('Reset Password') }}
46               </button>
47             </div>
48           </div>
49         </form>
50       </div>
51     </div>
52   </div>
53 @endsection

```