
REFLEX - GYRO QUALITY CHECK REPORT



09 Jun 2020



Project ID: dsds Borehole ID: ds Project location: ds

Client: ds Surveyor: ds Reporter: ds

Survey date: 2020-06-09

DRILLING COLLAR PARAMETERS

Easting: 620696.42 Dip: 43.0 deg

Northing: 4631589.19 Azimuth: 34.0 deg

Elevation: 1378.88 Drill diameter: 96.0 mm

SURVEY PARAMETERS

Survey start: 0 m Survey run on: Wireline Survey end: 243 m Angular units: Degree

Survey interval: 3 m Linear units: Meter

Number of stations: 82

Survey 1

	Dip	Azimuth	Easting	Northing	Elevation
Start of Survey	-71.39	90.0	620696.42	4631589.19	1378.88
End of Survey	-73.88	94.03	620766.45	4631587.12	1146.23

Survey 2

	Dip	Azimuth	Easting	Northing	Elevation
Start of Survey	-71.35	90.0	620696.42	4631589.19	1378.88
End of Survey	-73.88	93.79	620766.53	4631587.39	1146.26


Misclosure

End of Survey Difference

Dip Azimuth Easting Northing Elevation -0.0 0.24 -0.08 -0.27 -0.02

End of Survey Misclosure

Depth	Misclosure	Misclosure %	Quality
243	0.28	0.12	Passed



Depth (m)

Borehole Path

