

OPTION Domes with Option Ler NOTE be EOL (LBD in 2012) TBEOL

TCM-4511

KCM-3211

4-Megapixel (Full HD 1080p)

- *Prices, ordering part no., specifications and availability schedule are subject to change

### Art Number Sox Cemera ### A-Megapixel (Full HD 1080p) ### A	Ordering	decoders/ speed dome cameras come with Power Adapter Description	Weight	NOTE	MOQ	MSRP
A-Mospapixel (Full HD 1680p)		Безаприон	(lbs)	NOTE	mod	MON
KCM-5111		2.4000				
Semiriz 20 lens, 8 fps at 2002 x 1920, Two-way audio, Motion Detection, DIPO, (4-Megapixel (Full H			1		
Camera with 14.7-8.6 mm/F.16 DC-iris zoom lens, 8 lps at 2032 x 1920, Two-way audio, Motion Detection, DUDO 18 x optical zoom, H.264MPEG-4MUPEG, 4-Megapixel, IR DN, CMOS, No. Judson, POEDO 3.3 and PR 17 17 18 18 18 18 18 18	KCM-5111	f2.8mm/F2.0 lens, 8 fps at 2032 x 1920, Two-way audio, Motion Detection, DI/DO, (3.3	PR		490
124, IP66 Box Camera with 14.7-94.6 mm/F1.6 DC-iris zoom lens, 8 fps at 2032 x 1920,	KCM-5211	Camera with f4.7-84.6 mm/F1.6 DC-iris zoom lens, 8 fps at 2032 x 1920, Two-way audio,	3.3	PR		660
KCM-5311	KCM-5211E	12V, IP66 Box Camera with f4.7-84.6 mm/F1.6 DC-iris zoom lens, 8 fps at 2032 x 1920,	3.3			996
Camera with 13.5-122.5 mm/F1.65 DC iris zoom lens, 15 fps at 1920 x 1080, Two-way audio, Motion Detection, DVDO. 33.3 optical zoom, H.264MPEG-4-MN/PEG, 2-Megapixel, DN, CMOS, Outdoor, PeE/DC 12V, Pe6 Box Camera with 13.5-122.5 mm/F1.65 DC iris zoom lens, 15 fps at 1920 x 1080. 3.3 PR	2-Megapixel (Full H	D 1080p)				
12V, IP66 Box Camera with 13-5-122.5 mm/F1-65 DC iris zoom lens, 15 fps at 1920 x 1080. 3.3 PR 727 7	KCM-5311	Camera with f3.5-122.5 mm/F1.65 DC iris zoom lens, 15 fps at 1920 x 1080, Two-way	3.3	(LBD:		643
F2.2 zoom lens, 15 fps at 1920 x 1080, ExDR, 2D+3D DNR, Motion Detection. 3.3 2012 May 541	KCM-5311E	35 x optical zoom, H.264/MPEG-4/MJPEG, 2-Megapixel, D/N, CMOS, Outdoor, PoE/DC M-5311E 35 x optical zoom, H.264/MPEG-4/MJPEG, 2-Megapixel, D/N, CMOS, Outdoor, PoE/DC M-5311E 12V, IP66 Box Camera with 13.5-122.5 mm/F1.65 DC iris zoom lens, 15 fps at 1920 x 1080,		PR		727
Camera with 4.7-8.4.6 mm /F1.6 DC iris zoom lens, 15 fps at 1920 x 1080, Two-way audio, 2012 May 912 (ED), 201	KCM-5401					541
H.264/MPEG-4/M.JPEG, Megapixel, D/N, CMOS, PoE, Box Camera with Built-in f4.2 mm / F1.8 lens, 18fps at 1280 x 1024, Motion Detection.	KCM-5611	Camera with f4.7-84.6 mm /F1.6 DC iris zoom lens, 15 fps at 1920 x 1080, Two-way audio,	4.4			912
F1.8 lens, 18fps at 1280 x 1024, Motion Detection. 3.3	1.3-Megapixel (HD 7	(20p)				
ACM-5311 audio, Motion Detection, DI/DO. (NOT included: Lens. Optional DC-Iris lens available: PLEN-0205/PLEN-0212) 3.3 PR 541 FR 5	ГСМ-5111		3.3			304
CM-5611	TCM-5311	audio, Motion Detection, DI/DO.	3.3	PR		541
ACM-5611	TCM-5611		3.3	.3 (LBD:		538
1.3-Megapixel (HD 720p) ICM-1111	ACM-5611		3.3	(LBD:		453
TCM-1111	Bullet Camera					
With Built-in f4.2 mm / F1.8 lens, 18fps at 1280 x 1024, Motion Detection. 3.3	1.3-Megapixel (HD 7	(ZUD)				
TCM-1231 Camera with f3.3-12 mm/F1.6 lens, 18 fps at 1280 x 1024, Two-way audio, Motion Detection, DI/DO and WDR. ACM-1231 MPEG-4/MJPEG, Megapixel, IR, D/N, CMOS, Outdoor, PoE/DC 12V, IP66, Bullet Camera with f3.3-12 mm/F1.6 lens, 8 fps at 1280 x 1024, Two-way audio, Motion Detection. TCM-1511 H.264/MPEG-4/MJPEG, Megapixel, IR, D/N, CMOS, PoE/DC 12V, Bullet Camera with f3.3-12 mm/F1.6 lens, 18 fps at 1280 x 1024, Two-way audio, Motion Detection, DI/DO and WDR. Cube Camera 1.3-Megapixel (HD 720p) TCM-4201 H.264/MPEG-4/MJPEG, Megapixel, CMOS, PoE/DC 12V, Cube Camera with PIR, 14.2 mm/F1.8 lens, 18 fps at 1280 x 1024, Two-way audio, Motion Detection, DI/DO. ACM-4201 MPEG-4/MJPEG, Megapixel, CMOS, PoE/DC 12V, Cube Camera with PIR, 14.2 mm/F1.8 lens, 18 fps at 1280 x 1024, Two-way audio, Motion Detection, DI/DO. ACM-4201 MPEG-4/MJPEG, Megapixel, CMOS, PoE/DC 12V, Cube Camera with PIR, 14.2 mm/F1.8 lens, 18 fps at 1280 x 1024, Two-way audio, Motion Detection, DI/DO. TEBEOL (LBD: 2012/6/30) 2.2 (LBD: 2012/6/30) TBEOL (LBD: 2012/6/30)	ГСМ-1111		3.3			372
with f3.3-12 mm/F1.6 lens, 8 fps at 1280 x 1024, Two-way audio, Motion Detection. TCM-1511	TCM-1231	Camera with f3.3-12 mm/F1.6 lens, 18 fps at 1280 x 1024, Two-way audio, Motion	3.3			712
TCM-1511	ACM-1231		3.3			611
1.3-Megapixel (HD 720p) TCM-4201	TCM-1511	12 mm/F1.6 lens, 18 fps at 1280 x 1024, Two-way audio, Motion Detection, DI/DO and	3.3	(LBD:		633
TCM-4201	Cube Camera	(00)				
ACM-4201 MPEG-4/MJPEG, Megapixel, CMOS, PoE/DC 12V, Cube Camera with PIR, f4.2 mm/F1.8 2.2 (LBD: 266	P	H.264/MPEG-4/MJPEG, Megapixel, CMOS, PoE/DC 12V, Cube Camera with PIR, f4.2	2.2	(LBD:		322
	ACM-4201		2.2	TBEOL (LBD:		266

H.264/MPEG-4/MJPEG, Megapixel, CMOS, PoE, Cube Camera with Built-in f4.2 mm / F1.8 lens, 18fps at 1280 x 1024, Motion Detection.

3.6 x optical zoom, H.264/MPEG-4/MJPEG, 4-Megapixel, D/N, CMOS, PoE/DC 12V, Fixed

Dome Camera with f3.3-12 mm / F1.4-2.9 P-Iris zoom lens, 8 fps at 2032 x 1920, Two-way audio, Motion Detection, DI/DO.

2.2

2.2


TBEOL

(LBD: 2012/6/30)

NEW

184

626




PR OPTION OPNC New Product
Price Reduction
Domes with Option Ler NOTE be EOL (LBD in 2012 TBEOL SO

- *All prices are in USD
 *Prices, ordering part no., specifications and availability schedule are subject to change
 *Products may be discontinued
 *All cameras and video encoders/ decoders come with ACTi NVR (exception: ACD-3100)
 *All video encoders/ video decoders/ speed dome cameras come with Power Adapter

 Ordering

 Description


		Description	Weight (lbs)	NOTE	MOQ	MSRP
TCM-3401	9	H.264/MPEG-4/MJPEG, Megapixel, CMOS, PoE/DC 12V, Fixed Dome with f4.2 mm/F1.8 lens, 18 fps at 1280 x 1024, Two-way audio, Motion Detection, DI/DO, WDR.	2.2	TBEOL (LBD: 2012/4/30)		438
TCM-3401 (w/ 2.8mm lens)	9	H.264/MPEG-4/MJPEG, Megapixel, CMOS, PoE/DC 12V, Fixed Dome with f2.8 mm/F2.0 lens, 18 fps at 1280 x 1024, Two-way audio, Motion Detection, DI/DO, WDR.	2.2	TBEOL (LBD: 2012/4/30) OPTION		458
TCM-3411	9	H.264/MPEG-4/MJPEG, Megapixel, D/N, CMOS, PoE/DC 12V, Fixed Dome with f4.2 mm/F1.8 lens, 18 fps at 1280 x 1024, Two-way audio, Motion Detection, DI/DO, WDR.	2.2	TBEOL (LBD: 2012/4/30)		538
TCM-3411 (w/ 2.8mm lens)	9			TBEOL (LBD: 2012/4/30) OPTION		558
ACM-3401	9	MPEG-4/MJPEG, Megapixel, CMOS, PoE/DC 12V, Fixed Dome with f4.2 mm/F1.8 lens, 8 fps at 1280 x 1024, Two-way audio, Motion Detection, DI/DO.				287
ACM-3401 (w/ 2.8mm lens)			2.2	OPTION		308
TCM-3511	0	H.264/MPEG-4/MJPEG, Megapixel, IR D/N, CMOS, PoE/DC 12V, Fixed Dome with f3.3-12mm/F1.6 Lens, 18 fps at 1280 x 1024, Two-way audio, Motion Detection, DI/DO, WDR.	2.2			641
ACM-3511	6	MPEG-4/MJPEG, Megapixel, IR, D/N, CMOS, PoE/DC 12V, Fixed Dome with f3.3-12mm/F1.6-Lens, 8 fps at 1280 x 1024, Two-way audio, Motion Detection, DI/DO.	2.2	TBEOL (LBD: 2012/4/30)		553
ACM-3701		MPEG-4/MJPEG, Megapixel, CMOS, PoE Only, Vandal proof/IP66, Mini Dome with f3.6 mm/F1.8 lens, 8 fps at 1280 x 1024, Motion Detection, Anti-vibration. (Optional Midspans available)	2.2			321
TCM-7411	•	H.264/MPEG-4/MJPEG, Megapixel, D/N, CMOS, Outdoor, PoE/DC 12V, Vandal Proof/IP66, Rugged Dome with f3.3-12 mm/F1.6 lens, 18 fps at 1280 x 1024, Two-way audio, Motion Detection, DI/DO, WDR.	4.4			738
ACM-7411	•	MPEG-4/MJPEG, Megapixel, D/N, CMOS, Outdoor, PoE/DC 12V, Vandal Proof/IP66, Rugged Dome with f3.3-12 mm/F1.6 lens, 8 fps at 1280 x 1024, Two-way audio, Motion Detection, DI/DO.	4.4			592
TCM-7811	0	H.264/MPEG-4/MJPEG, Megapixel, IR, D/N, CCD, PoE/DC 12V, Vandal Proof/IP66, Rugged Dome with f3-9 mm / F1.2 lens, 15 fps at 1280 x 960, Two-way audio, Motion Detection, Dl/DO, Local Storage.	4.4			829
Hemispheric C 4-Megapixel (F		200)				
KCM-3911		H.264/MPEG-4/MJPEG, 4-Megapixel, D/N, CMOS, PoE/DC 12V, Hemispheric Camera with Fisheye Lens, 6 fps at 2032 x 1920, 4 video modes (Panorama-180°/360°, ePTZ, 6x VGA, MD Preset), Two-way audio, Motion Detection, DI/DO	2.2			873
PTZ Camera D1						
	10					
ACM-8511		10 x optical Zoom, MPEG-4/MPEG, D/N, CCD, PoE/DC 12V, PTZ Camera with f4.2-42 mm/F1.8-2.9 zoom lens, 25/30 fps at full D1, Two-way audio, Motion Detection, DI/DO.	4.4			756
Speed Dome	Camera		4.4			756
Speed Dome (D1) TCM-6630	-	mm/F1.8-2.9 zoom lens, 25/30 fps at full D1, Two-way audio, Motion Detection, DI/DO. 36 x optical Zoom, H.264/MPEG-4/MJPEG, D/N, CCD, Outdoor, IP66 Speed Dome with 13.4-122.4 mm/F1.6-4.5 Auto-iris zoom lens, 25/30 fps at full D1, Two-way audio, Motion Detection, DI/DO, WDR, Analog video output.	22			2,860
Speed Dome O	er & Deco	mm/F1.8-2.9 zoom lens, 25/30 fps at full D1, Two-way audio, Motion Detection, DI/DO. 36 x optical Zoom, H.264/MPEG-4/MJPEG, D/N, CCD, Outdoor, IP66 Speed Dome with f3.4-122.4 mm/F1.6-4.5 Auto-iris zoom lens, 25/30 fps at full D1, Two-way audio, Motion Detection, DI/DO, WDR, Analog video output.				
Speed Dome D1 TCM-6630 Video Encode	er & Deco	mm/F1.8-2.9 zoom lens, 25/30 fps at full D1, Two-way audio, Motion Detection, DI/DO. 36 x optical Zoom, H.264/MPEG-4/MJPEG, D/N, CCD, Outdoor, IP66 Speed Dome with f3.4-122.4 mm/F1.6-4.5 Auto-iris zoom lens, 25/30 fps at full D1, Two-way audio, Motion Detection, DI/DO, WDR, Analog video output.				
Speed Dome D1 TCM-6630 Video Encode 1-channel Vid	er & Deco	mm/F1.8-2.9 zoom lens, 25/30 fps at full D1, Two-way audio, Motion Detection, DI/DO. 36 x optical Zoom, H.264/MPEG-4/MJPEG, D/N, CCD, Outdoor, IP66 Speed Dome with f3.4-122.4 mm/F1.6-4.5 Auto-iris zoom lens, 25/30 fps at full D1, Two-way audio, Motion Detection, DI/DO, WDR, Analog video output.	22			2,860
Speed Dome D1 TCM-6630 Video Encode 1-channel Vid TCD-2100	er & Deco	mm/F1.8-2.9 zoom lens, 25/30 fps at full D1, Two-way audio, Motion Detection, DI/DO. 36 x optical Zoom, H.264/MPEG-4/MJPEG, D/N, CCD, Outdoor, IP66 Speed Dome with 13.4-122.4 mm/F1.6-4.5 Auto-iris zoom lens, 25/30 fps at full D1, Two-way audio, Motion Detection, DI/DO, WDR, Analog video output. 1-channel, H.264/MPEG-4/MJPEG, Video Encoder with 25/30 fps at D1, Motion Detection, DI/DO, Serial ports for PTZ control. 1-channel, MPEG-4/MJPEG, Video Encoder with 25/30 fps at D1, Two-way audio, Motion Detection, DI/DO, Serial ports for PTZ control, Analog video output 1-channel, MPEG-4/MJPEG, Video Encoder with 25/30 fps at D1, Two-way audio, Motion Detection, DI/DO, Serial ports for PTZ control, Analog video output, Extended operating temperature: -30°C-70°C (-22°F-158°F.)	22	so		2,860
Speed Dome D1 TCM-6630 Video Encode 1-channel Vid TCD-2100 ACD-2100T TCD-2500	er & Decode eo Encode	mm/F1.8-2.9 zoom lens, 25/30 fps at full D1, Two-way audio, Motion Detection, DI/DO. 36 x optical Zoom, H.264/MPEG-4/MJPEG, D/N, CCD, Outdoor, IP66 Speed Dome with 13.4-122.4 mm/F1.6-4.5 Auto-iris zoom lens, 25/30 fps at full D1, Two-way audio, Motion Detection, DI/DO, WDR, Analog video output. 1-channel, H.264/MPEG-4/MJPEG, Video Encoder with 25/30 fps at D1, Motion Detection, DI/DO, Serial ports for PTZ control. 1-channel, MPEG-4/MJPEG, Video Encoder with 25/30 fps at D1, Two-way audio, Motion Detection, DI/DO, Serial ports for PTZ control, Analog video output 1-channel, MPEG-4/MJPEG, Video Encoder with 25/30 fps at D1, Two-way audio, Motion Detection, DI/DO, Serial ports for PTZ control, Analog video output, Extended operating temperature: -30°C-70°C (-22°F-158°F.) 1-channel, H.264/MPEG-4/MJPEG, Video Encoder with 25/30 fps at D1, Two-way audio, Motion Detection, DI/DO, WDR, 3D deinterlacing, Serial ports for PTZ control, Analog video output	22 2.2 2.2	so		2,860 288 291
Speed Dome D1 TCM-6630 Video Encode 1-channel Vid TCD-2100 ACD-2100 ACD-2100T	er & Decode eo Encode	mm/F1.8-2.9 zoom lens, 25/30 fps at full D1, Two-way audio, Motion Detection, DI/DO. 36 x optical Zoom, H.264/MPEG-4/MJPEG, D/N, CCD, Outdoor, IP66 Speed Dome with 13.4-122.4 mm/F1.6-4.5 Auto-iris zoom lens, 25/30 fps at full D1, Two-way audio, Motion Detection, DI/DO, WDR, Analog video output. er 1-channel, H.264/MPEG-4/MJPEG, Video Encoder with 25/30 fps at D1, Motion Detection, DI/DO, Serial ports for PTZ control. 1-channel, MPEG-4/MJPEG, Video Encoder with 25/30 fps at D1, Two-way audio, Motion Detection, DI/DO, Serial ports for PTZ control, Analog video output 1-channel, MPEG-4/MJPEG, Video Encoder with 25/30 fps at D1, Two-way audio, Motion Detection, DI/DO, Serial ports for PTZ control, Analog video output, Extended operating temperature: -30°C-70°C (-22°F-158°F.) 1-channel, H.264/MPEG-4/MJPEG, Video Encoder with 25/30 fps at D1, Two-way audio, Motion Detection, DI/DO, WDR, 3D deinterlacing, Serial ports for PTZ control, Analog video output	22 2.2 2.2 2.2	so		2,860 288 291 411
Speed Dome D1 TCM-6630 Video Encode 1-channel Vid TCD-2100 ACD-2100T TCD-2500	er & Decode eo Encode	mm/F1.8-2.9 zoom lens, 25/30 fps at full D1, Two-way audio, Motion Detection, DI/DO. 36 x optical Zoom, H.264/MPEG-4/MJPEG, D/N, CCD, Outdoor, IP66 Speed Dome with f3.4-122.4 mm/F1.6-4.5 Auto-iris zoom lens, 25/30 fps at full D1, Two-way audio, Motion Detection, DI/DO, WDR, Analog video output. 1-channel, H.264/MPEG-4/MJPEG, Video Encoder with 25/30 fps at D1, Two-way audio, Motion Detection, DI/DO, Serial ports for PTZ control. 1-channel, MPEG-4/MJPEG, Video Encoder with 25/30 fps at D1, Two-way audio, Motion Detection, DI/DO, Serial ports for PTZ control, Analog video output. 1-channel, MPEG-4/MJPEG, Video Encoder with 25/30 fps at D1, Two-way audio, Motion Detection, DI/DO, Serial ports for PTZ control, Analog video output, Extended operating temperature: -30°C-70°C (-22°F-158°F.) 1-channel, H.264/MPEG-4/MJPEG, Video Encoder with 25/30 fps at D1, Two-way audio, Motion Detection, DI/DO, WDR, 3D deinterlacing, Serial ports for PTZ control, Analog video output er 4-channel, MPEG-4/MJPEG, Quad Video Encoder with 25/30 fps at D1, Two-way audio, Motion Detection, DI/DO, Serial ports for PTZ control.	22 2.2 2.2 2.2	so		2,860 288 291 411
Speed Dome D1 TCM-6630 Video Encode 1-channel Vid TCD-2100 ACD-2100 ACD-2100T TCD-2500 4-channel Vid	er & Decode eo Encode	mm/F1.8-2.9 zoom lens, 25/30 fps at full D1, Two-way audio, Motion Detection, DI/DO. 36 x optical Zoom, H.264/MPEG-4/MJPEG, D/N, CCD, Outdoor, IP66 Speed Dome with 13.4-122.4 mm/F1.6-4.5 Auto-iris zoom lens, 25/30 fps at full D1, Two-way audio, Motion Detection, DI/DO, WDR, Analog video output. 87 1-channel, H.264/MPEG-4/MJPEG, Video Encoder with 25/30 fps at D1, Motion Detection, DI/DO, Serial ports for PTZ control. 1-channel, MPEG-4/MJPEG, Video Encoder with 25/30 fps at D1, Two-way audio, Motion Detection, DI/DO, Serial ports for PTZ control, Analog video output 1-channel, MPEG-4/MJPEG, Video Encoder with 25/30 fps at D1, Two-way audio, Motion Detection, DI/DO, Serial ports for PTZ control, Analog video output, Extended operating temperature: -30°C-70°C (-22°F-158°F.) 1-channel, H.264/MPEG-4/MJPEG, Video Encoder with 25/30 fps at D1, Two-way audio, Motion Detection, DI/DO, WDR, 3D deinterlacing, Serial ports for PTZ control, Analog video output 87 4-channel, MPEG-4/MJPEG, Quad Video Encoder with 25/30 fps at D1, Two-way audio, Motion Detection, DI/DO, Serial ports for PTZ control. 4-channel, MPEG-4/MJPEG, Quad Video Encoder with 25/30 fps at D1, Two-way audio, Motion Detection, DI/DO, Serial ports for PTZ control.	22 2.2 2.2 2.2 2.2	so		2,860 288 291 411 363
Speed Dome D1 TCM-6630 Video Encode 1-channel Vid TCD-2100 ACD-2100T TCD-2500 4-channel Vid ACD-2000Q	ar & Decoce eo Encod	mm/F1.8-2.9 zoom lens, 25/30 fps at full D1, Two-way audio, Motion Detection, DI/DO. 36 x optical Zoom, H.264/MPEG-4/MJPEG, D/N, CCD, Outdoor, IP66 Speed Dome with 13.4-122.4 mm/F1.6-4.5 Auto-iris zoom lens, 25/30 fps at full D1, Two-way audio, Motion Detection, DI/DO, WDR, Analog video output. 87 1-channel, H.264/MPEG-4/MJPEG, Video Encoder with 25/30 fps at D1, Motion Detection, DI/DO, Serial ports for PTZ control. 1-channel, MPEG-4/MJPEG, Video Encoder with 25/30 fps at D1, Two-way audio, Motion Detection, DI/DO, Serial ports for PTZ control, Analog video output 1-channel, MPEG-4/MJPEG, Video Encoder with 25/30 fps at D1, Two-way audio, Motion Detection, DI/DO, Serial ports for PTZ control, Analog video output, Extended operating temperature: -30°C-70°C (-22°F-158°F.) 1-channel, H.264/MPEG-4/MJPEG, Video Encoder with 25/30 fps at D1, Two-way audio, Motion Detection, DI/DO, WDR, 3D deinterlacing, Serial ports for PTZ control, Analog video output 87 4-channel, MPEG-4/MJPEG, Quad Video Encoder with 25/30 fps at D1, Two-way audio, Motion Detection, DI/DO, Serial ports for PTZ control. 4-channel, MPEG-4/MJPEG, Quad Video Encoder with 25/30 fps at D1, Two-way audio, Motion Detection, DI/DO, Serial ports for PTZ control, Extended operating temperature: -30°C-70°C (-22°F-158°F.) 4-channel, MPEG-4/MJPEG, Video Encoder with 25/30 fps at D1, Two-way audio, Motion Detection, DI/DO, Serial ports for PTZ control, Extended operating temperature: -30°C-70°C (-22°F-158°F.)	22 2.2 2.2 2.2 2.2			2,860 288 291 411 363



	NEW	New Product
	PR	Price Reduction
	OPTION	Domes with Option Lens
NOTE	OPNC	ordering Part No. Chang
	TBEOL	be EOL (LBD in 2012C
	so	Special Order
	30	H 11 0 M

- *All prices are in USD
 Prices, ordering part no., specifications and availability schedule are subject to change
 Products may be discontinued
 *All cameras and video encoders/ decoders come with ACTi NVR (exception: ACD-3100)
 *All video encoders/ video decoders/ speed dome cameras come with Power Adapter

Ordering Part Number	Description	Weight (lbs)	NOTE	MOQ	MSRP
	16-channel, MPEG-4/MJEPG, 1U, Video Encoder with 25/30 fps at D1, Two-way audio, Motion Detection, DI/DO, Serial ports for PTZ control	12.1			2,584
Video Decoder					
ACD-3100	1-channel, MPEG-4, Video Decoder with 25/30 fps at D1, Two-way audio, Motion Detection, DI/DO, Serial ports for PTZ control panel.	2.2			437



PR OPTION New Product
Price Reduction
Domes with Option Len NOTE be EOL (LBD in 2012 TBEOL SO

- *All prices are in USD
 *Prices, ordering part no., specifications and availability schedule are subject to change
 *Products may be discontinued
 *All cameras and video encoders/ decoders come with ACTi NVR (exception: ACD-3100)
 *All video encoders/ video decoders/ speed dome cameras come with Power Adapter

 Ordering

 Description

*All video encoders/ video decod	ers/ speed dome cameras come with Power Adapter	Malek			
Ordering Part Number	Description	Weight (lbs)	NOTE	MOQ	MSRP
Video Management Sys	tem	()			
Software NVR					
APP-2000-16	Network Video Recorder Software, supports 16 channels	2.2			Free
APP-2000-32 APP-2000-48	Network Video Recorder Software, supports 32 channels Network Video Recorder Software, supports 48 channels	2.2			1,107 1,661
APP-2000-48	Network Video Recorder Software, supports 40 channels	2.2			2,215
Central Management					
LCMS1001-000XX	Ex.: for supporting 10 servers, ordering part No. is LCMS1001-00010 with price at 15,220 (for MSRP). CMS_online_registration_license_key_with software_CD_please_refer_to the_description_of				1,522
SPKCMS-0XX	CMS online registration license key, with software CD. Please refer to the description of LCMS1001-000XX.	2.2			1,522
Standalone NVR					
2U Rack mount Standalone NVR with H.264/MPEG-4/MJPEG, PTZ control, 6xHDD Bay, RAID 0/1/5/10, supports 16 IP cameras or video encoders and can be upgraded to 64 channels		28.6			2,876
GNR-2000 Desktop standalone NVR with H.264/MPEG-4/MJPEG, PTZ , 5xHDD Bay, RAID 0/1/5/10, supports 4 IP cameras or video encoders and can be upgraded to 16 channels		9.9			947
Standalone NVR Softwa	re Upgrade Package				
LXNR4200-000XX	XNR-4200 S/W upgrade package. No. of add-on channels supported: 1 ~ 48. Price listed is single channel add-on price.				110
LGNR2000-000XX	GNR-2000 S/W upgrade package. No. of add-on channels supported: 1 ~ 12. Price listed is single channel add-on price. Please replace "XX" with No. of add-on channels required. The price equals to single channel add-on price multiplied by No. of add-on channels required. Ex: for upgrading with 12 add-on channels, ordering part no. is LGNR2000-00012, and price is 1,320 (for MSRP).	2.2			110
Camera Installation Kit					
PMON-1001-010	Camera Installation Kit, with 1 Battery, 1 Charger (US, AC 110~240V, 2 flat blades), and 1 Belt Bag	3.3	NEW Available in 2012 Apr		592
PMON-1001-010 Accessories		3.3	Available in		592
PMON-1001-010 Accessories Lens	Belt Bag		Available in 2012 Apr		
PMON-1001-010 Accessories Lens PLEN-0121		1.1	Available in 2012 Apr		23
PMON-1001-010 Accessories Lens PLEN-0121 PLEN-0201	Belt Bag 1/3", Board Mount, f2.8mm/F2.0, IR, Fixed Iris for TCM-3111, TCM-3401, TCM-3411, ACM-3401 1/3", CS Mount, f2.4-6 mm/ F1.2, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5601, TCM-4201, TCM-4511, TCM-5601 1/3", CS Mount, f2.8-12 mm/ F1.6, IR, Manual Iris for ACM-4001, ACM-4201, AC	1.1	Available in 2012 Apr		23
PMON-1001-010 Accessories Lens PLEN-0121 PLEN-0201 PLEN-0202	Belt Bag 1/3°, Board Mount, f2.8mm/F2.0, IR, Fixed Iris for TCM-3111, TCM-3401, TCM-3411, ACM-3401 1/3°, CS Mount, f2.4-6 mm/ F1.2, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5601, TCM-4201, TCM-4511, TCM-5601 1/3°, CS Mount, f2.8-12 mm/ F1.6, IR, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5601, ACM-5601, ACM-5611, TCM-4201, TCM-4511, TCM-5111, TCM-5601, TCM-5611, ICM-5111, TCM-5601, ACM-5601, AC	1.1	Available in 2012 Apr SO SO SO		23 144 123
PMON-1001-010 Accessories Lens PLEN-0121 PLEN-0201 PLEN-0202 PLEN-0205	Belt Bag 1/3°, Board Mount, f2.8mm/F2.0, IR, Fixed Iris for TCM-3111, TCM-3401, TCM-3411, ACM-3401 1/3°, CS Mount, f2.4~6 mm/ F1.2, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5601, TCM-4201, TCM-4511, TCM-5601 1/3°, CS Mount, f2.8~12 mm/ F1.6, IR, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5601, ACM-5611, TCM-4201, TCM-4511, TCM-5111, TCM-5601, TCM-5611, KCM-5111 1/2°, C Mount, f8~80 mm/ F1.6, IR, DC Iris for TCM-5311	1.1 1.1 1.1	Available in 2012 Apr SO SO SO SO		23 144 123 420
PMON-1001-010 Accessories Lens PLEN-0121 PLEN-0201 PLEN-0202	Belt Bag 1/3°, Board Mount, f2.8mm/F2.0, IR, Fixed Iris for TCM-3111, TCM-3401, TCM-3411, ACM-3401 1/3°, CS Mount, f2.4-6 mm/ F1.2, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5601, TCM-4201, TCM-4511, TCM-5601 1/3°, CS Mount, f2.8-12 mm/ F1.6, IR, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5601, ACM-5601, ACM-5611, TCM-4201, TCM-4511, TCM-5111, TCM-5601, TCM-5611, ICM-5111, TCM-5601, ACM-5601, AC	1.1	Available in 2012 Apr SO SO SO		23 144 123
PMON-1001-010 Accessories Lens PLEN-0121 PLEN-0201 PLEN-0202 PLEN-0205	Belt Bag 1/3°, Board Mount, f2.8mm/F2.0, IR, Fixed Iris for TCM-3111, TCM-3401, TCM-3411, ACM-3401 1/3°, CS Mount, f2.4~6 mm/ F1.2, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5601, TCM-4201, TCM-4511, TCM-5601 1/3°, CS Mount, f2.8~12 mm/ F1.6, IR, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5601, ACM-5611, TCM-4201, TCM-4511, TCM-5111, TCM-5601, TCM-5611, KCM-5111 1/2°, C Mount, f8~80 mm/ F1.6, IR, DC Iris for TCM-5311	1.1 1.1 1.1	Available in 2012 Apr SO SO SO SO		23 144 123 420
PMON-1001-010 Accessories Lens PLEN-0121 PLEN-0201 PLEN-0202 PLEN-0205 PLEN-0212	Belt Bag 1/3", Board Mount, f2.8mm/F2.0, IR, Fixed Iris for TCM-3111, TCM-3401, TCM-3411, ACM-3401 1/3", CS Mount, f2.4-6 mm/ F1.2, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5601, TCM-4201, TCM-4511, TCM-5601 1/3", CS Mount, f2.8-12 mm/ F1.6, IR, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5601, ACM-5611, TCM-4201, TCM-4511, TCM-5611, TCM-5601, TCM-5611, TCM-5111 1/2", C Mount, f8-80 mm/ F1.6, IR, DC Iris for TCM-5601, TCM-5611, TCM-5311 1/2", CS Mount, f3.1-8 mm/ F1.2, IR, DC Iris for TCM-5601, TCM-5611, TCM-5311	1.1 1.1 1.1 1.1 1.1	Available in 2012 Apr SO SO SO SO SO SO SO		23 144 123 420 220
PMON-1001-010 Accessories Lens PLEN-0121 PLEN-0201 PLEN-0202 PLEN-0205 PLEN-0212 PLEN-0213	Belt Bag 1/3°, Board Mount, f2.8mm/F2.0, IR, Fixed Iris for TCM-3111, TCM-3401, TCM-3411, ACM-3401 1/3°, CS Mount, f2.4-6 mm/ F1.2, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5601, TCM-4201, TCM-4511, TCM-5601 1/3°, CS Mount, f2.8-12 mm/ F1.6, IR, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5601, ACM-5601, TCM-5611, TCM-4511, TCM-5611, TCM-5601, TCM-5611, TC	1.1 1.1 1.1 1.1 1.1	Available in 2012 Apr SO SO SO SO SO SO SO		23 144 123 420 220
PMON-1001-010 Accessories Lens PLEN-0121 PLEN-0201 PLEN-0202 PLEN-0205 PLEN-0212 PLEN-0213 Outdoor Housing PMAX-0200 PMAX-0201	Belt Bag 1/3*, Board Mount, f2.8mm/F2.0, IR, Fixed Iris for TCM-3111, TCM-3401, TCM-3411, ACM-3401 1/3*, CS Mount, f2.4-6 mm/ F1.2, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5601, TCM-4201, TCM-4511, TCM-5601 1/3*, CS Mount, f2.8-12 mm/ F1.6, IR, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5601, ACM-5601, ACM-5611, TCM-4201, TCM-4511, TCM-5601, TCM-5601, TCM-5611, TCM-5111 1/2*, C Mount, f8-80 mm/ F1.2, IR, DC Iris for TCM-5601, TCM-5611, TCM-5311 1/2*, CS Mount, f3.1-8 mm/ F1.2, IR, DC Iris for TCM-5601, TCM-5611, TCM-5311 1/2*, CS Mount, f3.1-8 mm/ F1.2, IR, P-Iris for KCM-5111 Outdoor Housing with IP66, Powered by AC 110V for ACM-5001, ACM-56x1, TCM-5311, TCM-5111, TCM-56x1 Outdoor Housing with IP66, Powered by AC 220V for ACM-5001, ACM-56x1, TCM-5311, TCM-5111, TCM-56x1	1.1 1.1 1.1 1.1 1.1	SO		23 144 123 420 220 279 105
PMON-1001-010 Accessories Lens PLEN-0121 PLEN-0201 PLEN-0202 PLEN-0205 PLEN-0212 PLEN-0213 Outdoor Housing PMAX-0200 PMAX-0201 PMAX-0201	Belt Bag 1/3", Board Mount, f2.8mm/F2.0, IR, Fixed Iris for TCM-3111, TCM-3401, TCM-3411, ACM-3401 1/3", CS Mount, f2.4-6 mm/ F1.2, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5601, TCM-4201, TCM-4511, TCM-5601 1/3", CS Mount, f2.8-12 mm/ F1.6, IR, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5601, ACM-5611, TCM-4201, TCM-4511, TCM-5611, TCM-5601, TCM-5611, TCM-5611 1/2", CS Mount, f880 mm/ F1.6, IR, DC Iris for TCM-5601, TCM-5611, TCM-5311 1/2", CS Mount, f3.1-8 mm/ F1.2, IR, DC Iris for TCM-5601, TCM-5611, TCM-5311 1/2", CS Mount, f3.1-8 mm/ F1.2, IR, P-Iris for KCM-5111 Outdoor Housing with IP66, Powered by AC 110V for ACM-5001, ACM-56x1, TCM-5311, TCM-5111, TCM-56x1, TCM-5311, TCM-5111, TCM-56x1, TCM-5311, TCM-5111, TCM-56x1, TCM-5311, TCM-50x1, TCM-56x1, TCM-5311, TCM-50x1, TCM-56x1, TCM-5311, TCM-50x1, TCM-56x1, TCM-5311,	1.1 1.1 1.1 1.1 1.1 1.1 5.5	Available in 2012 Apr SO SO SO SO SO SO SO SO SO		23 144 123 420 220 279
PMON-1001-010 Accessories Lens PLEN-0121 PLEN-0201 PLEN-0202 PLEN-0205 PLEN-0212 PLEN-0213 Outdoor Housing PMAX-0200 PMAX-0200 PMAX-0201 PMAX-0201 PMAX-0202 Housing Bracket	Belt Bag 1/3", Board Mount, f2.8mm/F2.0, IR, Fixed Iris for TCM-3111, TCM-3401, TCM-3411, ACM-3401 1/3", CS Mount, f2.4–6 mm/ F1.2, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5601, TCM-4201, TCM-4511, TCM-5601 1/3", CS Mount, f2.8–12 mm/ F1.6, IR, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5601, ACM-5601, TCM-5611, TCM-4201, TCM-4511, TCM-5601, TCM-5601, TCM-5611, TCM-5601, TCM-5601, TCM-5611, TCM-5601, TCM-5611, TCM-5601, TCM-5611, TCM-5601, TCM-5611, TCM-5601, TCM-5611, TC	1.1 1.1 1.1 1.1 1.1 5.5 3.3 3.3	SO S		23 144 123 420 220 279 105 105
PMON-1001-010 Accessories Lens PLEN-0121 PLEN-0201 PLEN-0202 PLEN-0205 PLEN-0212 PLEN-0213 Outdoor Housing PMAX-0200 PMAX-0201 PMAX-0201	Belt Bag 1/3*, Board Mount, f2.8mm/F2.0, IR, Fixed Iris for TCM-3111, TCM-3401, TCM-3411, ACM-3401 1/3*, CS Mount, f2.4-6 mm/ F1.2, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5601, TCM-4201, TCM-4511, TCM-5601 1/3*, CS Mount, f2.8-12 mm/ F1.6, IR, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5601, ACM-5601, ACM-5611, TCM-4201, TCM-4511, TCM-5601, TCM-5601, TCM-5611, TCM-5111 1/2*, C Mount, f8-80 mm/ F1.2, IR, DC Iris for TCM-5601, TCM-5611, TCM-5311 1/2*, CS Mount, f3.1-8 mm/ F1.2, IR, DC Iris for TCM-5601, TCM-5611, TCM-5311 1/2*, CS Mount, f3.1-8 mm/ F1.2, IR, P-Iris for KCM-5111 Outdoor Housing with IP66, Powered by AC 110V for ACM-5001, ACM-56x1, TCM-5311, TCM-5111, TCM-56x1 Outdoor Housing with IP66, Powered by AC 220V for ACM-5001, ACM-56x1, TCM-5311, TCM-5111, TCM-56x1	1.1 1.1 1.1 1.1 1.1 1.1 5.5 3.3	SO		23 144 123 420 220 279 105
PMON-1001-010 Accessories Lens PLEN-0121 PLEN-0201 PLEN-0202 PLEN-0205 PLEN-0212 PLEN-0213 Outdoor Housing PMAX-0200 PMAX-0200 PMAX-0201 PMAX-0201 PMAX-0202 HOusing Bracket PMAX-1101	Belt Bag 1/3", Board Mount, f2.8mm/F2.0, IR, Fixed Iris for TCM-3111, TCM-3401, TCM-3411, ACM-3401 1/3", CS Mount, f2.4–6 mm/ F1.2, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5601, TCM-4201, TCM-4511, TCM-5601 1/3", CS Mount, f2.8–12 mm/ F1.6, IR, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5601, ACM-5601, TCM-5611, TCM-4201, TCM-4511, TCM-5601, TCM-5601, TCM-5611, TCM-5601, TCM-5601, TCM-5611, TCM-5601, TCM-5611, TCM-5601, TCM-5611, TCM-5601, TCM-5611, TCM-5601, TCM-5611, TC	1.1 1.1 1.1 1.1 1.1 5.5 3.3 3.3	SO S		23 144 123 420 220 279 105 105 42
PMON-1001-010 Accessories Lens PLEN-0121 PLEN-0201 PLEN-0202 PLEN-0212 PLEN-0213 Outdoor Housing PMAX-0200 PMAX-0201 PMAX-0201 PMAX-0201 PMAX-0202 Housing Bracket PMAX-1101 Camera Bracket PMAX-1100 PMAX-1100	Belt Bag 1/3", Board Mount, f2.8mm/F2.0, IR, Fixed Iris for TCM-3111, TCM-3401, TCM-3411, ACM-3401 1/3", CS Mount, f2.4-6 mm/ F1.2, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5601, TCM-4201, TCM-4511, TCM-5601 1/3", CS Mount, f2.8-12 mm/ F1.6, IR, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5601, ACM-5601, ACM-5601, TCM-4201, TCM-4511, TCM-5111, TCM-5601, TCM-5611, TCM-5601, ACM-5601, ACM-5601, ACM-5601, ACM-5601, ACM-5601, ACM-5601, TCM-5611, TC	1.1 1.1 1.1 1.1 1.1 1.1 5.5 3.3 3.3 2.2 0.66	SO S		23 144 123 420 220 279 105 105 42 20
PMON-1001-010 Accessories Lens PLEN-0121 PLEN-0201 PLEN-0202 PLEN-0205 PLEN-0212 PLEN-0213 Outdoor Housing PMAX-0200 PMAX-0200 PMAX-0201 PMAX-0202 Housing Bracket PMAX-1101 Camera Bracket PMAX-1100 PMAX-1100 PMAX-1102 PMAX-1103	Belt Bag 1/3", Board Mount, f2.8mm/F2.0, IR, Fixed Iris for TCM-3111, TCM-3401, TCM-3411, ACM-3401 1/3", CS Mount, f2.4-6 mm/ F1.2, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5601, TCM-4201, TCM-4511, TCM-5601 1/3", CS Mount, f2.8-12 mm/ F1.6, IR, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5601, ACM-5611, TCM-4201, TCM-4511, TCM-5611, TCM-5601, TCM-5601, TCM-5611, TCM-5611, TCM-5601, ACM-5601, ACM-5611, TCM-5611, TC	1.1 1.1 1.1 1.1 1.1 5.5 3.3 3.3 2.2	SO S		23 144 123 420 220 279 105 105 42 20
PMON-1001-010 Accessories Lens PLEN-0121 PLEN-0201 PLEN-0202 PLEN-0205 PLEN-0212 PLEN-0213 Outdoor Housing PMAX-0200 PMAX-0200 PMAX-0201 PMAX-1101 Camera Bracket PMAX-1100 PMAX-1102 PMAX-1103 Fixed Dome Cover	## Belt Bag 1/3", Board Mount, f2.8mm/F2.0, IR, Fixed Iris for TCM-3111, TCM-3401, TCM-3411, ACM-3401 1/3", CS Mount, f2.4-6 mm/ F1.2, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5601, TCM-4201, TCM-4511, TCM-5601 1/3", CS Mount, f2.8-12 mm/ F1.6, IR, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5601, ACM-5601, TCM-5611, TCM-5601, TCM-5601, TCM-5611, TCM-5601, TCM-5601, TCM-5611, TCM-5601, TCM-5601, TCM-5611, TCM-5601, TCM-5611, TCM-5611, TCM-5601, TCM-5611,	1.1 1.1 1.1 1.1 1.1 5.5 3.3 3.3 2.2 0.66 0.66 2.2	No		23 144 123 420 220 279 105 105 42 20 14 14 20
PMON-1001-010 Accessories Lens PLEN-0121 PLEN-0201 PLEN-0202 PLEN-0212 PLEN-0213 Outdoor Housing PMAX-0200 PMAX-0200 PMAX-0201 PMAX-0201 PMAX-0202 PMAX-1101 Camera Bracket PMAX-1100 PMAX-1100 PMAX-1102 PMAX-1102 PMAX-1102 PMAX-1001 PMAX-1001 PMAX-1102 PMAX-1103 PMAX-1103 PMAX-1104 PMAX-1107 PMAX-1107 PMAX-1108 PMAX-1108 PMAX-1109 PMAX-1109 PMAX-1109 PMAX-1101 PMAX-1101 PMAX-1101 PMAX-1101 PMAX-1102 PMAX-1103	Belt Bag 1/3", Board Mount, f2.8mm/F2.0, IR, Fixed Iris for TCM-3111, TCM-3401, TCM-3411, ACM-3401 1/3", CS Mount, f2.4-6 mm/ F1.2, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5601, TCM-4201, TCM-4511, TCM-5601 1/3", CS Mount, f2.8-12 mm/ F1.6, IR, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5601, ACM-5601, ACM-5601, TCM-4201, TCM-4511, TCM-5111, TCM-5601, TCM-5611, TCM-5601, ACM-5601, ACM-5601, ACM-5601, ACM-5601, ACM-5601, ACM-5601, TCM-5611, TC	1.1 1.1 1.1 1.1 1.1 1.1 5.5 3.3 3.3 2.2 0.66 0.66 2.2	SO S		23 144 123 420 220 279 105 105 42 20
PMON-1001-010 Accessories Lens PLEN-0121 PLEN-0201 PLEN-0202 PLEN-0205 PLEN-0212 PLEN-0213 Outdoor Housing PMAX-0200 PMAX-0200 PMAX-0201 PMAX-0101 Camera Bracket PMAX-1100 PMAX-1102 PMAX-1103 Fixed Dome Cover	Belt Bag 1/3*, Board Mount, f2.8mm/F2.0, IR, Fixed Iris for TCM-3111, TCM-3401, TCM-3411, ACM-3401 1/3*, CS Mount, f2.4~6 mm/ F1.2, Manual Iris for ACM-4001, ACM-4201, ACM-5001, TCM-4201, TCM-4511, TCM-5601 1/3*, CS Mount, f2.8~12 mm/ F1.6, IR, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5601, ACM-5601, ACM-5611, TCM-4201, TCM-4201, TCM-4511, TCM-5611, TCM-5601, TCM-5611, TCM-5811 1/2*, CS Mount, f3.1~8 mm/ F1.2, IR, DC Iris for TCM-5601, TCM-5611, TCM-5311 1/2*, CS Mount, f3.1~8 mm/ F1.2, IR, P-Iris for KCM-5111 Outdoor Housing with IP66, Powered by AC 110V for ACM-5001, ACM-56x1, TCM-5311, TCM-5111, TCM-56x1 Outdoor Housing with IP66, Powered by AC 220V for ACM-5001, ACM-56x1, TCM-5311, TCM-5111, TCM-56x1 Housing Bracket for PMAX-0200, PMAX-0201, PMAX-0202 Camera Bracket for ACM-1511, ACM-5001, ACM-56x1, TCM-1511, TCM-5111, TCM-5311, TCM-5311, TCM-5311, TCM-56x1, KCM-5111, KCM-5211, KCM-5311, TCM-56x1, TCM-5111, TCM-5111, TCM-5111, TCM-5111, TCM-5111, TCM-5211, TCM-5211, TCM-5011, TCM-5111, TCM-5111, TCM-5111, TCM-5211, TCM-5211, TCM-5211, TCM-5111, TCM-5111, TCM-5111, TCM-5211, TCM-5211, TCM-5211, TCM-5211, TCM-5211, TCM-5211, TCM-5311, TCM-53111, TCM-53111, TCM-53111, TCM-53111, TCM-53111, TCM-53111, TCM-53111, TCM-53111, TCM-5	1.1 1.1 1.1 1.1 1.1 5.5 3.3 3.3 2.2 0.66 0.66 2.2	Available in 2012 Apr		23 144 123 420 220 279 105 105 42 20 14
PMON-1001-010 Accessories Lens PLEN-0121 PLEN-0201 PLEN-0202 PLEN-0205 PLEN-0212 PLEN-0213 Outdoor Housing PMAX-0200 PMAX-0200 PMAX-0201 PMAX-0201 PMAX-1101 Camera Bracket PMAX-1100 PMAX-1100 PMAX-1102 PMAX-1103 Pixed Dome Cover PDCX-0101 PDCX-0100	Belt Bag 1/3*, Board Mount, f2.8mm/F2.0, IR, Fixed Iris for TCM-3111, TCM-3401, TCM-3411, ACM-3401 1/3*, CS Mount, f2.4-6 mm/ F1.2, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5601, TCM-4201, TCM-4511, TCM-5601 1/3*, CS Mount, f2.8-12 mm/ F1.6, IR, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5601, TCM-5611, ACM-5611 1/2*, CS Mount, f3.1-8 mm/ F1.2, IR, DC Iris for TCM-5601, TCM-5611, TCM-5311 1/2*, CS Mount, f3.1-8 mm/ F1.2, IR, P-Iris for KCM-5111 Outdoor Housing with IP66, Powered by AC 110V for ACM-5001, ACM-56x1, TCM-5311, TCM-5111, TCM-56x1 Outdoor Housing with IP66, Powered by AC 220V for ACM-5001, ACM-56x1, TCM-5311, TCM-5111, TCM-56x1 Undoor Housing with IP66 for ACM-5001, ACM-56x1, TCM-5111, TCM-56x1 Housing Bracket for ACM-1511, ACM-5001, ACM-56x1, TCM-5111, TCM-56x1 Housing Bracket for ACM-1511, ACM-5001, ACM-56x1, TCM-1511, TCM-5111, TCM-5311, TCM-56x1, KCM-5111, KCM-5211, KCM-5311 Camera Bracket for ACM-1511, ACM-5001, ACM-56x1, TCM-1511, TCM-5111, TCM-5311, TCM-56x1, KCM-5111, KCM-5211, KCM-5311 Camera Bracket for ACM-1511, TCM-501, ACM-56x1, TCM-1511, TCM-5111, TCM-5311, TCM-5311, TCM-5311, TCM-5211, KCM-5211, KCM-5311 Camera Bracket for ACM-1511, TCM-501, ACM-301, ACM-34x1, TCM-3111, TCM-34x1 Indoor, Smoke, Fixed Dome Cover for ACM-3001, ACM-34x1, TCM-3511 Indoor, Smoke, Fixed Dome Cover with Vandal proof for ACM-3601, ACM-3701 Outdoor, Smoke, Fixed Dome Cover with Vandal proof for ACM-7411, TCM-7411, KCM-	1.1 1.1 1.1 1.1 1.1 5.5 3.3 3.3 2.2 0.66 0.66 2.2 2.2	No		23 144 123 420 220 279 105 105 42 20 14 14 20
PMON-1001-010 Accessories Lens PLEN-0121 PLEN-0201 PLEN-0202 PLEN-0205 PLEN-0212 PLEN-0213 Outdoor Housing PMAX-0200 PMAX-0200 PMAX-0201 PMAX-1010 Camera Bracket PMAX-1100 PMAX-1100 PMAX-1102 PMAX-1103 Fixed Dome Cover PDCX-0101 PDCX-0100 PDCX-1102	Belt Bag 1/3", Board Mount, f2.8mm/F2.0, IR, Fixed Iris for TCM-3111, TCM-3401, TCM-3411, ACM-3401 1/3", CS Mount, f2.4-6 mm/ F1.2, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5601, TCM-4201, TCM-4511, TCM-5601 1/3", CS Mount, f2.8-12 mm/ F1.6, IR, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5601, ACM-5601, ACM-5611, TCM-4201, TCM-4511, TCM-5611, TCM-5601, TCM-5601, TCM-5611, TCM-5611, TCM-5601, TCM-5611, TC	1.1 1.1 1.1 1.1 1.1 1.1 5.5 3.3 3.3 2.2 0.66 0.66 2.2 2.2 2.2	No		23 144 123 420 220 279 105 105 42 20 14 14 20 14 23
PMON-1001-010 Accessories Lens PLEN-0121 PLEN-0201 PLEN-0202 PLEN-0205 PLEN-0212 PLEN-0213 Outdoor Housing PMAX-0200 PMAX-0200 PMAX-0201 PMAX-0201 PMAX-1101 Camera Bracket PMAX-1100 PMAX-1100 PMAX-1102 PMAX-1103 Fixed Dome Cover PDCX-0101 PDCX-0100 PDCX-1101 PDCX-1101 PDCX-1104 Speed Dome Cover	Belt Bag 1/3*, Board Mount, f2.8mm/F2.0, IR, Fixed Iris for TCM-3111, TCM-3401, TCM-3411, ACM-3401 1/3*, CS Mount, f2.4-6 mm/ F1.2, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5601, TCM-4201, TCM-4511, TCM-5601 1/3*, CS Mount, f2.8-12 mm/ F1.6, IR, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5001, ACM-5601, TCM-4201, TCM-4201, TCM-4201, TCM-4511, TCM-5601, TCM-5601, TCM-5611, TCM-5611, TCM-5611 1/2*, CS Mount, f880 mm/ F1.6, IR, DC Iris for TCM-5311 1/2*, CS Mount, f3.1-8 mm/ F1.2, IR, DC Iris for TCM-5601, TCM-5611, TCM-5311 1/2*, CS Mount, f3.1-8 mm/ F1.2, IR, P-Iris for KCM-5111 Outdoor Housing with IP66, Powered by AC 110V for ACM-5001, ACM-56x1, TCM-5311, TCM-5111, TCM-56x1 Outdoor Housing with IP66, Powered by AC 220V for ACM-5001, ACM-56x1, TCM-5311, TCM-5111, TCM-56x1 Outdoor Housing with IP66 for ACM-5001, ACM-56x1, TCM-5111, TCM-56x1 Housing Bracket for PMAX-0200, PMAX-0201, PMAX-0202 Camera Bracket for ACM-1511, ACM-5001, ACM-56x1, TCM-1511, TCM-5111, TCM-5311, TCM-56x1, KCM-5111, KCM-5211, KCM-5311, TCM-56x1, KCM-5111, TCM-5211, KCM-5211, KCM-5311 Camera Bracket for ACM-1511, ACM-5001, ACM-56x1, TCM-1511, TCM-5111, TCM-5311, TCM-5311, TCM-56x1, KCM-5111, KCM-5211, KCM-5311, TCM-5311, TCM-5311, TCM-5311, TCM-56x1, KCM-5111, KCM-5211, KCM-5311, TCM-5311, TCM-3511, TCM-3511 Indoor, Smoke, Fixed Dome Cover for ACM-3001, ACM-34x1. TCM-3111, TCM-34x1 Indoor, Smoke, Fixed Dome Cover with Vandal proof for ACM-3601, ACM-3701 Outdoor, Smoke, Fixed Dome Cover with Vandal proof for ACM-7411, TCM-7411, KCM-7111, KCM-7211,	1.1 1.1 1.1 1.1 1.1 1.1 5.5 3.3 3.3 2.2 0.66 0.66 2.2 2.2 2.2 2.2 2.2	No		23 144 123 420 220 279 105 105 42 20 14 14 20 14 14 23 30 14
PMON-1001-010 Accessories Lens PLEN-0121 PLEN-0201 PLEN-0202 PLEN-0205 PLEN-0212 PLEN-0213 Outdoor Housing PMAX-0200 PMAX-0200 PMAX-0201 PMAX-1101 Camera Bracket PMAX-1100 PMAX-1102 PMAX-1102 PMAX-1103 Fixed Dome Cover PDCX-0101 PDCX-1101 PDCX-1101 PDCX-1104 Speed Dome Cover PDCX-0001	Belt Bag 1/3*, Board Mount, f2.8mm/F2.0, IR, Fixed Iris for TCM-3111, TCM-3401, TCM-3411, ACM-3401 1/3*, CS Mount, f2.4-6 mm/ F1.2, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5601, TCM-4201, TCM-4511, TCM-5601 1/3*, CS Mount, f2.8-12 mm/ F1.6, IR, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5001, ACM-5601, TCM-4201, TCM-4511, TCM-5611, TCM-5601, TCM-5611, TCM-5611 1/2*, CS Mount, f3.1-8 mm/ F1.2, IR, DC Iris for TCM-5601, TCM-5611, TCM-5311 1/2*, CS Mount, f3.1-8 mm/ F1.2, IR, P-Iris for KCM-5111 Outdoor Housing with IP66, Powered by AC 110V for ACM-5001, ACM-56x1, TCM-5311, TCM-5111, TCM-56x1 Outdoor Housing with IP66, Powered by AC 220V for ACM-5001, ACM-56x1, TCM-5311, TCM-5111, TCM-56x1 Undoor Housing with IP66 for ACM-5001, ACM-56x1, TCM-56x1 Housing Bracket for PMAX-0200, PMAX-0201, PMAX-0202 Camera Bracket for ACM-1511, ACM-5001, ACM-56x1, TCM-1511, TCM-5111, TCM-5311, TCM-56x1, KCM-5111, KCM-5211, KCM-5311 Camera Bracket for ACM-1511, TCM-1511 Camera Bracket for ACM-1511, ACM-5001, ACM-34x1, TCM-3111, TCM-34x1 Indoor, Smoke, Fixed Dome Cover for ACM-3001, ACM-3511, TCM-3511 Indoor, Smoke, Fixed Dome Cover with Vandal proof for ACM-3601, ACM-3701 Outdoor, Smoke, Fixed Dome Cover with Vandal proof for ACM-7411, TCM-7411, KCM-7111, KCM-7211, KCM-7211, KCM-3211 Outdoor, Transparent Speed Dome Cover with Vandal proof for TCM-7811	1.1 1.1 1.1 1.1 1.1 1.1 5.5 3.3 3.3 2.2 0.66 0.66 2.2 2.2 2.2 2.2 2.2 2.2	No		23 144 123 420 220 279 105 105 42 20 14 14 20 14 14 23 30
PMON-1001-010 Accessories Lens PLEN-0121 PLEN-0201 PLEN-0202 PLEN-0205 PLEN-0212 PLEN-0213 Outdoor Housing PMAX-0200 PMAX-0200 PMAX-0201 PMAX-0201 PMAX-1101 Camera Bracket PMAX-1100 PMAX-1102 PMAX-1103 Fixed Dome Cover PDCX-0101 PDCX-0100 PDCX-1101 PDCX-1101 PDCX-1104 Speed Dome Cover	Belt Bag 1/3*, Board Mount, f2.8mm/F2.0, IR, Fixed Iris for TCM-3111, TCM-3401, TCM-3411, ACM-3401 1/3*, CS Mount, f2.4-6 mm/ F1.2, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5601, TCM-4201, TCM-4511, TCM-5601 1/3*, CS Mount, f2.8-12 mm/ F1.6, IR, Manual Iris for ACM-4001, ACM-4201, ACM-5001, ACM-5001, ACM-5601, TCM-4201, TCM-4201, TCM-4201, TCM-4511, TCM-5601, TCM-5601, TCM-5611, TCM-5611, TCM-5611 1/2*, CS Mount, f880 mm/ F1.6, IR, DC Iris for TCM-5311 1/2*, CS Mount, f3.1-8 mm/ F1.2, IR, DC Iris for TCM-5601, TCM-5611, TCM-5311 1/2*, CS Mount, f3.1-8 mm/ F1.2, IR, P-Iris for KCM-5111 Outdoor Housing with IP66, Powered by AC 110V for ACM-5001, ACM-56x1, TCM-5311, TCM-5111, TCM-56x1 Outdoor Housing with IP66, Powered by AC 220V for ACM-5001, ACM-56x1, TCM-5311, TCM-5111, TCM-56x1 Outdoor Housing with IP66 for ACM-5001, ACM-56x1, TCM-5111, TCM-56x1 Housing Bracket for PMAX-0200, PMAX-0201, PMAX-0202 Camera Bracket for ACM-1511, ACM-5001, ACM-56x1, TCM-1511, TCM-5111, TCM-5311, TCM-56x1, KCM-5111, KCM-5211, KCM-5311, TCM-56x1, KCM-5111, TCM-5211, KCM-5211, KCM-5311 Camera Bracket for ACM-1511, ACM-5001, ACM-56x1, TCM-1511, TCM-5111, TCM-5311, TCM-5311, TCM-56x1, KCM-5111, KCM-5211, KCM-5311, TCM-5311, TCM-5311, TCM-5311, TCM-56x1, KCM-5111, KCM-5211, KCM-5311, TCM-5311, TCM-3511, TCM-3511 Indoor, Smoke, Fixed Dome Cover for ACM-3001, ACM-34x1. TCM-3111, TCM-34x1 Indoor, Smoke, Fixed Dome Cover with Vandal proof for ACM-3601, ACM-3701 Outdoor, Smoke, Fixed Dome Cover with Vandal proof for ACM-7411, TCM-7411, KCM-7111, KCM-7211,	1.1 1.1 1.1 1.1 1.1 1.1 5.5 3.3 3.3 2.2 0.66 0.66 2.2 2.2 2.2 2.2 2.2	No		23 144 123 420 220 279 105 105 42 20 14 14 20 14 14 23 30 14

2012 Q2 USA Price List ((FOB	CA)
--------------------------	------	-----

*All prices are in USD

*Plices, ordering part no., specifications and availability schedule are subject to change

*Products may be discontinued

*All cameras and video encoders/ decoders come with ACTI NVR (exception: ACD-3100)

*All video encoders/ video decoders/ speed dome cameras come with Power Adapter

New Product
Price Reduction
Domes with Option Len PR OPTION OPNC NOTE be EOL (LBD in 2012) TBEOL SO

Ordering Part Number	Description	Weight (lbs)	NOTE	MOQ	MSRP	
Dome Camera Mounting	Accessories					
PMAX-0308	Indoor/Outdoor, L type Wall Mount for ACM-30x1, ACM-34x1, ACM-3511, ACM-7411, TCM-3111, TCM-34x1, TCM-3511, TCM-7411, TCM-7811, KCM-7111, KCM-7211, KCM-3211	3.3	SO		40	
PMAX-0801	Indoor Gang Box Converter for ACM-30x1, ACM-34x1, ACM-3511, TCM-34x1, TCM-3511	1.1	so		63	
PMAX-1003	Indoor Flush Mount Kit for ACM-7411, TCM-7411, KCM-7111, KCM-7211	3.3	SO		42	
PMAX-1004	Indoor Flush Mount Kit for TCM-7811 Indoor Flush Mount Kit for ACM-30x1, ACM-34x1, ACM-3511, TCM-3111, TCM-34x1, TCM-	3.3	SO		39	
PMAX-1006	3511	3.3	SO		67	
PMAX-1008	Indoor Flush Mount Kit for KCM-3211	3.3	SO		42	
PMAX-1009	Indoor Flush Mount Kit for KCM-3911	2.2	so		42 42	
PMAX-0310	Hemispheric Camera Wall Mount for KCM-3911	1.1	so		42	
PMAX-0305	Indoor/Outdoor Heavy Duty Wall Mount for ACM-7411, TCM-7411, TCM-7811, KCM-7111,	3.3	SO		77	
PMAX-0309	KCM-7211 Indoor/Outdoor Heavy Duty Wall Mount for CAM-66x0, TCM-66x0	3.3	SO		95	
PMAX-0303	Indoor/Outdoor Gooseneck Without Bracket for ACM-7411, TCM-3111, TCM-7411, TCM-	11.44	so		119	
7811, KCM-7111, KCM-7211, KCM-3211, KCM-3911 Indoor/Outdoor Gooseneck with Bracket for ACM-7411, TCM-7411, TCM-7811, KCM-7111,		12.1	so		165	
RCM-7211		12.1	SO		112	
MAX-0307 Indoor/Outdoor Gooseneck with Bracket for CAM-66x0, TCM-66x0		12.1	SO		137	
PMAX-0402	Indoor/Outdoor Corner Mount Kit for ACM-1xxx, ACM-5xxx, ACM-7411, TCM-1xxx, TCM-	7.7	so		126	
PMAX-0502	3111, TCM-5xxx, TCM-7xxx, KCM-7xxx, CAM-68x0, TCM-66x0, KCM-3211, KCM-3911 Indoor/Outdoor Pole Mount Kit for ACM-1xxx, ACM-5xxx, ACM-7411, TCM-1xxx, TCM- 3111, TCM-5xxx, TCM-7xxx, KCM-7xxx, CAM-66x0, TCM-66x0, KCM-3211, KCM-3911	3.3	SO		121	
DMAY 0700	Indoor/Outdoor Junction Box for ACM-7411, TCM-7411, TCM-7811, KCM-7111, KCM-7211,		60		442	
PMAX-0700	CAM-66x0. TCM-66x0 Indoor/Outdoor Mount Kit for ACM-30xx, ACM-34x1, ACM-3511, ACM-7411, TCM-3111,	5.5	SO		413	
PMAX-0101	TCM-34x1, TCM-3511, TCM-7411, TCM-7811, KCM-7111, KCM-7211, KCM-3211, KCM-3911	2.2	SO		60	
PMAX-0102	Indoor/Outdoor Straight Tube Without Bracket for ACM-7411, TCM-7411, TCM-7811, KCM-7111, KCM-7211	4.4	so		77	
PMAX-0103	Indoor/Outdoor Straight Tube With Bracket for ACM-30xx, ACM-34x1, ACM-3511, ACM-7411, TCM-3111, TCM-34x1, TCM-3511, TCM-7411, TCM-7811, KCM-7111, KCM-7211, KCM-3211, KCM-3911	4.4	so		123	
PMAX-0108 PMAX-0109	Indoor/Outdoor Straight Tube without Bracket for CAM-66x0, TCM-66x0 Indoor/Outdoor Straight Tube with Bracket for CAM-66x0, TCM-66x0	3.3 4.4	SO SO		95	
PMAX-0104	Indoor/Outdoor Extension Tube for ACM-30xx, ACM-34x1, ACM-3511, ACM-7411, TCM-	3.3	SO		163 91	
	34x1, TCM-3511, TCM-7411, TCM-7811, KCM-7111, KCM-7211, CAM-66x0, TCM-66x0	0.0				
PMAX-1001 PMAX-1002	Flush mount kit, Transparent, for ACM-8511 Flush mount kit, Smoke, for ACM-8511	3.3	SO SO		46 46	
	NPT Pendent Mounting Adapter Iron/White H2"*D2.04"*T1&1/2" for CAM-6510, CAM-66x0,		so		31	
69-77H05CPMAH	TCM-66x0	2.2	30		31	
69-77H05CPMAQ	NPT Pendent Mounting Adapter Iron/White H2"*D2.04"*T1&1/4" for CAM-6510, CAM-66x0, TCM-66x0	2.2	so		31	
Power Supply		1	1			
PPBX-0000	IP-66 rated Power Box 110~115V TO AC24V/3A CAM-6510, CAM-66x0, TCM-66x0	6.6	SO		195	
PPBX-0001	IP-66 rated Power Box 220~230V TO AC24V/3A CAM-6510, CAM-66x0, TCM-66x0	6.6	so		195	
PPBX-0002	Universal Power Adapter (100~240V, 2 flat blades/2 round pins/3 flat blades UK type	2.2	SO		22	
PoE Injectors	plug/oblique flat blades)			ļ		
PPOE-0000	IEEE 802.3af PoE Injectors (Mid-Span) for US/Japan (100~240V, 2 flat blades)	2.2	SO		90	
PPOE-1000	IEEE 802.3af PoE Injectors (Mid-Span) for Europe (100~240V, 2 round pins)	2.2	SO		90	
PPOE-3000 PPOE-4000	IEEE 802.3af PoE Injectors (Mid-Span) for UK (100~240V, 3 flat blades UK type plug) IEEE 802.3af PoE Injectors (Mid-Span) for Australia (100~240V, oblique flat blades)	2.2	SO SO		90	
Rack mount Kits	The control of the country for Adolfand (100 2 101, confider hat stades)	2.2				
RMK-2000	4U Rack mount Kit, support Max. 8 devices with cooling Fan forACD-2000Q, ACD-2100, ACD-3100, TCD-2100	19.8	so		599	
R306-00004-000 R306-00007-000	Front-Bezel for ACD-2100, ACD-2000, ACD-3100, for RMK-2000 Front-Bezel for General, for RMK-2000	0.22 0.22	SO SO		14 14	
RMK-3000			so		400	
R306-00008-000	Front-Bezel for ACD-2200, for RMK-3000	0.22	SO		14	
R306-00014-000	Front-Bezel for ACD-2100, ACD-2000Q, ACD-3100, for RMK-3000	0.22	SO SO		14	
R306-00009-000 Camera Installation Kit	Front-Bezel for General, for RMK-3000	0.22	SO		14	
PACX-0002	Rechargeable Li-ion Battery for Camera Installation Kit, PMON-1001	1.1	NEW Available in 2012 Apr		66	
PACX-0003	Charger (US, AC 110-240V, 2 flat blades) for Camera Installation Kit, PMON-1001	1.1	NEW Available in 2012 Apr		20	



ACTi Connecting Vision 2012 Q2 USA Price List (FOB CA)

		NEW	New Product
		PR	Price Reduction
		OPTION	Domes with Option Lens
	NOTE	OPNC	ordering Part No. Chang
		TBEOL	be EOL (LBD in 2012C
			Special Order

- *All prices are in USD
 *Prices, ordering part no., specifications and availability schedule are subject to change
 *Products may be discontinued
 *All cameras and video encoders' decoders come with ACTi NVR (exception: ACD-3100)

*All video encoders/			

Ordering Part Number	Description	Weight (lbs)	NOTE	MOQ	MSRP
PACX-0004	Belt Bag for Camera Installation Kit, PMON-1001	0.22	NEW Available in 2012 Apr		13