



RELEASE CANDIDATE 2

Production Standards V3.0

Part C — Production & Supplier Standards

WORKING EDITION / PENDING PRODUCTION VALIDATION

Release conditions incomplete · release authorization [REQUIRES OWNER] (AC20) · logo from supplied vector kit,
acceptance PENDING (VAL-02) · Document ID GEM-PS-V3.0 RC2 · V3.0 RC2 · issued 2026-10-06

Part C turns the approved identity into controlled production.

A · BRAND GUIDELINES What GEM looks and feels like. Identity, logo, colour, type, direction.	B · DIGITAL DESIGN SYSTEM Digital implementation: tokens, components, accessibility, RTL.	C · PRODUCTION STANDARDS Physical production and supplier release. This document.
--	---	---

PART C OWNS

Production artwork, colour reproduction, print, materials, packaging production, supplier handoff, fabrication, physical proofing, tolerances and production release.

WHICH SOURCE WINS

1 V3 Final Brand Approval Register · 2 Part A, brand and identity · 3 Part B, digital implementation · 4 Part C, physical production · 5 formal technical and legal standards where they apply · 6 V2 / V2.1 and V1, historical · 7 benchmarks and inspiration only. The owning document governs its domain unless the register overrides it.

Core rule: no production data is invented. A value without evidence is marked, never guessed.

Pending material never looks approved.

BRAND STATUS

APPROVED	Final. Use as written.
CONDITIONAL	Usable once a stated condition is met.
PENDING VALIDATION	Evidence outstanding. Never shown as final.
REFERENCE	Illustrative. Not a production standard.

PRODUCTION STATUS

PENDING PRODUCTION MASTER	Master file not yet accepted.
PENDING PHYSICAL PROOF	No physical proof approved.
SUPPLIER PROOF REQUIRED	Supplier must prove the process.
REGULATORY REVIEW REQUIRED	Legal copy needs review.
PROJECT-SPECIFIC	Set per project or site.

Placeholders: [PENDING] [TO BE VERIFIED] [TO BE VERIFIED BY PROCESS TEST] [REQUIRES OWNER] [REQUIRES SUPPLIER] [REQUIRES SUPPLIER / OWNER] [ENTER] [PENDING PRODUCTION MASTER] [PENDING PHYSICAL PROOF] [PENDING PREPRESS STANDARD] [PROJECT-SPECIFIC] [REGULATORY REVIEW REQUIRED] [LEGAL REVIEW REQUIRED]

Edition states: WORKING EDITION → RELEASE CANDIDATE (RC) → APPROVED PRODUCTION STANDARD. An RC is a synchronized working edition issued for validation; it becomes APPROVED only when all six release gates are met and the Brand Owner authorizes release (AC20).

Every step has a role. No names are assigned yet.

Role	Prepares	Checks	Approves	Releases	Archives
Brand Owner	–	–	Brand	Authorizes	–
Design Custodian	Artwork	Brand	–	–	Masters
Production Lead [REQUIRES OWNER] *	Spec	Process	–	Issues job	Job record
Procurement / Supplier QA	–	Terms · proof, goods	–	–	–
Arabic / Localization Lead	–	Arabic	Arabic copy	–	–
Accessibility QA	–	Access	–	–	–
Legal / IP Counsel	–	Copy	Regulatory	–	–
Supplier / Fabricator (external party)	Proofs, samples	–	–	–	–

Named holders: [REQUIRES OWNER]. Roles are the twelve of the V3 Approval Register (Owners & Governance; Part A slide 72). * Production Lead is not a register role: proposed as a delegate of Procurement / Supplier QA, for the Brand Owner to confirm. The allocation is a proposal, not an approved RACI.

Fourteen steps. None may be skipped.

01 Brief received	02 Correct master asset identified	03 Technical specification confirmed	04 Supplier template or dieline received	05 Artwork prepared
06 Internal preflight	07 Supplier proof	08 Brand review	09 Technical and regulatory review	10 Physical proof or sample
11 Corrections	12 Final approval	13 Production release	14 Batch or job record archived	

No production may bypass the sequence unless formally approved in writing. Corrections at step 11 return the job to step 5.

01

IDENTITY

Master artwork, colour, type and Arabic, as production controls.

Required masters: SVG, PDF, EPS if the workflow needs it.

Asset	On file today	Vector master
Primary horizontal signature	SVG, PDF, EPS, PNG supplied	KIT RECEIVED · ACCEPTANCE PENDING
Monochrome (Black)	SVG, PDF, EPS, PNG supplied	KIT RECEIVED · ACCEPTANCE PENDING
Reversed (White)	SVG, PDF, EPS, PNG supplied	KIT RECEIVED · ACCEPTANCE PENDING
Standalone Black symbol	SVG, PDF, EPS, PNG supplied	KIT RECEIVED · ACCEPTANCE PENDING
Standalone Beige symbol	SVG, PDF, EPS, PNG supplied	KIT RECEIVED · ACCEPTANCE PENDING
Standalone White symbol	SVG, PDF, EPS, PNG supplied	KIT RECEIVED · ACCEPTANCE PENDING
Stacked configuration	SVG, PDF, EPS, PNG supplied	KIT RECEIVED · ACCEPTANCE PENDING
Micro / no-spark mark	SVG, PDF, EPS, PNG supplied	KIT RECEIVED · ACCEPTANCE PENDING
Fabrication version	None	[REQUIRES SUPPLIER]
Embroidery version, if needed	None	[PROJECT-SPECIFIC]
Favicon / app assets, if relevant	Icon set supplied (kit)	KIT RECEIVED · ACCEPTANCE PENDING

Vector kit supplied: SVG, PDF, EPS, PNG (see Part B). Controlled names follow X12 at first manifest (VAL-16); files are renamed, never redrawn. Acceptance as production master PENDING (VAL-02).

One geometry source.
Every master on record.

One authoritative geometry source.

No tracing from raster references.

EACH MASTER RECORDS

Asset ID	Asset name
Version	Owner
Approval date	Source file
File checksum	Colour mode
Intended use	Superseded version
Release status	


Unknown values stay [PENDING]. The full record is the asset manifest, appendix N.

Minimum line weights: [TO BE VERIFIED BY PROCESS TEST].

Process	Evidence required before use
Offset print	Press proof of the logo at final size
Digital print	Proof at final size on the job substrate
Screen print	Test print with fine-line check
Engraving	Engraved sample on the actual material
Laser marking	Marked sample on the actual material
Embroidery	Stitched sample from a controlled file
Deboss and emboss	Tooling trial and physical sample
Die-cut	Cut test on the approved die
Signage fabrication	Full-size fabricated sample
Small-format labels	Printed proof at the smallest planned size

No line weight, gap or feature size is stated until process samples exist.

09 · CLEARSPACE AND MINIMUM SIZE



Schematic only: the dashed boundary is 1u on every side.

CARRIED FROM PART A · APPROVED

u = the G-ring radius. 1u minimum, 2u preferred.

Digital: lockup 120px, symbol 32px. Below 32px use the micro / no-spark mark.

PHYSICAL SIZES

Physical minimum sizes: [TO BE VERIFIED BY PROCESS TEST].
Pixels are never converted to millimetres.

No-spark symbol: supplied in kit · ACCEPTANCE PENDING

HEX values are digital references. Physical values are not yet validated.



INK

#12171D

Primary dark brand field and default text colour.

Pantone, CMYK: [PENDING]

Physical reference: [PENDING PHYSICAL PROOF]




BEIGE

#BCACA7

Warm-neutral counterpart to Ink. Not for essential text on White.

Pantone, CMYK: [PENDING]

Physical reference: [PENDING PHYSICAL PROOF]



BLACK

#020202

Monochrome and one-colour production, approved functional states.

Pantone, CMYK: [PENDING]

Physical reference: [PENDING PHYSICAL PROOF]



WHITE

#FFFFFF


Primary light canvas and inverse text colour.

Pantone, CMYK: [PENDING]

Physical reference: [PENDING PHYSICAL PROOF]

No Pantone or CMYK value is stated until validated by a process proof.

Each process earns its own value.



APPLIES TO

CMYK builds · spot colours if required · material colour references · painted finishes · textile · plastics · vinyl · coatings

WHY

Different processes may need different technical values to match the same GEM target. The visual target is the standard; the value is the evidence. The first formally approved physical proof for a process and substrate becomes the controlled process-specific reference target and is logged as a golden sample (Appendix M).

No tolerance is stated until a supplier proof validates it.

MEASUREMENT METHOD [PENDING]	INSTRUMENT [PENDING]	ILLUMINANT [PENDING]
SUBSTRATE [PENDING]	TOLERANCE [PENDING]	VIEWING CONDITIONS [PENDING]

Approval follows printer or supplier proof validation. Until then no Delta E value, instrument or condition may be quoted to a supplier as a GEM standard. The first approved proof for a process and substrate is promoted to the golden sample register (Appendix M) and becomes the comparison reference for that process. No value is created by this standard.

INK

Brand colour. Default dark brand field and default text colour.

BLACK

Monochrome and one-colour production, where approved.

PRODUCTION RULE

Do not casually substitute Black for Ink in premium colour applications.

The supplier uses the artwork variant specified for the job.

Three families. Source, licence and build on record.

Family	Role	Weights	Build and licence
Jost	Display and headings	400 · 500 PENDING	PENDING VALIDATION
Inter	Body and operational	400 · 500 PENDING	PENDING VALIDATION
Noto Sans Arabic	Arabic, interim	[PENDING]	PENDING LOCALIZATION APPROVAL

TO BE DOCUMENTED PER FAMILY

Approved font source [PENDING] · licence owner [REQUIRES OWNER] ·
version and build number [PENDING] · platform use [PENDING] ·
embedded-font rules [PENDING]

NOT FOR PRODUCTION

Futura PT, Montserrat, Aeonik, Satoshi and Whyte are legacy or
reference only. Maximum two weights per composition.

CURRENT IMPLEMENTED WEIGHT = 400 (Jost, Inter). 500 is PENDING ACCEPTED FONT FILE and is not available to any current build. Noto Sans Arabic weights remain [PENDING].

Outline only the final duplicate.

Outlined artwork is a production copy, never an editing master.

PERMITTED FOR

Fabrication artwork · supplier compatibility · cutting and engraving
· final closed artwork

RULES

Keep the editable source separately.

Keep live, searchable text where accessibility or future editing needs it.

Never outline malformed Arabic text.

A native specialist reviews every Arabic proof before production.

Correct shaping, no broken or disconnected letters	True right-to-left setting
No Latin tracking on Arabic	Correct order in mixed-language lines
Latin digits for technical identifiers	Approved numeral policy for guest-facing Arabic [PENDING VALIDATION]
Native Arabic proof review before release	Never outline malformed Arabic text

Working Arabic copy is not approved copy. The tagline stays English only until an Arabic version is explicitly approved. The logo is never mirrored.

ARTWORK & MATERIALS


Preflight, export, print principles, stock and finishes.

Every production file passes eighteen checks.

- | | | |
|---|--|---|
| ☐ Correct master asset | ☐ Correct version | ☐ Correct colour mode |
| ☐ Correct bleed | ☐ Safe area | ☐ Dieline visibility |
| ☐ Overprint | ☐ Transparency | ☐ Image resolution |
| ☐ Linked assets | ☐ Fonts | ☐ Barcode or QR integrity, if used |
| ☐ Spelling | ☐ Arabic shaping | ☐ Regulatory copy |
| ☐ Hidden objects | ☐ Non-printing guides | ☐ Output intent and profile |

Supplier-ready form: appendix C. A file with any open check is not sent.

18 · BLEED AND SAFE AREA



Dashed outer: bleed · Solid: trim · Dotted inner: brand safe area

The supplier dieline governs bleed and trim.

Safe-zone and bleed roles are standardised (T13); their dimensions come from the supplier dieline, never from this standard.

Brand safe areas stay separate from structural tolerances.

Every dieline is approved before artwork preparation.

Values: [REQUIRES SUPPLIER] · Diagram not to scale

The export follows the printer's actual workflow.

Export item	Requirement
PDF standard and version	[PENDING PREPRESS STANDARD]
Embedded profile	[PENDING PREPRESS STANDARD]
Output intent	[PENDING PREPRESS STANDARD]
Fonts	Embedded or outlined, as the supplier requires
Transparencies	[PENDING PREPRESS STANDARD]
Trim and bleed	Set from the approved supplier dieline
Dieline layer	Separate, named, non-printing
Varnish, foil, emboss layers	Named spot layers where the job uses them

No PDF/X version is chosen until the printer workflow is known.

Tactile, restrained, exact.

PRIORITISE

Tactile quality

Restraint

Accurate colour

Matte, controlled surfaces

Precision

Durable execution

AVOID

Decorative gold as a default

Chrome

Holographic effects

Excessive foil

Heavy gloss

Unnecessary effects

Direction is set.
Specification is not.

REMAIN OPEN UNTIL APPROVED SAMPLES EXIST

Attribute	Value
Manufacturer	[REQUIRES SUPPLIER / OWNER]
Grade	[REQUIRES SUPPLIER / OWNER]
GSM	[REQUIRES SUPPLIER / OWNER]
Caliper	[REQUIRES SUPPLIER / OWNER]
Recycled content	[REQUIRES SUPPLIER / OWNER]
Coating	[REQUIRES SUPPLIER / OWNER]
Grain direction	[REQUIRES SUPPLIER / OWNER]

BRAND DIRECTION · PART A

Warm uncoated stock · Ink board · Beige · premium
matte surfaces

Four approved directions. Each needs a physical test.

Deboss Direction · test required	Blind emboss Direction · test required	Soft-touch Direction · test required	Precision die-cut Direction · test required
--	--	--	---

NOT DEFINED UNTIL SUPPLIER TRIALS ARE COMPLETE

Depth	Pressure	Plate specification
Minimum feature size	Registration tolerance	Tooling

Gold is not a GEM colour. Foil is not a default.

IF A PROJECT REQUIRES METALLIC PRODUCTION

1 · Brand Owner approval

2 · Physical proof

3 · A project-specific standard

PACKAGING

Governance, SKU record, dielines, regulatory copy, codes and proof.

One packaging system. Three tiers. Nothing invented.

Core Collection [REQUIRES OWNER] CONDITIONAL · AC03 / VAL-01	Property Edition CONDITIONAL · AC03 / VAL-01	Bespoke Programme CONDITIONAL · AC03 / VAL-01
---	---	--

GEM™ — AMENITIES & PACKAGING IS A DESCRIPTIVE STREAM

It is not a separate brand, symbol or colour system. Every pack carries the one GEM identity. All tiers are CONDITIONAL until commercial scope closes (AC03, VAL-01). The register names Property Edition and Bespoke programmes (E14); it does not name Core Collection.


Packaging owner · [REQUIRES OWNER]	Regulatory reviewer · [REQUIRES OWNER]
------------------------------------	--

Five products define the pilot.

Product	Format	Volume	Material	Closure
Shampoo	[PENDING]	[PENDING]	[PENDING]	[PENDING]
Conditioner	[PENDING]	[PENDING]	[PENDING]	[PENDING]
Body Wash	[PENDING]	[PENDING]	[PENDING]	[PENDING]
Body Lotion	[PENDING]	[PENDING]	[PENDING]	[PENDING]
Hand Wash	[PENDING]	[PENDING]	[PENDING]	[PENDING]

No formulation, ingredient, claim, origin, supplier, MOQ or price is stated in this standard.

Six levels, always in this order.



Top to bottom is the order of visual weight. The layout may flex; the order may not. Six levels as approved (T05); Part A slide 61 states the same.

One record per SKU. Artwork follows the record.

Field	Entry
SKU code (Latin digits)	[REQUIRES OWNER]
Collection / tier	[REQUIRES OWNER]
Product and function	[REQUIRES OWNER]
Quantity and unit	[REQUIRES OWNER]
Primary and secondary pack	[REQUIRES SUPPLIER]
Dieline reference	[PENDING]
Regulatory copy reference	[REGULATORY REVIEW REQUIRED]
Barcode reference	[PENDING]
Artwork version and status	vX.Y · status label

The supplier dieline is the only dieline.

GEM artwork is built onto a supplier-issued dieline. No dimension is set in this standard.

Trim size	Bleed
Safe area	Glue flap



Structure is a supplier decision, tested before release.

Element	Status
Bottle or tube format	[REQUIRES SUPPLIER]
Resin / substrate	[REQUIRES SUPPLIER]
Closure	[REQUIRES SUPPLIER]
Decoration method	[TO BE VERIFIED BY PROCESS TEST]
Carton and inner pack	[REQUIRES SUPPLIER]
Compatibility and durability	[PENDING PHYSICAL PROOF]
Recyclability claim	[REGULATORY REVIEW REQUIRED]

Brand direction asks for matte, restrained surfaces. It does not choose a material.

Brand does not write regulatory copy.

Ingredients, origin, claims, warnings, batch and expiry text are supplied by an accountable owner and reviewed per market before artwork is released.

Ingredients	Origin	Claims
Warnings	Batch and expiry	Market labelling

Typographic treatment follows GEM type rules. The words belong to the regulatory owner.

Codes are scanned, not styled.

Rule	Requirement
Symbology	[PENDING]
Size and magnification	[PENDING]
Quiet zone	[PENDING]
Colour	Dark on light. Never beige on white
Recolouring or logo overlay	Not permitted
Digits	Latin digits only
Scan verification	[PENDING PHYSICAL PROOF]

Code data and placement are issued by the owner. GEM never generates or alters them.

Short, exact, measured.

USE

Plain product and function names

Verified quantities and units

Sentence-case information lines

AVOID

Superlatives and effusive claims

Unverified benefits

Translated tagline

Arabic pack copy is a working placeholder until native QA is complete. Never tracked, never mirrored.

No pack is released from a screen.

Colour against the physical standard	Logo and type reproduction
Finish and surface feel	Dieline fit and fold
Regulatory copy legibility	Barcode scan result
Durability and compatibility · [PENDING]	Sign-off holder · [REQUIRES OWNER]

The approved sample enters the golden sample register and becomes the production reference.

ENVIRONMENT

Signage, bilingual artwork, tactile, fabrication, corporate and large format.

Principles are brand. Fabrication is the site's.

FIXED BY GEM Palette and contrast Type hierarchy and glyph language Logo rules and clearspace	SET PER SITE · REQUIRES SITE VALIDATION Dimensions and mounting Material and illumination Viewing distance and tolerance
---	--

No site dimension, illumination level, mounting method or fabrication tolerance is set in this standard.

Every sign type is registered before it is made.

Type	Role	Size and material	Status
Identification	Names a space	[PROJECT-SPECIFIC]	[PENDING]
Directional	Guides movement	[PROJECT-SPECIFIC]	[PENDING]
Room number	Identifies a door	[PROJECT-SPECIFIC]	[PENDING]
Amenity	Marks a service	[PROJECT-SPECIFIC]	[PENDING]
Regulatory	Safety and code	[REGULATORY REVIEW REQUIRED]	[PENDING]
External / building identification	Names the property from outside	[DEFERRED]	Deferred (S02)

Scaled proportionally. Never redrawn.

Released vector artwork may be scaled proportionally by the supplier to the approved fabrication size. The artwork must not be redrawn, reshaped, re-spaced, stretched, compressed or reconstructed.

GEM master geometry remains unchanged

Supplier scaling is proportional only

Minimum physical feature sizes · [TO BE VERIFIED BY PROCESS TEST]

A limitation exposed by scaling goes to a deviation request (appendix K), never an independent change

Any fabrication-specific adaptation needs written approval



Arabic is set natively, never mirrored from Latin.

Arabic text reads right to left and is never letter-spaced	The logo is never mirrored
Both languages carry equal legibility	Room and technical numbers use Latin digits
Arabic leads by default · Saudi/GCC (S07)	Arabic wording · [REQUIRES OWNER]

Noto Sans Arabic is interim. Native review is required before any sign is fabricated. Any exception to the Arabic-first default is a documented project-specific deviation (Appendix K), only where regulation or operations require it.

Tactile content follows the code, not the brand.

Where tactile characters or Braille are required, the applicable accessibility code governs size, spacing, height, contrast and placement.

Governing code · [PENDING]	Braille grade · [PENDING]	Character height · [PENDING]
Mounting height · [PENDING]	Arabic Braille · [PENDING]	Method · [REQUIRES SUPPLIER]

A sample is approved in place, under site light.

Check	Status
Colour against standard	[PENDING PHYSICAL PROOF]
Edge, finish and surface	[PENDING PHYSICAL PROOF]
Glyph and letter accuracy	[PENDING PHYSICAL PROOF]
Viewing from real distance	[PROJECT-SPECIFIC]
Mounting and tolerance	[REQUIRES SUPPLIER]
Approver	[REQUIRES OWNER]

Quiet stationery, produced from approved masters.

Item	Format and stock	Template
Letterhead	[PENDING]	[PENDING PRODUCTION MASTER]
Business card	[PENDING]	[PENDING PRODUCTION MASTER]
Proposal and quotation	[PENDING]	[PENDING PRODUCTION MASTER]
Product sheet	[PENDING]	[PENDING PRODUCTION MASTER]
Envelope and folder	[PENDING]	[PENDING PRODUCTION MASTER]

Layout follows Part A. Print process and stock follow the print and materials standards. Templates are an OPEN DELIVERABLE (AB10, AB11, W01–W10): a Letterhead Set (Application Revision 03) exists as a WORKING APPLICATION / PENDING VALIDATION; no template is accepted.

Scale changes the rules. It does not change the identity.

Vector artwork only	Geometry may be cropped or scaled proportionally, never redrawn
Resolution at viewing distance · [PENDING]	Substrate and ink · [REQUIRES SUPPLIER]
Colour match to standard · [PENDING PHYSICAL PROOF]	Installation tolerance · [PROJECT-SPECIFIC]

One spark per composition applies at every scale.

SUPPLIER & QA

Handoff, proof levels, golden sample, inspection and non-conformance.

A supplier receives a complete package or none.

Included in the brief	Source
Release form	Appendix A, signed
Production artwork	Approved master, versioned
Colour reference	[PENDING PHYSICAL PROOF]
Material and finish direction	Part C, with open items marked
Dieline or site data	Issued by supplier or project
Scaling and adaptation	Proportional only; any change by deviation request
Regulatory copy	[REGULATORY REVIEW REQUIRED]
Proof level and sample due	[REQUIRES OWNER]

Silence is not acceptance.

1 · Receive

Supplier confirms the package is complete

2 · Declare

Supplier flags any item it cannot meet

3 · Sign

Named signatory accepts in writing

Supplier signatory · [REQUIRES SUPPLIER]

GEM countersignature · [REQUIRES OWNER]

44 · FIVE PROOF LEVELS

Each level proves something different.

Level	Name	Proves	Cannot prove / cannot replace
P1	Digital preview	Layout and content	Colour, substrate, finish, fit
P2	Supplier proof	Separations and files	Does not replace a physical production-intent proof where physical characteristics matter
P3	Colour proof	Colour intent only	Material, finish, structure, fit
P4	Physical sample	Required where material, finish, structure, fit, fabrication, tactile quality or surface behaviour matter	Batch consistency
P5	Golden sample	The signed reference for repeat production	Not a substitute for batch inspection

No lower proof level may substitute for a higher level where the higher level proves a physical characteristic relevant to the job.

The golden sample is the reference. Nothing else is.

Approved and signed	Uniquely identified and dated	Held by GEM and by the supplier
Storage conditions · [PENDING]	Review interval · [PENDING]	
Custodian · [REQUIRES OWNER]	Replacement rule · [PENDING]	

A deviation is requested before it happens.



Outcome	Effect
Accepted	Recorded on the change log; masters updated if needed
Rejected	Run continues to the approved specification
Not decided	Production does not proceed

Check what arrives against what was approved.

Check	Standard
Identity	Artwork version matches the release form
Colour	Against golden sample · [PENDING]
Dimensions	Against supplier dieline · [PENDING]
Finish and defects	Against golden sample · [PENDING]
Regulatory copy and codes	Against approved record
Sampling plan	[PENDING]


The first production piece is inspected before the run continues.



Every batch can be traced to its artwork.

Record	Entry
Batch identifier (Latin digits)	[REQUIRES OWNER]
Artwork version used	vX.Y from the manifest
Release form reference	Appendix A number
Production date and supplier	[REQUIRES SUPPLIER]
Inspection result	Pass / hold / reject
Retained sample	[PENDING]

Hold, record, decide, close.



One pattern. Every file.

GEM_[STREAM]_[ASSET]_[VARIANT]_vX.Y_YYYYMMDD.ext	
Underscores separate fields; no spaces	Latin letters and digits only
Version moves up; old versions archive	No "final", "new" or "copy" in a name
Convention X12 of the V3 Approval Register; the date field is the issue date. Proposed, CONDITIONAL [REQUIRES OWNER]: asset ID GEM-[CATEGORY]-[NNN] and SHA-256 checksums, recorded in the manifest (Appendix N).	

If it is not in the manifest, it is not released.

Column	Content
File name	Per naming convention
Version and status	vX.Y · APPROVED / CONDITIONAL / PENDING VALIDATION / REFERENCE
Source master	Parent file and its version
Rights and owner	[PENDING]
Release form	Appendix A reference
Date and by	[REQUIRES OWNER]

Superseded is archived, never deleted.

Released set is frozen per job	Old versions move to 10 Archive	Golden samples stay logged
Retention period · [PENDING]	Archive custodian · [REQUIRES OWNER]	

A – O

APPENDICES

Fifteen working forms for release, proof, approval and control.

Production artwork release form

Field	Entry	Field	Entry
Release form ID		Job / project	
SKU / sign / application ref		Artwork filename	
Artwork version		Master asset reference	
Supplier		Dieline / site-data reference	
Proof level required (P1–P5)		Regulatory review status	
Arabic review status		Physical proof required? Y / N	
Open items carried		Deviation references	
Prepared by / date		Checked by / date	
Brand approval / date		Technical approval / date	
Released by / date		Release status	

RELEASE STATUS: HOLD · CONDITIONAL RELEASE · RELEASED

RELEASED is not permitted while any mandatory open item is unresolved.

Supplier acknowledgement

Field	Entry
Supplier name	[ENTER]
Package received (date)	[ENTER]
Items supplier cannot meet	[ENTER]
Questions raised	[ENTER]
Signatory name and role	[ENTER]
Signature and date	[ENTER]
GEM countersignature and date	[ENTER]
Artwork use (Y06): GEM artwork is used only for the authorized job; no reuse, distribution or adaptation outside the approved scope · LEGAL REVIEW REQUIRED	[ENTER]

Artwork preflight checklist

File name	Artwork version	Job / SKU reference
Supplier	Checker	Date

Check	Result	Evidence	Init.
01 Correct master asset	P · F · N/A		
02 Correct version	P · F · N/A		
03 Correct colour mode	P · F · N/A		
04 Correct bleed	P · F · N/A		
05 Safe area	P · F · N/A		
06 Dieline visibility	P · F · N/A		
07 Overprint	P · F · N/A		
08 Transparency	P · F · N/A		
09 Image resolution	P · F · N/A		

Check	Result	Evidence	Init.
10 Linked assets	P · F · N/A		
11 Fonts	P · F · N/A		
12 Barcode / QR, if used	P · F · N/A		
13 Spelling	P · F · N/A		
14 Arabic shaping	P · F · N/A		
15 Regulatory copy	P · F · N/A		
16 Hidden objects	P · F · N/A		
17 Non-printing guides	P · F · N/A		
18 Output intent / profile	P · F · N/A		

DISPOSITION: READY · HOLD · CORRECT AND RECHECK. Any failed mandatory item: the production file is not released.

Colour proof approval

Field	Entry	Field	Entry
Job / SKU		Supplier	
Substrate		Printing / finishing process	
Colour reference used		Proof type	
Viewing condition [PENDING]		Measurement method [PENDING]	
Instrument [PENDING]		Measured difference [PENDING]	
Visual assessment		Physical reference sample ID	
Approved by		Date	
Proof ID		Samples submitted (count)	

RESULT: PASS · ADJUST · FAIL

No tolerance is pre-filled. Measurement values stay [PENDING] until a method and standard are validated.

Material and finish approval

Field	Entry	Field	Entry
Material ID		Supplier	
Manufacturer		Grade	
GSM / caliper, if applicable		Finish	
Production process		Sample ID	
Brand-direction match		Colour result	
Durability result, if applicable		Deviation from approved direction	
Approver		Date	
Golden-sample reference, if approved			
Grain direction		Supplier datasheet reference	

RESULT: APPROVE · REVISE · REJECT

Unknown values stay [PENDING]. Material attributes are [REQUIRES SUPPLIER / OWNER].

Packaging SKU master

Field	Entry
SKU code (Latin digits)	[ENTER]
Collection / tier	[ENTER]
Product, function, quantity	[ENTER]
Primary pack: format and closure	[ENTER]
Dieline reference	[ENTER]
Regulatory copy reference	[ENTER]
Barcode reference	[ENTER]
Artwork version and status	[ENTER]
Secondary pack	[ENTER]
Market(s)	[ENTER]
Language / bilingual status	[ENTER]

Dieline approval record

Field	Entry
Dieline source and version	[ENTER]
Supplier issuing the dieline	[ENTER]
Trim, bleed, safe area confirmed	[ENTER]
Artwork placed and checked	[ENTER]
Supplier signature / date	[ENTER]
GEM approval / date	[ENTER]

Regulatory copy approval

Field	Entry
Market	[ENTER]
Copy owner [REQUIRES OWNER]	[ENTER]
Ingredients and claims reviewed	[ENTER]
Warnings and labelling reviewed	[ENTER]
Reviewer and credentials	[ENTER]
Decision and date	[ENTER]

Physical sample approval

Field	Entry	Field	Entry
Sample ID		Job / SKU	
Supplier		Artwork version	
Dieline / drawing version		Material	
Finish		Colour result	
Logo reproduction		Type legibility	
Arabic QA status		Barcode / QR test, if relevant	
Construction / fit		Durability / compatibility	
Photographs attached		Approved by	
Date		Golden sample entered? Y / N	

RESULT: APPROVE · REVISE · REJECT

Arabic QA stays PENDING VALIDATION until native review is complete.

Signage fabrication approval

Field	Entry	Field	Entry
Project		Site	
Sign type		Sign ID	
Location		Artwork version	
Drawing revision		Language / bilingual status	
Arabic wording approval		Material	
Finish		Mounting	
Illumination, if applicable		Tactile / Braille requirement	
Viewing-distance check		Full-size sample required? Y / N	
Site approval		Brand approval	
Fabricator approval		Date	

FINAL STATUS: HOLD · CONDITIONAL · APPROVED FOR FABRICATION

Site-specific values are [PROJECT-SPECIFIC]. Arabic wording stays PENDING VALIDATION until approved.

Deviation request

Field	Entry	Field	Entry
Deviation ID		Job / SKU / sign	
Supplier		Requested by	
Date		Existing approved specification	
Requested change		Reason	
Visual impact		Technical impact	
Quality impact		Cost impact	
Timing impact		Regulatory impact	
Risk		Proposed remedy	
Supporting sample / proof ref		Recommendation	
Decision holder		Decision date	
Change-log reference			

DECISION: ACCEPT · REJECT · HOLD

No change is made until a decision is recorded. Decision holder is [REQUIRES OWNER].

Non-conformance report

Field	Entry	Field	Entry
NCR ID		Supplier	
Job / batch		Artwork version	
Defect category		Defect description	
Evidence attached		Quantity affected	
Severity [PENDING]		Batch isolated? Y / N	
Immediate containment		Root cause	
Proposed corrective action		Approved disposition by	
Corrective action completed		Verification result	
Closed by		Date	
Raised by		Date raised / date closed	

DISPOSITION: REWORK · ACCEPT · SCRAP · RETURN

Severity values stay [PENDING] until formally defined.

Golden sample register

Field	Entry	Field	Entry
Sample ID		Item	
SKU / sign / application		Artwork version	
Supplier		Material	
Finish		Colour reference	
Production process		Date approved	
Approved by		GEM custodian	
Supplier custodian		GEM storage location	
Supplier storage location		Photograph reference	
Review date [PENDING]		Replacement date / reason	
Superseded sample ID		Status	

No review interval is set. Review date is entered per sample once an interval is defined.

One row per approved sample.

Asset manifest

IDENTITY	CONTROL	APPROVAL	USE AND STORAGE
Asset ID	Release status	Owner	Intended use
File name	File format	Rights / ownership status	Restrictions
Category	Source master	Created date	Storage location
Asset	Parent / source version	Approved date	Notes
Variant	Supersedes	Approved by	
Version	Release form reference	Checksum	
File name: GEM_[STREAM]_[ASSET]_[VARIANT]_vX.Y_YYYYMMDD.ext (register X12) · the date field is the issue date.			
Proposed, CONDITIONAL [REQUIRES OWNER]: asset ID GEM-[CATEGORY]-[NNN] · SHA-256 checksum · Rights status [PENDING] (VAL-04).			
No unreleased file may be listed as APPROVED.			

Production change log

Field	Entry	Field	Entry
Change ID		Date	
Asset / standard / SKU affected		Previous version	
New version		Reason	
Requested by		Impact assessment	
Deviation reference, if applicable		Approved by	
Effective date		Superseded asset / sample	
Manifest updated? Y / N		Supplier notified? Y / N	

Every change to a standard or master is logged before it takes effect.

Nothing here is closed until the evidence exists.

Logo masters, kit received · VAL-02	No-spark logo, kit received · VAL-02	Stacked logo, kit received · VAL-02
White symbol, kit received · VAL-02	Artwork ownership · VAL-04	Trademark clearance · VAL-03
Font build and licence · VAL-05	CMYK / spot validation · VAL-11, J14	Physical colour standards · VAL-09, J16
Arabic native QA · VAL-07	Image rights · VAL-06	Packaging dielines · VAL-09
Regulatory packaging data · VAL-10	Packaging physical proof · VAL-09	Signage site standards · VAL-12, deferred
Named governance holders · AC19	Final release authorization · AC20	

Gate IDs follow the register's Validation & Evidence sheet (VAL-01 to VAL-21; VAL-18 is not allocated) and the release checkpoints AC17, AC19 and AC20. Digital gates VAL-13, VAL-14, VAL-20 and the cross-document check VAL-21 are tracked in Part B and the RC2 Open Evidence Register.

Six gates. All must be met.

1 · Master assets Open · VAL-02, VAL-03, VAL-04	2 · Production specification Open · AC17, VAL-05, VAL-10	3 · Supplier proof Open · VAL-09, VAL-11
4 · Physical validation Open · VAL-09, VAL-15; VAL-12 deferred	5 · Governance Open · AC19, VAL-16, VAL-21	6 · Release authorization Open · AC20

Until all six are met: V3.0 RC2 · WORKING EDITION / PENDING PRODUCTION VALIDATION

APPROVED PRODUCTION STANDARD only when the evidence exists

One version. One date. One owner.

Document ID GEM-PS-V3.0-RC2	Version V3.0 RC2 (Release Candidate 2)	Edition state WORKING EDITION · NOT RELEASED
Issue date 2026-10-06	Owner Brand Owner [REQUIRES OWNER]	Approver Brand Owner · AC20 PENDING

Release status: RC2 synchronized with Part A and Part B RC2 · evidence gates open · Title: GEM™ Production Standards V3.0 — Part C

Supersedes: Release Candidate 1 (undated) · Related: GEM-BG-V3.0-RC2 (Part A) · GEM-DDS-V3.0-RC2 (Part B) · V3 Approval Register

Change log · RC2, 2026-10-06: authority order and domain ownership (2); edition states and labels (3); register role names (4); master register rows (7); physical reference promotion (12, 13); T13 wording (20); tier status (27); six-level hierarchy T05 (29); external signage deferred S02 (39); Arabic-first default S07 (41); template gate (44); X12 naming (56, N); Y06 clause (B); fields added (D, E, F, L); gate IDs (75, 76). Full record: GEM_V3_RC2_Release_Notes.



A SUPPLIER NEVER HAS TO GUESS.

RELEASE CANDIDATE 2 · WORKING EDITION / PENDING PRODUCTION VALIDATION