| Doc Number: 161310G00000-00 | Doc Version: 008 | Date: 16-Sep-2026 |
|---|---|---|
| **Super** | **Mushshak Automatic Flight Test** | |
| Prepar3D v5 \| Rahwali Airfield (OPRW) \| Automatic Testing Mode | | |

**Super Mushshak Logger - ver. 1.0**

Super Mushshak Airborne Automatic Testing Suite

Flight Test File: Super_Mushak_auto_takeoff_data_2026-09-16_09-30-17_legacy_plot.csv

ONLINE, AUTOMATIC


Test Date: September 16, 2026
Test Time: 09:30:17


## Initial Test Conditions


| Validation | Sim | |
|---|---|---|
| ***** Weight and Balance ***** | | |
| 852 | 852 | Gross Wt (kg) |
| 113 | 113 | Total Fuel Quantity (kg) |
| 0.0 | 0.0 | CG Pos in X Axis (mm) |
| -88.1 | -88.1 | CG Pos in Y Axis (mm) |
| ***** Control Parameters ***** | | |
| nan | nan | Pitch Control Position (raw) |
| -39 | -39 | Roll Control Position (raw) |
| nan | nan | Rudder Pedal Position (raw) |
| 80.0 | 80.0 | Throttle Position (%) |
| 0.0 | 0.0 | Pitch Stick Force (N) |
| -0.1 | 0.5 | Roll Stick Force (N) |
| 0.0 | 0.0 | Rudder Pedal Force (N) |
| 0.0 | 0.0 | Throttle Force (N) |
| ***** Environment Parameters ***** | | |
| 1013 | 1013 | Baro Press (hPa) |
| 12.4 | 12.4 | OAT (deg C) |
| 0.0 | 0.0 | Wind Dir (mag,deg) |
| 0.0 | 0.0 | Wind Spd (kt) |
| ***** Sim Systems ***** | | |
| Off | Off | Primary Motion (-) |
| Off | Off | Secondary Motion (-) |
| 0 | 0 | Sound Level (-) |
| 50 | 50 | Vibration Level (%) |
| ***** Engine Parameters (Piston Engine) ***** | | |
| **Engine 1** | | |
| 2715 | 2715 | Engine Speed (RPM) |
| 80.0 | 80.0 | Throttle Position (%) |
| 50.0 | 50.0 | Fuel Flow (pph) |
| 499 | 499 | Exhaust Gas Temp (deg C) |

| Validation | Sim | |
|---|---|---|
| ***** Flight Parameters ***** | | |
| 80.0 | 80.0 | Indicated Airspeed (kt) |
| 80.0 | 80.0 | Cal Airspeed (kt) |
| 83.5 | 83.5 | Ground Speed (kt) |
| 0.162 | 0.162 | Mach Number (-) |
| 3000 | 3000 | Pressure Alt (ft) |
| 3000 | 3000 | Geometric Alt (ft) |
| 2250 | 2250 | Radar Alt (ft) |
| 750 | 750 | Height of Terrain (ft) |
| -1005 | -1005 | Vertical Velocity (ft/min) |
| 0.0 | 0.0 | Pitch Angle (deg) |
| -0.0 | -0.0 | Bank Angle (deg) |
| 46.5 | 46.5 | Heading (deg) |
| 0.00 | 0.00 | Aircraft Angle of Attack (deg) |
| 0.00 | 0.00 | Sideslip Angle (deg) |
| 46.5 | 46.5 | Track Angle (deg) |
| 0.00 | 0.00 | Roll Rate (deg/s) |
| 0.00 | 0.00 | Pitch Rate (deg/s) |
| 0.00 | 0.00 | Yaw Rate (deg/s) |
| 0.000 | 0.000 | X Body Acceleration (g) |
| 0.000 | 0.000 | Y Body Acceleration (g) |
| 1.000 | 1.000 | Z Body Acceleration (g) |


# 1st Quadrant Combined Group 1 (Airspeed, Climb, Altitude)













# 1st Quadrant Combined Group 2 (Pitch, Bank, Yaw, Heading)
















# 1st Quadrant Combined Group 3 (Propeller, Engine, Throttle)












# 1st Quadrant Combined Group 4 (Joystick Position & Force)



# 1st Quadrant Combined Group 5 (Rudder Pedal Movement & Force)

