Doc Number: 161310G00000-00	Doc Version: 008	Date: 24-Sep-2026
Super	**Mushshak Automatic Flight Test**	
Prepar3D v5 | Rahwali Airfield (OPRW) | Automatic Testing Mode		

Super Mushshak Logger - ver. 1.0

Super Mushshak Airborne Automatic Testing Suite

Flight Test File: Super_Mushak_auto_takeoff_data_2026-09-24_12-08-29_DIAGNOSTIC_legacy_plot.csv

ONLINE, AUTOMATIC

Test Date: September 24, 2026
Test Time: 12:08:29


Initial Test Conditions

Validation	Sim	
***** Weight and Balance *****		
850	849	Gross Wt (kg)
110	110	Total Fuel Quantity (kg)
0.0	0.0	CG Pos in X Axis (mm)
-88.4	-88.4	CG Pos in Y Axis (mm)
***** Control Parameters *****		
-80	-94	Pitch Control Position (raw)
nan	nan	Roll Control Position (raw)
nan	nan	Rudder Pedal Position (raw)
80.0	80.0	Throttle Position (%)
0.9	1.2	Pitch Stick Force (N)
0.0	0.0	Roll Stick Force (N)
0.0	0.0	Rudder Pedal Force (N)
0.0	0.0	Throttle Force (N)
***** Environment Parameters *****		
1013	1013	Baro Press (hPa)
12.0	12.3	OAT (deg C)
0.0	0.0	Wind Dir (mag,deg)
0.0	0.0	Wind Spd (kt)
***** Sim Systems *****		
Off	Off	Primary Motion (-)
Off	Off	Secondary Motion (-)
0	0	Sound Level (-)
50	50	Vibration Level (%)


***** Engine Parameters (Piston Engine) *****

Engine 1		
2696	2647	Engine Speed (RPM)
80.0	80.0	Throttle Position (%)
0.0	0.0	Fuel Flow (pph)
539	497	Exhaust Gas Temp (deg C)


Validation	Sim	
***** Flight Parameters *****		
79.7	79.8	Indicated Airspeed (kt)
79.7	79.8	Cal Airspeed (kt)
83.6	83.6	Ground Speed (kt)
0.127	0.127	Mach Number (-)
3000	3000	Pressure Alt (ft)
3000	3000	Geometric Alt (ft)
2250	2250	Radar Alt (ft)
750	750	Height of Terrain (ft)
803	803	Vertical Velocity (ft/min)
0.0	0.0	Pitch Angle (deg)
-0.0	-0.0	Bank Angle (deg)
46.5	46.5	Heading (deg)
0.00	0.00	Aircraft Angle of Attack (deg)
-0.00	-0.00	Sideslip Angle (deg)
46.5	46.5	Track Angle (deg)
0.00	0.00	Roll Rate (deg/s)
0.30	0.30	Pitch Rate (deg/s)
0.00	0.00	Yaw Rate (deg/s)
0.000	0.000	X Body Acceleration (g)
0.000	0.000	Y Body Acceleration (g)
1.000	1.000	Z Body Acceleration (g)



1st Quadrant Combined Group 1 (Airspeed, Climb, Altitude)
Indicated Airspeed (kts)
Manual Test (Reference)
Automatic Test (Sim)
POH Speed (80 kt)
Tolerance (±3 kt)
Time (s)
Rate of Climb/Descent (fpm)
Manual Test (Reference)
Automatic Test (Sim)
POH ROC (820 fpm)
Tolerance (±100 fpm)
Time (s)
Indicated Altitude (ft)
Manual Test (Reference)
Automatic Test (Sim)
Tolerance (-1000 ft)
Time (seconds)


1st Quadrant Combined Group 2 (Pitch, Bank, Yaw, Heading)




1st Quadrant Combined Group 3 (Propeller, Engine, Throttle)










1st Quadrant Combined Group 4 (Joystick Position & Force)









1st Quadrant Combined Group 5 (Rudder Pedal Movement & Force)

