
Manual vs Automatic — DIAGNOSTIC, not QTG qualified
Indicated Airspeed (kts)
Rate of Climb/Descent (fpm)
Indicated Altitude (ft)
Pitch Angle (deg)
Manual
Automatic
Time (s)


Manual vs Automatic — DIAGNOSTIC, not QTG qualified
Bank Angle (deg)
Magnetic Heading (deg)
Pitch Rate (deg/s)
Yaw Rate (deg/s)
Manual
Automatic
Time (s)
0.000
−0.005
−0.010
−0.015
−0.020
−0.025
−0.030
−0.035
−0.040
46.5
46.4
46.3
46.2
46.1
6
4
2
0
−2
−4
−0.002
−0.004
−0.006
−0.008
−0.010
0
10
20
30
40
50
60
70


Manual vs Automatic — DIAGNOSTIC, not QTG qualified
Propeller 1 RPM
Engine 1 RPM
Throttle 1 Position (%)
Joystick Pitch Position (mm)
Manual
Automatic
Time (s)
2675
2650
2625
2600
2575
2550
2525
2500
84
83
82
81
80
79
78
77
76
0
−10000
−20000
−30000
−40000
0
10
20
30
40
50
60
70


Manual vs Automatic — DIAGNOSTIC, not QTG qualified
Joystick Pitch Force (N)
Joystick Roll Position (mm)
Joystick Roll Force (N)
Rudder Pedal Position (mm)
Manual
Automatic
Time (s)


Manual vs Automatic — DIAGNOSTIC, not QTG qualified
Rudder Pedal Force (N)
Manual
Automatic
0.04
0.02
0.00
−0.02
−0.04
0
10
20
30
40
50
60
70
Time (s)
Sideslip Angle (deg)
0.000
−0.002
−0.004
−0.006
−0.008
−0.010
Manual
Automatic
0
10
20
30
40
50
60
70
Time (s)