Doc Number: 161310G00000-00	Doc Version: 008	Date: 03-Nov-2026

Super Mushshak PID Automatic Flight Test

Prepar3D v5 | Rahwali Airfield (OPRW) | PID Automatic Testing Mode

Super Mushshak Logger - ver. 1.0

Super Mushshak Airborne Automatic Testing Suite

Flight Test File: 1_c_1_Normal_climb_all_engines_operating_pid_auto_2026-11-03_15-48-24.csv

ONLINE, AUTOMATIC

Test Date: 03-Nov-2026 Test Time: 15:48:24


Initial Test Conditions

Validation	Sim	
***** Weight and Balance *****		
	841.1	Gross Wt (kg)
	102.0	Total Fuel Quantity (kg)
	0.00	CG Pos in X Axis (mm)
	0.00	CG Pos in Y Axis (mm)
***** Control Parameters *****		
	21.9	Pitch Control Position (raw)
	-2.39	Roll Control Position (raw)
	-	Rudder Pedal Position (raw)
	100.0	Throttle Position (%)
	-4.80	Pitch Force: Applied/Virtual (N)
	-2.95	Roll Force: Applied/Virtual (N)
	-	Yaw Force: Applied/Virtual (N)
***** Environment Parameters *****		
	1013	Baro Press (hPa)
	10.6	OAT (deg C)
	325.0	Wind Dir (mag,deg)
	8.00	Wind Spd (kt)
***** Engine Parameters (Piston Engine) *****		
	2700	Engine Speed (RPM)
	100.0	Throttle Position (%)
	0.00	Fuel Flow (pph)
	559.6	Exhaust Gas Temp (deg C)


Validation	Sim	
***** Flight Parameters *****		
	80.4	Indicated Airspeed (kt)
	80.5	Ground Speed (kt)
	0.13	Mach Number (-)
	5206	Pressure Alt (ft)
	4471	Radar Alt (ft)
	750.0	Height of Terrain (ft)
	594.2	Vertical Velocity (ft/min)
	-9.07	Pitch Angle (deg)
	2.69	Bank Angle (deg)
	350.8	Heading (deg)
	4.71	Aircraft Angle of Attack (deg)
	-0.51	Sideslip Angle (deg)
	351.9	Track Angle (deg)
	0.17	Roll Rate (deg/s)
	-0.24	Pitch Rate (deg/s)
	0.55	Yaw Rate (deg/s)
	0.24	X Body Acceleration (g)
	0.18	Y Body Acceleration (g)
	-0.21	Z Body Acceleration (g)

Validation: PREVIEW - NOT EVALUATED


1st Quadrant Combined Group 1 (Airspeed, Climb, Altitude)











1st Quadrant Combined Group 2 (Pitch, Bank, Yaw, Heading)















1st Quadrant Combined Group 3 (Propeller, Engine, Throttle)










1st Quadrant Combined Group 4 (Joystick Position & Applied Force)









1st Quadrant Combined Group 5 (Rudder Position & Applied Force)

