

STUDY OF BASIC FUNCTIONS OF SOCKET PROGRAMMING

AIM:

To discuss some of the basic functions used for socket programming.

1.man socket

NAME:

Socket – create an endpoint for communication.

SYNOPSIS:

```
#include<sys/types.h>
#include<sys/socket.h>
int socket(int domain,int type,int protocol);
```

DESCRIPTION:

- Socket creates an endpoint for communication and returns a descriptor.
- The domain parameter specifies a common domain this selects the protocol family which will be used for communication.
- These families are defined in <sys/socket.h>.

FORMAT:

NAME	PURPOSE
PF_UNIX,PF_LOCAL	Local Communication.
PF_INET	IPV4 Internet Protocols.
PF_IPX	IPX-Novell Protocols.
PF_APPLETALK	Apple Talk.

- The socket has the indicated type, which specifies the communication semantics.

TYPES:

1.SOCK_STREAM:

- Provides sequenced , reliable, two-way , connection based byte streams.
- An out-of-band data transmission mechanism, may be supported.

2.SOCK_DGRAM:

- Supports datagram (connectionless, unreliable messages of a fixed maximum length).

3.SOCK_SEQPACKET:

- Provides a sequenced , reliable, two-way connection based data transmission path for datagrams of fixed maximum length.

4.SOCK_RAW:

- Provides raw network protocol access.

5.SOCK_RDM:

- Provides a reliable datagram layer that doesn't guarantee ordering.

6.SOCK_PACKET:

- Obsolete and shouldn't be used in new programs.

2.man connect:

NAME:

connect – initiate a connection on a socket.

SYNOPSIS:

```
#include<sys/types.h>
#include<sys/socket.h>
int connect(int sockfd,const (struct sockaddr*)serv_addr,socklen_t addrlen);
```

DESCRIPTION:

- The file descriptor sockfd must refer to a socket.
- If the socket is of type SOCK_DGRAM then the serv_addr address is the address to which datagrams are sent by default and the only addr from which datagrams are received.
- If the socket is of type SOCK_STREAM or SOCK_SEQPACKET , this call attempts to make a connection to another socket.

RETURN VALUE:

- If the connection or binding succeeds, zero is returned.
- On error , -1 is returned , and error number is set appropriately.

ERRORS:

EBADF	Not a valid Index.
EFAULT	The socket structure address is outside the user's address space.
ENOTSOCK	Not associated with a socket.
EISCONN	Socket is already connected.
ECONNREFUSED	No one listening on the remote address.

3.man accept

NAME:

accept/reject job is sent to a destination.

SYNOPSIS:

```
accept destination(s)
reject[-t] [-h server] [-r reason] destination(s)
```

DESCRIPTION:

- accept instructs the printing system to accept print jobs to the specified destination.
- The -r option sets the reason for rejecting print jobs.
- The -e option forces encryption when connecting to the server.

4.man send

NAME:

send, sendto, sendmsg - send a message from a socket.

SYNOPSIS:

```
#include<sys/types.h>
#include<sys/socket.h>
```

```
ssize_t send(int s, const void *buf, size_t len, int flags);
ssize_t sendto(int s, const void *buf, size_t len, int flags, const struct sock_addr*to, socklen_t tolen);
ssize_t sendmsg(int s, const struct msghdr *msg, int flags);
```

DESCRIPTION:

- The system calls send, sendto and sendmsg are used to transmit a message to another socket.
- The send call may be used only when the socket is in a connected state.
- The only difference between send and write is the presence of flags.
- The parameter is the file descriptor of the sending socket.

5.man recv**NAME:**

recv, recvfrom, recvmsg – receive a message from a socket.

SYNOPSIS:

```
#include<sys/types.h>
#include<sys/socket.h>
ssize_t recv(int s, void *buf, size_t len, int flags);
ssize_t recvfrom(int s, void *buf, size_t len, int flags, struct sockaddr *from, socklen_t* from len);
ssize_t recvmsg(int s, struct msghdr *msg, int flags);
```

DESCRIPTION:

- The recvfrom and recvmsg calls are used to receive messages from a socket, and may be used to recv data on a socket whether or not it is connection oriented.
- If from is not NULL, and the underlying protocol provides the src addr , this src addr is filled in.
- The recv call is normally used only on a connection socket and is identical to recvfrom with a NULL from parameter.

6.man read**NAME:**

read, readonly, return

7.man write**NAME:**

write- send a message to another user.

SYNOPSIS:

write user[ttyname]

DESCRIPTION:

- write allows you to communicate with other users, by copying lines from terminal to
- When you run the write and the user you are writing to get a message of the form:
Message from yourname @yourhost on yourtty at hh:mm:...
- Any further lines you enter will be copied to the specified user's terminal.
- If the other user wants to reply they must run write as well.

8. ifconfig

NAME:

ifconfig- configure a network interface.

SYNOPSIS:

ifconfig[interface]
ifconfig interface[aftype] options | address.....

DESCRIPTION:

- ifconfig is used to configure the kernel resident network interfaces.
- It is used at boot time to setup interfaces as necessary.
- After that, it is usually only needed when debugging or when system tuning is needed.
- If no arguments are given, ifconfig displays the status of the currently active interfaces.

9. man bind

SYNOPSIS:

bind[-m keymap] [-lp sv psv]

10. man htons/ man htonl

NAME:

htonl, htons, ntohl, ntohs - convert values between host and network byte order.

SYNOPSIS:

```
#include<netinet/in.h>
uint32_t  htonl(uint32_t hostlong);
uint16_t  htons(uint32_t hostshort);
uint32_t  ntohl(uint32_t netlong);
uint16_t  ntohs(uint16_t netshort);
```

DESCRIPTION:

- The htonl() function converts the unsigned integer hostlong from host byte order to network byte order.
- The htons() converts the unsigned short integer hostshort from host byte order to network byte order.
- The ntohl() converts the unsigned integer netlong from network byte order to host byte order.

11. man gethostname

NAME:

gethostname, sethostname- get/set host name.

SYNOPSIS:

```
#include<unistd.h>
int gethostname(char *name,size_t len);
int sethostname(const char *name,size_t len);
```

DESCRIPTION:

- These functions are used to access or to change the host name of the current processor.
- The gethostname() returns a NULL terminated hostname(set earlier by sethostname()) in the array name that has a length of len bytes.
- In case the NULL terminated then hostname does not fit ,no error is returned, but the hostname is truncated.
- It is unspecified whether the truncated hostname will be NULL terminated.

12. man gethostbyname

NAME:

gethostbyname, gethostbyaddr, sethostent, endhostent, herror, hstr – error – get network host entry.

SYNOPSIS:

```
#include<netdb.h>
extern int h_errno;
struct hostent *gethostbyname(const char *name);
#include<sys/socket.h>
struct hostent *gethostbyaddr(const char *addr,int len, int type);
struct hostent *gethostbyname2(const char *name,int af);
```

DESCRIPTION:

- The gethostbyname() returns a structure of type hostent for the given hostname.
- Name->hostname or IPV4/IPV6 with dot notation.
- gethostbyaddr()- struct of type hostent / host address length
- Address types- AF_INET, AF_INET6.
- sethostent() – stay open is true(1).
- TCP socket connection should be open during queries.
- Server queries for UDP datagrams.
- endhostent()- ends the use of TCP connection.
- Members of hostent structure:

- a) h_name
- b) h_aliases
- c) h_addrtype
- d) h_length
- e) h_addr-list
- f) h_addr.

RESULT:

Thus the basic functions used for Socket Programming was studied successfully.