




Boolean Strings in Bench Sales Recruitment

Stop searching randomly. Start finding the right candidates — fast, precise, and at scale.

RECRUITER PLAYBOOK

BENCH SALES



What Is a Boolean String?

A Boolean String is a structured search technique that combines keywords with logical operators — **AND, OR, NOT, " "**, and **()** — to surface the most relevant candidate profiles.

Instead of scrolling through hundreds of irrelevant results, Boolean Search gives recruiters **accurate, targeted results in less time.**

OPERATOR 01

AND — Narrow Your Search

AND ensures that **every keyword** appears in the candidate's profile. Use it to require multiple must-have skills simultaneously.

Example

Java AND AWS

Result

Only candidates who have **both** Java and AWS listed in their profile — no exceptions.

OPERATOR 02

OR — Expand Your Pool

OR widens your search by matching **any one of the listed keywords**. Ideal for capturing candidates with equivalent or alternate skills.

Example

Java OR Python

Result

Candidates with Java, Python, **or both** — maximizing your candidate reach.

NOT — Filter Out the Noise

NOT excludes unwanted profiles from your results. Use it to eliminate freshers, interns, or roles you're not targeting.



Example 1

Java NOT Fresher

Java candidates — excluding all freshers.

Example 2

DevOps NOT Manager

DevOps Engineers — excluding managerial profiles.

Quotation Marks & Parentheses

" " — Exact Phrase Match

Quotation marks force the search to find an **exact phrase**, not just individual words scattered across a profile.

"Bench Sales Recruiter"

→ Only profiles containing that exact title.

() — Group Keywords

Parentheses group terms together, controlling the order of operations in your search string.

(Java OR Python) AND AWS

→ Candidates with AWS **and** either Java or Python.



Real Bench Sales Recruiter Examples

1

Java + Cloud + Frontend

("Java Developer" OR "Java Engineer") AND AWS AND (React OR Angular)

2

Full Stack (Experienced)

("Full Stack Developer") AND React AND Node.js NOT Fresher

3

Data Engineer

("Data Engineer") AND Snowflake AND Azure

More Real-World Examples

1

DevOps Engineer

("DevOps Engineer") AND Kubernetes AND Docker NOT
Internship

Finds DevOps Engineers with Kubernetes and Docker —
excluding internship profiles.

2

QA Automation Engineer

("QA Automation Engineer") AND Selenium AND Java

Finds QA Automation Engineers skilled in Selenium and
Java.

The Simple Boolean Formula

Build every search string using this repeatable structure:

1

Primary Skill

(Java OR Spring Boot)

2

Secondary Skill

AND AWS

3

Location

AND Texas

4

Exclude

NOT Fresher

📋 **Complete Example:** (Java OR Spring Boot) AND AWS AND Texas NOT Fresher — finds Java/Spring Boot candidates with AWS in Texas, excluding freshers.

Why Boolean Search Wins



Saves Time

Cut through noise and get to qualified profiles faster.



Precision Results

Every search returns highly relevant, role-matched candidates.



Eliminates Noise

Remove freshers, interns, and irrelevant titles automatically.



Higher Placements

Better searches = better submissions = more placements.

