

CONTENTS

 Acres dMRV — Client Demo & Pitch Script	
0. How to read this script	
The one rule that wins this deal: confident, specific, and true.	
1. Pre-flight checklist (do this 5 minutes before)	
2. Opening hook 🕒 ~60 sec	
3. Why us — the 20-second differentiator 🕒 ~30 sec	
4. 🧵 THE GOLDEN THREAD — “one credit, tree to money and back” 🕒 ~10–11 min	
● BEAT 1 — In the field 🕒 ~2 min · the raw, tamper-evident evidence at the source	
● BEAT 2 — Reviewed, then into a batch 🕒 ~1.5 min · quality control + the methodology guardrails	
● BEAT 3 — Lab + quantification 🕒 ~2 min · the number a VVB can actually trust	
● BEAT 4 — Carbon locked 🕒 ~1 min · the moment of durable storage	
● BEAT 5 — Verification 🕒 ~1.5 min · the independent auditor’s read-through	
● BEAT 6 — Credit issued 🕒 ~1.5 min · serialised, buffered, two-person controlled	
● BEAT 7 — 🎯 THE MIC-DROP: trace it back 🕒 ~1.5 min · our knockout	
5. 🌐 The AI roadmap — where we go together 🕒 ~2.5 min	
6. Objection handling / Q&A 🕒 reactive (~3–4 min)	
7. Closing — the ask 🕒 ~1 min	
Presenter notes	
Timing map (≈18 min + Q&A)	
Demo-safety checklist	
If something breaks — fallback lines (say these, stay calm)	
Accounts (one-click cards on /login, password AcresDemo!26)	
The honesty table (keep this straight in your head)	
⚡ The 5-minute version (for a rushed room)	

Acres dMRV — Client Demo & Pitch Script

The script that wins the room. Follow it top to bottom for a ~18-minute demo + Q&A, or jump to the [5-minute short version](#) at the end.

Live app: https://dmrv-iota.vercel.appSMARTPANTS_PRESERVED_58 · Sign-in: one-click demo cards on [/login](#) (password [AcresDemo!26](#)).

0. How to read this script

- [\[SAY\]](#) = talk-track you can say almost word-for-word.
- [\[CLICK\]](#) = what to do on screen at that moment.
- [\[SWITCH\]](#) = sign out and sign back in as a different role (proves the access model live).
- [\[BEAT\]](#) = a stage in the story.

THE ONE RULE THAT WINS THIS DEAL: CONFIDENT, SPECIFIC, AND TRUE.

We are not the loudest team — we are the team that *proves everything*. So we draw a hard, honest line, out loud, between two things:

<u>Label</u>	<u>What it means</u>	<u>How to deliver it</u>
 LIVE TODAY	<u>The built app, doing the real thing on screen.</u>	<u>Total confidence. This is our proof. Click it.</u>
 ROADMAP	<u>Where we take this <i>together</i> — including the AI layer.</u>	<u>Paint it big and exciting — but always “here’s the plan,” never “here’s what shipped.”</u>

The buyers in this market got burned by offset hype. **Under-claim and over-deliver.** Every time you say “that part is roadmap,” you gain credibility, not lose it. Say it proudly.

1. Pre-flight checklist (do this 5 minutes before)

- ☐ Open https://dmrv-iota.vercel.appSMARTPANTS_PRESERVED_141 and sign in once to warm it up (first load wakes the server).

- ☐ Have **three photos** ready on the desktop (any kiln/fire/soil images), so Beat 1's live upload is smooth. Name them `pyrolysis`, `flame`, `quench` so you grab them fast.
- ☐ Zoom the browser to ~110–125% so the room can read it. Full-screen, hide bookmarks.
- ☐ Have **two tabs** ready: Tab A for the live click-through; Tab B parked on the **Traceability** page for the finale so it's instant.
- ☐ Know your hero credit: `RCC-BIO-IN-P001-2026-RMV-000002` (a retired credit — it tells the richest story).
- ☐ Screenshot fallback folder open in case Wi-Fi dies (see Presenter notes).
- ☐ Decide your primary driver account: `developer@dmrv.demo` (sees the whole chain). You'll briefly switch to **operator** and **verifier** to prove roles.

The seeded story you'll be telling (real numbers, already in the system):

*Deccan Biochar Cooperative, Maharashtra — batch **PB-2026-01: 24 kiln runs** → **18.59 t** of dry biochar → **36.36 tCO₂e** net removed (H/C_{org} **0.42**, permanence **0.703**) → verified → **36 RCCs** minted (**35** to the developer, **1** to the buffer pool), **6** already retired to a corporate buyer.*

2. Opening hook 🕒 ~60 sec

(No screen yet. Or landing page up. Look at them, not the laptop.)

[SAY] “Before I show you a single screen, let's name the real problem. Biochar carbon is hard to *sell* right now — not because the science is weak, but because **buyers don't trust the paper**. They want digital, auditable proof, from the feedstock in the field all the way to the soil — and most projects can't produce it.

So I'm not going to walk you through a feature list. I'm going to do one thing. I'm going to follow **one tonne of biochar** through this entire system — field, kiln, lab, verification, credit — and then I'm going to click a *finished carbon credit* and trace it **all the way back to the photograph of the kiln that made it**, with the GPS and the timestamp still attached.

Everything I show you in that walk-through is **live today** in the platform. At the end I'll show you where we take it next — the AI layer — and I'll be crystal clear about what's shipped versus what we build with you. Let's start in the field.”

Why this works: it reframes the demo from “look at our software” to “watch us solve *your* trust problem,” and it pre-commits us to the honesty that wins.

3. Why us — the 20-second differentiator 🕒 ~30 sec

(Say this on the landing page, or fold into the hook. Don't linger — we prove it by doing.)

[SAY] “Three things make this different from a generic dashboard. **One** — we built the *actual* Rainbow Standard methodology in, not a lookalike: the real 6-month/200-tonne batch rule, the H/C permanence threshold, the buffer pool, the serial format, the verification workflow. **Two** — it's one unbroken chain of custody, traceable both directions. **Three** — the integrity is enforced in the database with role separation, so the people who *make* biochar can't quietly edit the numbers that get *audited*. Let me show you all three, live.”

4. 🧵 THE GOLDEN THREAD — “one credit, tree to money and back” 🕒 ~10–11 min

This is the demo. Seven beats. Keep the story moving; resist rabbit-holes (park them for Q&A).

🟢 BEAT 1 — IN THE FIELD 🕒 ~2 MIN · *THE RAW, TAMPER-EVIDENT EVIDENCE AT THE SOURCE*

[SWITCH] Sign in with the **Kiln Operator** card (`operator@dmrv.demo` — Kabir Sable).

[SAY] “This is Kabir, a kiln operator. He's on his phone, in a field, maybe with no signal. Notice what he sees — this is *his* workspace, scoped to *his* assigned sites. He physically cannot browse another operator's data. That's the separation of duties the methodology demands, enforced for real.”

[CLICK] Go to **Field log** (`/field`).

[SAY] “He picks the kiln, the feedstock delivery he's charring — source, type, weight, moisture — the temperature, the biochar mass. Now the part auditors care about most: **evidence.**”

[CLICK] In **Required evidence**, add the three photos — **Clean pyrolysis process, Flame curtain, Quenching.**

[SAY] “Three photos are *mandatory* for an open-kiln run under the Rainbow Standard — the clean burn, the flame curtain, the quench. The system won’t let him submit without all three. And look here —” (*point to the right rail*) “— **GPS is captured automatically**, and there’s a **connection indicator**. If he’s offline, this run is saved on the device and **syncs the moment he’s back online**. No lost data in the field. That single fact is why field teams actually adopt this.”

[CLICK] Press **Submit for review**.

[SAY] “Submitted. Notice he clicked *Submit for review* — not *Publish*. He **cannot approve his own work**. That goes to someone else. Watch.”

🔒 **Fallback:** if a live photo upload is fiddly, say “*let me show you one already captured*” and open **Kiln runs** → **any run** (/runs). Same proof: the temperature curve, the three geo-tagged photos, the mass. The story doesn’t break.

🟢 BEAT 2 — REVIEWED, THEN INTO A BATCH 🕒 ~1.5 MIN · QUALITY CONTROL + THE METHODOLOGY GUARDRAILS

[SWITCH] Sign in with the **Project Developer** card (developer@dmrv.demo — Ananya). (*The developer/supervisor side reviews and reports — the other half of the separation.*)

[CLICK] Go to **Review queue** (/review).

[SAY] “This is the review side. Kabir’s run is waiting here. A supervisor checks the evidence and approves, rejects, or requests changes — with a comment. Producers on one side, reviewers on the other. No one marks their own homework.”

[CLICK] Go to **Production batches** (/batches).

[SAY] “Approved runs roll up into a **production batch**. And here’s the methodology enforcing itself: every open batch has **two live meters — tonnage toward 200 tonnes, and age toward 6 months**. They go amber as you approach the limit and red when you cross it, because a Rainbow Standard batch is only valid for *whichever comes first*. The software won’t let a batch drift out of compliance.”

[CLICK] Open batch **PB-2026-01**.

[SAY] “Here’s our hero batch — closed and verified. Twenty-four runs, **18.6 tonnes** of dry biochar. And notice the **composite sampling chain** — site pile, site sample, batch sample, off to an accredited lab. That’s the exact Rainbow Standard sampling protocol, documented automatically.”

🟢 BEAT 3 — LAB + QUANTIFICATION 🕒 ~2 MIN · *THE NUMBER A VVB CAN ACTUALLY TRUST*

[CLICK] Go to **GHG quantification** (/ghg) — the **Live GHG calculator**.

[SAY] “This is where biochar becomes carbon. Most tools show you a final tCO₂e number and ask you to trust it. **We show you the whole equation.** This is a comparative life-cycle assessment aligned to **ISO 14064-2** — exactly what a verifier expects.”

[CLICK] Select batch **PB-2026-01** (it prefills the lab values: organic carbon **80.4%**, H/C **0.42**).

[SAY] “It pulls the lab results straight from the batch. Now watch the breakdown on the right — **every line is visible**: dry biochar mass, the permanence fraction from the H/C ratio and soil temperature, gross carbon removal, minus baseline, minus project emissions, minus transport, minus an uncertainty discount — landing on **net CO₂ removed**. No black box. A VVB can replay every step.”

[CLICK] Change the **H/C_org ratio** from to .

[SAY] “And here’s the integrity. Watch the badge — I just made the biochar too unstable. **Instantly ineligible.** The methodology rule — H/C below 0.7 — is *live in the math*, not a footnote. It will not let you quantify credits from biochar that doesn’t qualify.” (Change it back to — badge returns to **Eligible**, net returns to ~*36.4 tCO₂e.)*

[SAY] “Back to eligible. And this is the exact engine that produced this batch’s **verified 36.4 tonnes of CO₂** — every input traceable to a real record. The number a buyer sees is a number a verifier can rebuild from scratch.”

🟢 BEAT 4 — CARBON LOCKED 🕒 ~1 MIN · *THE MOMENT OF DURABLE STORAGE*

[CLICK] Go to **End-use** (/end-use).

[SAY] “This is the moment the carbon is actually *locked* — the biochar leaves the producer and goes into the soil. The Rainbow Standard methodology calls it the end-use point, and it demands proof: quantity, application method, the recipient, **GPS coordinates, and photos**. Here it is on a map, with the proof images attached. This is the difference between ‘we made biochar’ and ‘the carbon is durably stored, and here’s where.’”

● BEAT 5 — VERIFICATION 🕒 ~1.5 MIN · *THE INDEPENDENT AUDITOR'S READ-THROUGH*

[SWITCH] (*Optional but powerful*) Sign in with the **Verifier (VVB)** card (`verifier@dmrv.demo` — Dr. Fischer).

[SAY] “Now the independent verifier. She gets **read access to the whole evidence chain** — she can inspect everything and raise findings, but she **cannot alter a single source record**. Auditor independence, enforced.”

[CLICK] Go to **Verification** (`/verification`) → open the **PB-2026-01** package.

[SAY] “This one screen *is* the verification package. The batch, the transparent GHG result, the lab results with the eligibility check, the **evidence-chain counts** — 24 runs, all their photos, the lab test — and the findings she raised and resolved. She approves or rejects right here.”

[CLICK] Point at **Print package**.

[SAY] “And with one click it's a clean, printable verification report she can file. **This** is what turns a pile of field data into something an auditor signs.”

● BEAT 6 — CREDIT ISSUED 🕒 ~1.5 MIN · *SERIALISED, BUFFERED, TWO-PERSON CONTROLLED*

[SWITCH] (*Optional*) Back to **Project Developer** or sign in as **Registry** (`registry@dmrv.demo`) and go to **Registry** (`/registry`).

[SAY] “Verified batch, quantified removal — now it becomes credits. Rainbow Carbon Credits are issued under **two-person control**: one registry admin initiates, a *different* one approves. The system enforces that you can't approve your own issuance. That's an anti-fraud control, built in.”

[CLICK] Point at the **Issuances** row for PB-2026-01 — **Gross 36 · Buffer 1 · Net 35**.

[SAY] “Here's the issuance. Thirty-six tonnes gross. And look — **the buffer pool automatically took its cut**: at least 2% of every removal, rounded up, set aside as shared insurance against reversal. The developer nets 35; one credit goes to the buffer. Automatic, per the standard.”

[CLICK] Scroll to the **Credit ledger** — the serial numbers.

[SAY] “And every credit is **individually serialised.**” (*Point at the format legend.*) “The serial isn’t random — it **encodes the project, the geography, the vintage, the mechanism.** RCC-BIO-IN-P001- 2026-RMV — Rainbow Carbon Credit, biochar, India, project one, 2026 vintage, removal. You can read a credit’s identity off its serial. And each one is transfer- and retire-tracked, so it can never be double-counted.”

🟢 BEAT 7 — 🎯 THE MIC-DROP: TRACE IT BACK 🕒 ~1.5 MIN · OUR KNOCKOUT

[CLICK] Go to **Traceability** (/traceability) — (*your parked Tab B*).

[SAY] “Okay. Here’s the moment. Every competitor will show you disconnected features. Watch what one connected chain does. I’m going to take a *finished, sold* carbon credit — one that a buyer has already retired against their net-zero target — and walk it backwards.”

[CLICK] In the **credit** selector, pick RCC-BIO-IN-P001-2026-RMV-000002 (*retired to “EcoCorp Net-Zero Programme 2026”*).

[SAY] “This credit was retired by EcoCorp. Now watch.” (*Scroll down the numbered timeline as you narrate.*) “The credit → the issuance and its buffer contribution → the verification that approved it → the transparent GHG number → the lab test, H/C 0.42 → the production batch → the individual kiln runs → the **feedstock deliveries** at the very root — and here—”

[CLICK] At the **Field evidence** step, click one of the photos.

[SAY] “— the actual **photograph of the kiln burn** that produced it, with the **GPS and the timestamp** still on it. From a credit a corporation retired, back to the flame in the field, in about ten seconds.

[SAY — slow down] “That’s the whole pitch. Every credit you sell, you can defend down to the individual kiln run and the photo behind it. That is the integrity buyers and auditors are demanding in 2026 — and it’s live, today.”

(*Optional flourish: click **Trace something else** and pick a **feedstock delivery** to show it runs forward too — delivery → runs → batch → credits.*)

5. 🟢 The AI roadmap — where we go together 🕒 ~2.5 min

(*Shift your tone: from “proof” to “vision.” Be genuinely excited — and genuinely honest.*)

[SAY] “Everything I just showed you is **live today**. Now let me show you why we’re the team to keep building with — because this isn’t just a tool, it’s a platform that gets **smarter and more defensible over time**. These next pieces are our **roadmap** — the plan we’d build *with* you. And a principle runs through all of it: **AI assists, a human always confirms**. In this market, auditability is sacred. We will never let a model quietly decide what becomes a credit.”

● Roadmap — Auto-reading lab reports.

[SAY] “Today your reviewer types the organic-carbon and H/C values off a lab PDF. Going forward, the system reads the PDF and **pre-fills those numbers automatically — your reviewer just confirms**. Fewer transcription errors feeding the carbon math, and faster batch closeout. The human still signs; the robot just does the typing.”

● Roadmap — Photo-integrity flagging.

[SAY] “Next, an integrity layer. When a photo is uploaded, the system **automatically flags anything that doesn’t look like a genuine kiln run** — a stock image, a duplicate, a reused shot — and routes it to a human for review. Note the word *flags*. It **never auto-rejects**. It’s an anti-gaming safeguard that makes your credits *more* trustworthy to buyers — you can tell them every photo passed an integrity check before a human approved it.”

● Roadmap — the bigger picture.

[SAY] “And beyond that: anomaly detection that spots a site whose yields look too good to be true; a buyer-facing transparency portal; auto-generated verification packages. Same philosophy every time — the AI does the heavy lifting, your people stay in control, and the credit gets *more* defensible, never less. That’s the platform we want to build with you.”

6. Objection handling / Q&A 🕒 reactive (~3–4 min)

Answer confidently and honestly. For anything unbuilt, the winning line is always: “*That’s on the near-term roadmap — here’s exactly how we’d deliver it,*” never a bluff.

”Is this actually Rainbow-compliant?”

”We modeled the real methodology, not a generic dashboard — the 6-month/200-tonne batch rule, the composite-pile sampling chain, the H/C permanence threshold, the ISO 14064-2 quantification, the 2% buffer, the serial format, the verification workflow. You saw all of it enforced live. We’d finalize exact-parameter sign-off *with* your certification team, but the framework is faithfully in place.”

”Can our auditor trust the numbers?”

”That’s the design center. The GHG calculation is fully transparent — every input to net result, replayable. The verifier gets independent read access and a printable package. And no producer can edit an approved record. Bring your VVB into a session and let them try to break the chain — that’s the best sales call we can have.”

”What about operators with no internet?”

”Built for it. The field app is **offline-first** — runs are captured on the device and sync automatically when signal returns. You saw the connection indicator. Nothing is lost in a field with no bars.”

”How do we stop operators gaming the photos?”

”Two layers. Today: every run needs GPS-and-timestamped photos of the pyrolysis, flame curtain, and quench, tied to an assigned site and a named operator — and a separate reviewer signs off. [🔵 **Roadmap**] Next: the AI integrity layer that auto-flags suspicious images for a human. It’s a safeguard that *raises* your credit quality — and it flags, it never auto-rejects.”

”What about data security?”

”It’s on Supabase — Postgres with **row-level security on every table**. Access is enforced at the database, not just hidden in the UI: operators see only their sites, verifiers get read-only evidence, only the registry can touch issuance. We validated those boundaries directly. Roadmap items: SSO and per-project data-residency options.”

”What’s built versus what’s roadmap?” *(Reward this question — it’s our favorite.)*

”Great question, and I’ll be exact. **Built and live today:** everything in the walk-through — field capture with offline sync, the batch rules, the transparent GHG engine, end-use, verification, issuance with the buffer and serials, and the full two-way traceability. **Roadmap:** the AI layer — lab-PDF reading, photo-integrity flagging, anomaly detection — plus SSO and the buyer portal. If it was on the screen, it’s real.”

”How fast can we go live?”

”The platform is deployed and running now — you’re looking at it. Onboarding your real project is configuration, not construction: your sites, kilns, feedstock list, and team. We’d target a working pilot in weeks, and phase in the AI roadmap items behind it.”

”What does it cost / how does pricing work?”

"Let's scope it to your project size and credit volume and I'll get you a clear proposal this week. What I'd rather leave you with today is that the expensive, risky part — a working, methodology-faithful platform — already exists. You're not funding a science project."

"Why you, versus the other teams?"

"Ask each team to trace a credit back to a field photo, live. Ask what's built versus roadmap. We'll answer both without flinching. In a market that runs on trust, the team that proves things beats the team that promises things."

7. Closing — the ask 🕒 ~1 min

[SAY] "Let me bring it back to where we started. You need to sell biochar carbon in a market that's starving for trust. What you just saw is a platform where **every credit is defensible down to the flame in the field** — live today — with an AI roadmap that makes it more defensible over time, built with your people in control.

Here's what I'd love to do next. **One:** put your real project into a pilot — your sites, your kilns, your team — so you're clicking your *own* data in a couple of weeks. **Two:** bring your VVB into a session and let them stress-test the evidence chain. **Three:** I'll send a short proposal scoped to your credit volume.

We'd be genuinely proud to build this with you. Can we get a pilot on the calendar?"

(Then stop talking. Let them respond.)

Presenter notes

TIMING MAP (≈18 MIN + Q&A)

Section	Target
Opening hook	1:00
Why-us	0:30
Beat 1 — Field	2:00
Beat 2 — Review + batch	1:30
Beat 3 — GHG (the eligibility flip!)	2:00
Beat 4 — End-use	1:00
Beat 5 — Verification	1:30
Beat 6 — Issuance	1:30
Beat 7 — Traceability mic-drop	1:30
AI roadmap	2:30
Close	1:00
Q&A	reactive

DEMO-SAFETY CHECKLIST

- **Use the seeded data.** Don't improvise new records mid-demo — the story below is known-good.
- **Never demo an unbuilt feature live.** The AI layer is *spoken*, not clicked. If asked “can you show it?” → “It's roadmap — here's exactly how it'll work,” and describe it. That honesty is a feature.
- **Warm the app up** before the meeting (first request after idle is slower).
- **Backup screenshots:** keep stills of the Dashboard, the GHG breakdown, the Registry ledger, and the Traceability timeline-with-photo. If Wi-Fi dies, narrate over the screenshots — the story still lands.
- **Don't rabbit-hole.** If someone dives deep on one screen, say “*great question — let me park it for Q&A so we keep the thread,*” and move.

- **Two-person issuance nuance:** the system blocks approving your *own* initiated issuance. If you want to show a *live* issuance end-to-end you need two registry logins (`registry@` initiates, `admin@` approves) — otherwise just narrate it over the already-issued PB-2026-01. Recommended: narrate it; don't mint live.
- **GHG calculator number nuance:** the live calculator defaults the capture/processing/**transport emissions to zero**, so it reads a touch higher (~37–38 t) than the batch's *saved* verified figure of **36.4 t**, which includes haulage. That's expected — the **saved** quantification (shown on the batch, verification, registry and traceability screens) is the authoritative one. Don't read "36.4" off the calculator; use it to show the *transparency* and the *eligibility flip*, and cite 36.4 as the batch's verified number.

IF SOMETHING BREAKS — FALLBACK LINES (SAY THESE, STAY CALM)

- *"The beauty of a live demo — one honest second while this loads. While it does, here's what you're about to see..."* (then describe the beat).
- *"Let me show you the same thing from the record that's already in the system,"* → open `/runs` or `/registry` instead.
- *"I'll follow up right after this with a recording of that exact flow so you can replay it."*

ACCOUNTS (ONE-CLICK CARDS ON `/LOGIN`, PASSWORD `ACRESDEMO!26`)

Role	Email	Use it for
Project Developer	<code>developer@dmrv.demo</code>	Main driver — sees the whole chain
Kiln Operator	<code>operator@dmrv.demo</code>	Beat 1 — the restricted field view
Kiln Supervisor	<code>supervisor@dmrv.demo</code>	Review / QA side
Verifier (VVB)	<code>verifier@dmrv.demo</code>	Beat 5 — read-only audit
Credit Registry	<code>registry@dmrv.demo</code>	Beat 6 — issuance

THE HONESTY TABLE (KEEP THIS STRAIGHT IN YOUR HEAD)

● Live today	● Roadmap
Offline field capture, GPS + required photos	AI lab-PDF auto-fill
6-mo / 200-t batch enforcement	AI photo-integrity flagging
Transparent ISO 14064-2 GHG engine + H/C rule	Cross-site anomaly detection
End-use / carbon-locking with proof	Buyer-facing transparency portal
Verification package + print	Auto-generated verification packages
Two-person issuance, buffer, serials, retire/transfer	SSO, data-residency options
Row-level security role separation	
Full two-way traceability	

⚡ The 5-minute version (for a rushed room)

- Hook (45s).** *"Biochar carbon is hard to sell because buyers don't trust the paper. I'll follow one tonne through the whole system, then trace a finished credit back to the photo of the kiln that made it. All live."*
- Field → number (90s).** `/field` as the operator: *"Mandatory pyrolysis/flame/quench photos, auto-GPS, works offline, and he can't approve his own run."* Then `/ghg`: select PB-2026-01, and **flip H/C to 0.80 → Ineligible → back to 0.42 → 36.4 tCO₂e**. *"The methodology is live in the math — no black box."*
- Credit (60s).** `/registry`: *"Two-person issuance, automatic 2% buffer, every credit serialised and retire-tracked — RCC-BIO-IN-P001-2026-RMV."*
- The mic-drop (75s).** `/traceability` → pick retired credit `...-000002` → scroll to the **kiln photo with GPS + timestamp**. *"From a credit a corporation retired, back to the flame in the field, in ten seconds. That's the integrity buyers demand — live today."*
- Roadmap + ask (30s).** *"Next we add an AI layer — auto-reading lab PDFs, flagging suspicious photos for a human — always AI-assisted, human-confirmed. Everything I clicked is shipped. Can we put your real project into a pilot?"*

Confident. Specific. True. — that's how this one gets won.