IZRAZ ART MUSEUM (SHOEBOX MUSEUM)

SEM 4 - AAIC1001

ST. XAVIER'S COLLEGE (AUTONOMOUS)

Cheryl Ziaul- UID 228004

Shreya Basrur- UID 228006

Mishthi Mahajan- UID 228042

Sifat Akhter- UID 228046

IZRAZ

ART MUSEUM

PRE-HISTORIC FEMALE FIGURINES AROUND THE WORLD

{The term"Izraz" means expression and art, the museum's main aim is to give an immense experience to visitors to dive into the different expressions of art around the world. Our art collection consists of almost 270 works that not only epitomize the period and movements but also impact individual high points of aesthetic splendor and historical significance.}

Location-: Fort, Mumbai (400001)

ROLES

- **Director- Shreya Basrur**
- **Curator- Sifat Nashi Akhter**
- **Conservator- Mishthi Mahajan**
- **Educator- Cheryl Ziaul**

Description of roles

Director

• In charge of the whole museum and its workings: manages finance and exhibition agenda

• Represents the museum in contact with the public

• Works with the entire staff to make sure the museum runs smoothly

Curator

• Experts often in charge of one type of the collection (drawings, paintings, Egyptian objects, etc.)

• Develop exhibitions supervising the display and information about the objects in their areas

• Oversees the care and acquisition of objects for the collection

• Writes and coordinates publication of museum catalogues

Museum Educator

• Plans tours and other programs for museum visitors of all ages

• Works with the Curators to develop exhibits

• Oversees volunteers (docents, gallery guides, etc.)

Conservators

• They manage, preserve, treat, and document works of art, artifacts, and specimens or works that may require substantial historical, scientific, and archaeological research.

• Conservators document their findings and treat items to minimize their deterioration or to restore them to their original state

Exhibit name: *PRE-HISTORIC FEMALE FIGURINES AROUND THE WORLD*

Storyline

Greetings from the IZRAZ ART MUSEUM, which has just opened. Travel back in time to explore the ancient world, where the mysterious appearance of female figurines reveals the secrets of old societies. The mission of our museum is to present the astounding variety and historical relevance of these antiquated objects, which provide us with insights into the social structures, religious convictions, and creative expressions of our predecessors. You'll come across an amazing collection of prehistoric female figurines from all over the world as you meander through the galleries. Every item conveys a different tale about the holy feminine in prehistoric human societies, from the famous Hippopotamus ivory figure of a woman from Egypt to the breathtakingly gorgeous Marble female figure from Greece.

Our goal is to educate, research, and amuse the public by fostering knowledge and sensitivity towards our rich past through a visitor-friendly museum. The museum is a private, non-governmental organisation that operates independently with funding from the public sector. Located at the southernmost point of Mumbai. Immerse yourself in the symbolism and craftsmanship of these ancient artworks, marvelling at their intricate details and timeless beauty. Gain insight into the role of women in ancient cultures, from symbols of fertility and abundance to embodiments of divine power and wisdom.

Through engaging exhibitions, interactive displays, and informative workshops, our museum invites visitors of all ages to explore the rich tapestry of human history and celebrate the enduring legacy of the prehistoric female figurines. Join us on a journey of discovery and rediscover the ancient roots of our shared humanity.

ABOUT THE EXHIBITION

English-

The PREHISTORIC FEMALE FIGURINES AROUND THE WORLD features a wide range of artefacts from cultures all over the world and explores the significance of fertility figures throughout human history. This exhibition explores the figures' symbolic meanings, historical settings, and the insights they offer regarding fertility, reproduction, and life cycles-related human beliefs and practices. Fertility figurines, which frequently represent feminine forms, have been discovered in archeological sites across multiple cultures and continents that date back thousands of years. These objects are significant emblems of life, fertility, and the earth's regenerating abilities that go beyond simple creative expression. features some of the oldest fertility figurines known to exist, going back to 5000 BCE, including sculptures like Limestone female figurines from Greece(Bourgounte), Hippopotamus ivory figure of a woman from El Badari, Egypt, a bone figure from Egypt, a seated figure from Mesopotamia (Syria), a marble female figure from greece and a sculpture of mother goddess from Pakistan (Balochistan). This section examines their beginnings and their function in prehistoric societies, ranging from Mesopotamia, ancient Egypt, Greece and Pakistan. It delves deeply into the themes of human continuity, creativity, and the universal value of fertility over different cultures from around the world.

Hindi-

पूरे विश्व में प्रागैतिहासिक महिला मूर्तियाँ विभिन्न संस्कृतियों से वस्तुओं की एक व्यापक रेंज प्रदर्शित करती हैं और मानव इतिहास में प्रजनन आकृतियों के महत्व का पता लगाती हैं। यह प्रदर्शनी आकृतियों के प्रतीकात्मक अर्थों, ऐतिहासिक सेटिंग्स, और प्रजनन, प्रजनन क्षमता, और जीवन चक्रों से संबंधित मानव विश्वासों और प्रथाओं के बारे में प्रदान की गई अंतर्दृष्टि का पता लगाती है। प्रजनन मूर्तियाँ, जो अक्सर स्त्री रूपों को प्रस्तुत करती हैं, विश्व भर में विभिन्न संस्कृतियों और महाद्वीपों में ऐतिहासिक स्थलों में हजारों वर्षों पहले की तारीखों में पाई गई हैं। ये वस्तुएं जीवन, प्रजनन क्षमता, और पृथ्वी की पुनर्जनन क्षमताओं के महत्वपूर्ण प्रतीक हैं जो सरल सृजनात्मक अभिव्यक्ति से परे हैं। इसमें ग्रीस से चूना पत्थर की महिला मूर्तियाँ (बौगौंटे), मिस्र से एक महिला की हिप्पोपोटामस आइवरी आकृति (एल बदारी), मिस्र से एक हड्डी की आकृति, मेसोपोटामिया (सीरिया) से एक बैठी हुई आकृति, ग्रीस से एक संगमरमर की महिला आकृति और पाकिस्तान (बलोचिस्तान) से एक माँ देवी की मूर्ति जैसी सबसे पुरानी प्रजनन मूर्तियों की कुछ विशेषताएं हैं, जो 5000 ईसा पूर्व तक जाती हैं। यह खंड

उनकी उत्पत्ति और प्रागैतिहासिक समाजों में उनके कार्य की जांच करता है, जो मेसोपोटामिया, प्राचीन मिस्र, ग्रीस और पाकिस्तान से लेकर है। यह विभिन्न संस्कृतियों से भर में मानव निरंतरता, सृजनात्मकता, और प्रजनन क्षमता के वैश्विक मूल्य की गहराई में जाता है।

Marathi-

जगभरातील प्रागैतिहासिक स्त्री मूर्तिकांचे वैशिष्ट्य हे जगभरातील संस्कृतींमधून आढळणाऱ्या विविध कलाकृतींचा आढावा घेणे आणि मानवी इतिहासातील प्रजनन मूर्तिकांचे महत्त्व शोधणे आहे. ही प्रदर्शनी मूर्तिकांच्या प्रतीकात्मक अर्थांचा, ऐतिहासिक सेटिंग्जचा आणि प्रजनन, प्रजनन क्षमता आणि जीवन चक्रांशी संबंधित मानवी विश्वास आणि प्रथांबद्दल देणार्या अंतर्दृष्टींचा शोध घेते. प्रजनन मूर्तिका, जी अनेकदा स्त्री रूपांचे प्रतिनिधित्व करतात, अनेक संस्कृतीं आणि खंडांमधील पुरातत्व ठिकाणी सापडल्या गेल्या आहेत ज्या हजारो वर्षांपूर्वीच्या आहेत. ही वस्तू जीवन, प्रजनन आणि पृथ्वीच्या पुनरुत्पादन क्षमतेच्या प्रतीकांचे महत्त्वाचे चिन्ह आहेत जे साधे कलात्मक व्यक्तिमत्वाच्या पलीकडे जातात. 5000 इ.स.पूर्वीच्या काही सर्वात जुन्या प्रजनन मूर्तिकांची वैशिष्ट्ये, ग्रीसमधील (Bourgounte) चूनखडीच्या स्त्री मूर्तिका, इजिप्तमधील एल बदारीमधील स्त्रीची हिप्पोपोटॅमस दाताची मूर्ती, इजिप्तमधील एक हाडाची मूर्ती, मेसोपोटामिया (सीरिया) मधील एक बसलेली मूर्ती, ग्रीसमधील एक संगमरवरी स्त्री मूर्ती आणि पाकिस्तान (बलोचिस्तान) मधील मातृदेवतेची मूर्ती यांचा समावेश आहे. हा विभाग त्यांच्या सुरुवातींपासून ते त्यांच्या प्रागैतिहासिक समाजातील कार्यांपर्यंत विविध विषयांवर खोलवर चर्चा करतो, जसे की मेसोपोटामिया, प्राचीन इजिप्त, ग्रीस आणि पाकिस्तान. हे मानवी सातत्य, सृजनशीलता आणि जगभरातील विविध संस्कृतींमधील प्रजननाच्या सार्वत्रिक मूल्यांवर गहनपणे चिंतन करते.

HOURS

Tuesday	**10 am–5 pm**
Wednesday	**10 am–5 pm**
Thursday	**10 am–5 pm**
Friday	**Noon–8 pm**
Saturday	**10 am–5 pm**
Sunday	**Noon–5 pm**
Monday	**Closed**

ADMISSION PRICE

Adults	**200 -/-**
Seniors 60+	**100 -/-**
Students	**75 -/-**
Children 6–11	**20 -/-**
Children under 6	**Free**


SAMPLE INDEX

1.		
	Name of Object	Limestone female figurine
	Type of Object	Stone Sculpture
	Material Type	Limestone
	Description	A thick slab worked flat, with a beak nose, pointed breasts, and vulva triangle left in high relief on the front. The eyebrows are marked by incised lines. Above the slit in the vulva triangle are four incised lines to represent the pubic hair; below is a horizontal groove.
	Location	Greece (Bourgounte)
	Period	4500BC-3200BC (Neolithic)
	Chemical composition	$CaCO_3$ (calcium carbonate)
	Dimensions	Height- 66 centimeters
	Acquisition name	Purchased from, James Theodore Bent
	Date of Acquisition	1886
	Condition	Broken off below the hips, rejoined below breasts.
	Accession number	1886,0310.1

2.		
	Name of Object	Hippopotamus ivory figure of a woman
	Type of Object	Sculpture
	Material type	Hippopotamus ivory
	Description	Hippopotamus ivory figure of a woman, incised eyes, and pubic triangle.
	Technique	Incised
	Location	El Badari, Egypt
	Period	4400BC-4000BC (Badarian)
	Chemical composition	(Ca3OH)2(PO4)6Ca4 with some organic matter.
	Dimensions	Height: 14 centimeters Weight: 114 grams Width: 3.80 centimeters Depth: 2.20 centimeters
	Condition	Good
	Acquisition name	Donated by: British School of Archaeology, Egypt
	Acquisition date	1929
	Accession number	1929,1106.30

3.		
	Name of Object	Bone figure
	Type of Object	Sculpture
	Material type	Bone and glazed composition
	Description	A bone figure of a standing woman; the lapis lazuli inlays in the eyes were probably added in modern times.
	Technique	Inlaid
	Location	Egypt
	Period	Naqada I (4000 BC – 3500 BC)
	Chemical composition	Ca3(PO4)2]3Ca(OH)2
	Dimensions	Height: 11.40 centimeters Weight: 11 grams Width: 2.10 centimeters Depth: 0.60 centimeters
	Condition	Good
	Acquisition name	Donated by Mr. R J Moss & Co
	Acquisition date	1899
	Accession number	1899,1016.1154

4.		
	Name of Object	Seated female
	Type of Object	Clay female sculpture
	Material type	Ceramic, paint
	Description	She sits with her large thighs extended, supporting her breasts with her arms; neither hands nor feet are shown. Her head is missing.
	Location	Mesopotamia (Syria)
	Period	Halaf (ca. 5600–5000 BCE)
	Chemical composition	Al2O3 2SiO2 2H2O
	Dimensions	Height: 5.1 cm Width: 4.5 cm
	Acquisition name	Donated by Rabi Gallery, London.
	Acquisition date	1985
	Accession number	1985.84

5.		
	Name of Object	Marble female figure
	Type of Object	Stone sculpture
	Material type	Marble
	Description	Neolithic figures are predominately female, but their poses and anatomy vary widely. This figurine, with its voluminous lower body, represents a type undoubtedly associated with fertility and reproduction, a central concern in ancient Mediterranean cultures.
	Location	Greece
	Period	Cycladic (4500–4000 BCE)
	Chemical composition	(CaCO3)
	Dimensions	Height: 8 7/16 in. (21.4 cm)
	Acquisition name	A collection of Walter C. Baker, New York
	Acquisition date	1972
	Accession number	1972.118.104

6.		
	Name of Object	Mother Goddess
	Type of Object	Female sculpture
	Material type	Terracotta
	Location	Pakistan (Balochistan)
	Period	Indus Civilization, Mehrgarh style (ca. 3000–2500 BCE)
	Chemical composition	Al2O3 2SiO2 2H2O
	Dimensions	Height: 5 1/4 in. (13.3 cm) Width:1 5/8 in. (4.1 cm)
	Acquisition name	Nancy Wiener Gallery
	Acquisition date	2001
	Accession number	2001.305

ACQUISITION REGISTER (EXCEL)

Accession number	Object	Brief description	Mode of acquisition	Acquired from	Date of acquisition
1,88,60,310.10	Limestone female figure	Stone Sculpture	Loan	British Museum	1886
1,92,91,106.30	Hippopotamus ivory figure	Hippopotamus ivory Sculpture	Loan	British Museum	1929
1899,1016.1154	Bone figure	Sculpture	Donation	R J Moss &Co	1899
1985.84	Seated female	Clay female sculpture	Donation	Rabi Gallery, London.	1985
1972.118.104	Marble female figure	Stone Sculpture	Donation	Walter C. Baker	1972
2001.305	Mother Goddess	Female sculpture	Gift	Nancy Wiener Gallery	2001

CONDITION REPORTS

https://docs.google.com/file/d/1-P3sK8wJNY2ziOuVspwbTXbVPaXRmoZ6/edit?usp=docslist_api&filetype=msexcel

CONSERVATION

Environmental control systems, such as heating, ventilation, and air conditioning (HVAC) systems, will be employed in the gallery along with controlled display environments such as UV filtered window treatment to provide optimal conditions for the conservation of objects.

1. **Limestone**

It is a Sedimentary type of stone. Due to to its softness it was often carved and used for sculptures

Factors of deterioration[1]-

[1] Müller, S. (2021). CLEANING & CARING FOR LIMESTONE OBJECTS. In Durham University & University of Cambridge Museums, *Durham University*.

- Air pollution and soluble salts
- Museum visitors; vandalism, accidents, large no of visitors can increase temperature and Rh accelerating risk of salt damage
- Limestone is susceptive to acids as these have ability to dissolve calcium carbonate
- Improper display and storage- unstable shelving and insufficient cushions
- Incorrect temperature and relative humidity

Examination-

Visual inspection under appropriate lighting (tools such as Dino light will be utilised) along with comparison with old photographs and timely documentation

Cleaning techniques[2]-

Cleaning will be based on the origin of soiling

- Dry cleaning methods- Since water can do a lot of damage to limestone objects, it is important to start with dry cleaning via bushes, covering the dust ferrule. Utilisation of low suction vacuum to collect loosened dust. Wired brushes should be avoided. Sponges to be utilised to remove dirt that is more adherent, preferably sponge made of vulcanised natural rubber, microfibre brushes
- Wet cleaning method- Water can be used for removing stubborn soiling. But water bears risk of damage and hence lightly damped cotton swabs should be used.
- In case of superficial darkening of limestone following steps to be followed-1) controlled removal of the dust using a bristle brush and vacuum with suction nozzle 2) wet cleaning using a steamer accompanied by specialised limestone cleaner

Remedial conservation[3]-

- Losses can be filled in with compatible materials such as lime-based mortars or epoxy resins to restore the integrity of the figurine's form
- Care shall be taken to ensure reversibility of repairs and prevention of any detraction from the original appearance or historical significance of the figurine.

---

https://www.sharemuseumseast.org.uk/wp-content/uploads/2021/07/Limestone-Object-Cleaning_Local-Museum-Guide_Version-2.0.pdf

[2] Ibid.

[3] Ibid.

Storage and Exhibition[4]-

- The object shall be kept out of direct sunlight, away from radiators and hot water pipes, as it contains organic components
- Usage of polythene sheet should be avoided as it can create a microclimate where temperature can rise rapidly
- The object shall be kept away from acidic materials, oak wood, plywood and chipboard often contain organic acidic material like formic and acetic acids that can dissolve limestone.
- A Rh ranging (45% to 55%) (silica gel can be utilised) and temperature ranging (18'c to22'c) should be kept stable, installation of a data logger to continuously monitor changes.
- Security bands and guards would also help deter visitors from carving inscriptions onto the work.

Past Conservation Treatment-

- Removed object from base and dowel from object mechanically aided by hot water to dissolve the plaster, Slightly cleaned with Wishab sponge

2. Hippopotamus Ivory[5]

Made from animal tusks and teeth, soft and suitable for nonmetallic tools. Ivory is both organic and inorganic therefore very sensitive and reactive.

Factors of deteriotion-

- Physical force/human error- ivory is fragile, porous, brittle
- Improper display and storage- unstable shelving and insufficient cushions
- Light- Light can increase the surface temperature of objects. Ivory may stain or discolour when exposed to light. Spotlights should be avoided.
- Incorrect Rh- Ivory is hygroscopic and anisotropic, it absorbs and releases moisture as the humidity changes.
- Air pollution and soluble salts

[4] Ibid.

[5] Canadian Conservation Institute. (2023, December 21). *Care of ivory, bone, horn and antler – Canadian Conservation Institute (CCI) notes 6/1*. Canada.ca. https://www.canada.ca/en/conservation-institute/services/conservation-preservation-publications/canadian-conservation-institute-notes/care-ivory-bone-horn-antler.html

Examination-

Visual examination accompanied with Uv examination. Ivory emits a bluish-white fluorescence. UV allows to decipher the pigmentation work done on previous preservation materials

Cleaning-

- Ivory dust can be removed by using soft brushes and gauze covered vacuum cleaning nozzle
- A mixture of water and mild detergent (like ivory snow) and cotton swabs to be used to immediately dry the cleaned surface (only a few cm at a time should be cleaned)
- Ivory should not be soaked in water. Ivory an organic component called ossein, hence water should be avoided to clean, as it can decompose the material due to hydrolysis
- Commercial adhesives should be avoided to repair cracks.
- Protective coatings should be avoided as they age over time and can yellow or darken surface of ivory

Remedial conservation-

- Objects that are broken or cracked can be repaired using pigmented resins. Epoxy-based resins should not be used as they yellow with age and cannot be removed by dissolution. A further disadvantage of epoxy-based adhesives is that the adhesive is stronger than bone and ivory.
- Never using cyanoacrylate super glue for repairs. These have very low viscosities and run everywhere. They go deep inside the structure, closing off pores and are impossible to remove. They will cause differential responses to relative humidity changes and are capable of carrying dirt deeper inside the object.
- If the ivory is flaky, powdery or delaminating, it may require consolidation using a resin and solvent combination such as Paraloid B-72 in acetone. For better penetration, work of this type should be carried out by immersion in a vacuum chamber. Colloidal dispersions such as Primal WS 12, WS 24 and WS 50 also can be used. These have better ageing properties than emulsions and due to their smaller particle size and viscosity, are better able to penetrate the ivory matrix.

How to store and exhibit-

- Ideal RH- 44 to 55 percent (silica gel can be utilised) and temperature- 21'c-25'c, and illumination should be kept below 150 lux, with uv component restricted to 75 (limiting exhibition time can help reduce light damage)
- The object should be kept in a tightened and closed storage.
- Storage drawers should be lined with chemically stable cushions like polyethylene and polypropylene (ethafoam or microfoam)
- Rubber based materials should be avoided, as they can cause unnatural yellowing
- While shifting, they should be wrapped in unbuffed, acid free tissue paper and sealed in a polyethylene bag
- Metal cabinets are preferred to wooden ones, due to emission of acidic vapours from some timbers which can cause harm to ivory.
- Security bands and guards would also help deter visitors from carving inscriptions onto the work.

Past Conservation Treatment -

- Dust removed with a stable brush and vacuum cleaner. Areas without pigment cleaned with cotton-wool swabs moistened with distilled water. Adhesive staining around old breaks is reduced with acetone on cotton wool swabs.
- Dust removed by gentle use of a stable brush. Ingrained dirt removed with 0.5% Synperonic N in distilled water on cotton wool swabs. Old repairs touched out using powder pigments in Rowney Acrylic Medium to tone with the surrounding original surface.
- Lightly cleaned with soft brushes, checked old fractures, breaks and reconstructions, all found to be secure.

3. Bone[6]

Bone is made up of organic and mineral, allowing the bone to be flexible and hard at the same time.

[6] Ibid.

Causes of deterioration-

- Physical forces- Sweat and oils left behind bare hands assist in promoting mould growth and other damage to the objects. Wearing gloves, handling the object with two hands (rather than one), and avoiding any weak spots on an object will help prevent
- Water, temperature and moisture- Since bones are anisotropic and hygroscopic
- Light-Organic materials are highly sensitive to light and the light will cause fading or structural damage if it is not filtered and kept low. A few examples of heat sources that can damage museum objects, and organic materials, in particular, are exhibit lighting, direct sunlight, and their position in relation to heat registers, and radiators
- Air pollution and soluble salts
- Improper display and storage- unstable shelving and insufficient cushions

Examination-

Visual inspection under appropriate lighting (tools such as Dino light will be utilised) along with comparison with old photographs and timely documentation

Cleaning-

- Dry cleaning via utilisation of soft bristled brushes
- If the bone artefact has developed surface oxidation or darkening over time, a solution of hydrogen peroxide or diluted bleach can be used to lighten the discoloration.

Remedial conservation-

Application of polymers can be utilised to give structural support to deteriorating bones. The polymers should be colourless, transparent amd have a ph value similar or close to the ph value of bone

Storage-

- Ideal storage conditions for bones is 35 % to 55% Rh with minimal fluctuations (silica gel can be utilised)
- In order to circumvent excessive heating of bone objects, temperatures should be kept as constant as possible, no greater than 68 degrees Fahrenheit with no fluctuations of more than +/- 3 degrees a day.

- Excessive exposure to light should be avoided in order to prevent bleaching of materials, especially bone. Illumination should be kept below 150 lux
- Bone objects can be protected further by being wrapped in unbuffered, acid-free tissue paper and/or placed in a sealed polyethylene bag when being transported
- The storage drawers and shelves should be lined with a chemically stable cushioning material such as polyethylene or polypropylene sheeting, as opposed to a rubber-based material that can produce unnatural yellowing.
- Security bands and guards would also help deter visitors from carving inscriptions onto the work.

Past Conservation Treatment-

- Surface cleaning removed under microscope. Washed with distilled water and IMS. Consolidated in vacuum with Bedacryl 122X in toluene.
- Cleaned with water wool swabs and distilled water

4. Ceramic[7]

Ceramic encompasses objects made from fired clay. Generally, ceramics are brittle, they can withstand very high temperatures and not prone to chemical erosion

Factors of deterioration-

- Physical forces-Museum visitors; vandalism and accidents
- Unstable temperature and Rh- Ceramics may contain soluble salts and incorrect temperature and Rh can lead to crystallisation of salt near the surface of the object.
- Air pollution- Pollution can introduce ceramic to compounds that convert to soluble salts
- Incorrect storage materials, improper padding- Pads may become more acidic with age. Some storage materials offgas compounds that convert to soluble salts like wooden cabinets.

Examination-

Visual inspection under appropriate lighting (tools such as Dino light will be utilised) along with comparison with old photographs and timely documentation

[7] Odegaard, N. (2014). Ceramics: conservation and preservation. In *Springer eBooks* (pp. 1315–1318). https://doi.org/10.1007/978-1-4419-0465-2_2057

Cleaning-

- Dry cleaning- Brushing and vacuuming to be utilised to remove dust.
- Wet cleaning- The object should not be immersed in water, rather wiping should be done with the help of a cotton swab. If there are signs of salinization them poultice should be utilised for cleaning the surface

Remedial conservation

- Visible cracks or chips should be repaired using reversible materials such as epoxy resins or adhesives specifically designed for ceramic conservation.
- Any missing parts or gaps should be filled with a compatible material to ensure structural integrity and aesthetic coherence.

Storage and handling

- Cotton gloves should not be worn while to handle ceramics because the surface are slippery
- Padde container with polyethylene foam should be used to move the objects polyethylene foam-
- Silica gel buffed to 40 % RH should be used to control microenvironment, however silica gel should not touch the object and temperature should range from 15 to 25 C.
- The object should not be kept under direct spotlight as it can cause thermal shock as well as raise the temperature of the case.
- Metal cabinets should be used in preference to unsealed wooden cupboards
- Security bands and guards would also help deter visitors from carving inscriptions onto the work.

5. Terracotta

Teracotta is produced by firing a plastic clay or a hydrated aluminium silicate in a kiln at a temperature above 600. Terracotta is usually considered to be similar to earthenware, with a firing range of 600 to 1200. Found in range of colours from pale pink to deepest brown,

Factors of deterioration[8] -

[8] Notes on the conservation of sculpture, stone, marble and terracotta on JSTOR. (n.d.). *www.jstor.org*. https://www.jstor.org/stable/1505387

- Relative humidity, sunlight and temperature- -Any paint on the surface of the terracotta may be at risk of fading from sunlight
- Atmospheric particles and airborne contaminants put terracotta at high risk as they rae porous material, staining the piece and becoming absorbed into the structure
- Water- The different compounds in water can flux and react in different ways to different terracotta. In naturally occurring water, carbon dioxide is dissolved and can create a chemical reaction with minerals in clay bodies that may form calcium bicarbonate which is very soluble. Stagnant water is less damaging because the carbon dioxide is not exhausted.
- Salts- A white haze on the surface is the first indication of soluble salts, which is the salt crystallising . Over time the physical component to the body will crumble until it is completely destroyed

Examination-

Visual inspection under appropriate lighting (tools such as Dino light will be utilised) along with comparison with old photographs and timely documentation

Cleaning[9]-

- Dry cleaning- Brushing and vacuuming to be utilised to remove dust
- Wet cleaning should be avoided as the different compounds in water can flux and react in different ways to different terracotta. In naturally occurring water, carbon dioxide is dissolved and can create a chemical reaction with minerals in clay bodies that may form calcium bicarbonate which is very soluble. Stagnant water is less damaging because the carbon dioxide is not exhausted.
- Dust and grease may be held on the surface loosely by electrostatic forces or weak chemical bonds. Some deposits, such as calcium salts, can be strongly attached to a ceramic surface especially if the surface is unglazed. Chemical and mechanical cleaning methods should be adopted in such cases.

Remedial conservation[10]-

- Chemical consolidants such isocyanates, silanes, siloxanes, and methyl methacrylates can be used in case of terracotta objects.

[9] Ibid.
[10] Ibid.

Display and storage[11]-

- Line storage and display shelves with a thin layer of etha foam (polyethylene foam) or bubble wrap should be used to prevent falling of object
- A stable temperature of 68°F with ±3° should be kept Additionally relative humidity should be stabilised at 50% also with a ±5%.
- Some storing materials can be harmful to ceramic objects. Wool felt attracts and harbours insects including moths and silver fish which can be potentially very harmful to other collection material types. Polyurethane foam deteriorates over time which leaves a by-product that is sticky and acidic.
- Security bands and guards would also help deter visitors from carving inscriptions onto the work.

6. Marble

Marble is chemically reactive and fairly porous. This particular characteristic makes stone inherently susceptible to certain forms of decay which do not affect their metal counterparts.

Factors of deterioration[12]-

- Relative Humidity and temperature- Temperature fluctuations can cause sugaring (Changing thermal cycles cause micro-cracks to form between the calcite grains of the marble. The marble grains then start to disintegrate and become so fragile that they can be reduced to a sugar-like powder of detached calcite grains just by the touch of a finger)
- Air pollution- Pollution can cause loss of high polish, and a gradual growth of an opaque layer of calcium sulphate which flakes off
- Bio weathering
- Improper display and storage- unstable shelving and insufficient cushions
- Physical forces-Museum visitors; vandalism and accidents

---

[11] Ibid.

[12] *Cleaning marble monuments*. (n.d.). https://www.buildingconservation.com/articles/cleaning-marble-monuments/cleaning-marble-monuments.htm

Examination-

Visual inspection under appropriate lighting (tools such as Dino light will be utilised) along with comparison with old photographs and timely documentation

Cleaning[13]-

- Loose dust should be removed via vacuum or brushing
- Since marble is porous, wet cleaning should be proceeded with warm water (wet steam can enhance the chemical action of various cleaning steps)
- Poultices can be used to ensure that any stains are carried above the surface and not washed into its surface.
- Other Chemical cleaning methods include use of biocides and polymer solutions
- In the case of coloured marble, cleaning must proceed carefully because unexpected and unusual pigments may suddenly appear and they may react unfavourably to some cleaning solutions. Where there are layers of paint, a basic decision must be made at the start on which layers are to be removed and which are to remain

Remedial consevation[14]-

- Ethyl silicate-based consolidants: These consolidants penetrate into the porous structure of marble, strengthening its cohesion and stabilising fragile areas. They are commonly used to consolidate weathered or deteriorated marble surfaces.
- Acrylic consolidants: Acrylic resins can also be used to consolidate marble, providing a protective barrier against further deterioration while improving the mechanical properties of the stone.

Storage and dispaly[15]-

- Stone sculptures should be kept off the floor to avoid accidental chipping of corners and scrapes.
- Security bands and guards would also help deter visitors from carving inscriptions onto the work.
- A controlled environment should prevent salt efflorescence. Rh- 40% to 60%; Temp-18’c to 22’c, buffed silica gel can be utilised.

[13] Ibid.
[14] Ibid.
[15] Ibid.

- Handling should be limited to the strictly necessary and large works should always be handled by professionals with appropriate equipment
- Keeping track of the state of the surface of the object to easily detect any flaking or sudden evidence of decay

DISASTER MANAGEMENT PLAN

Introduction

1. Overview and Objectives

The Emergency Preparedness Framework establishes an integrated system for emergency and disaster planning, incorporating proactive measures into routine operations. It furnishes directives, essential data, and procedural protocols for addressing imminent or ongoing emergencies or disasters. [16]Comprising this Emergency and Disaster Plan alongside the Fire and Evacuation Procedure, it directs the endeavours of museum personnel and volunteers in the readiness, response, and recuperation phases of emergencies.[17]

The implementation of emergency preparedness and planning, routine and preemptive maintenance, and periodic training, assessment, and validation of the Framework are imperative for ensuring human safety and safeguarding the museum's collection. These measures uphold the institution's mission.[18]

1.1 A circumstance qualifies as an emergency when it represents a "situation or event of a grave nature, emerging suddenly and without warning, necessitating immediate attention." Conversely, a disaster denotes a widespread emergency with catastrophic repercussions that typically extend beyond the confines of the Art Gallery, impacting neighbouring structures and the broader community.[19] This documentation concentrates on emergencies directly endangering the welfare of the Art Gallery visitors, personnel, volunteers, infrastructure, and artefacts, and which, in the absence of swift intervention, would lead to harm, loss, or

[16] *Museum Handbook: Part I, Museum Collections, chapters*. (2007). . U.S. Dept. of the Interior, National Park Service.
[17] Ibid
[18] Ibid
[19] Ibid

substantial destruction. Many such incidents arise from geographical or climatic factors beyond control, or from unforeseeable calamities of human origin.[20]

To mitigate the impact of such occurrences, the [Museum] has devised an Emergency and Disaster Plan. The Plan aims to:

• Safeguard individuals;

• Organise responders;

• Fortify the premises;

• Minimise harm and establish stability;

• Preserve collections;

• Rectify structural integrity;

• Acquire necessary resources and gear;

• Disseminate information to the public and relevant parties;

• Record the incident;

• Allocate resources effectively for response.

1.2 The primary focuses for emergency intervention will be:

• Ensuring the safety and well-being of individuals;

• Safeguarding essential records and equipment vital for operational continuity (such as foundational documents, collection records, and critical operational files)

• Prioritising the salvage of collections and the restoration of building infrastructure.[21]

[20] *Museum Handbook: Part I, Museum Collections,*.op. cit
[21] *Museum Handbook: Part I, Museum Collections,*.op. cit

Human Resources

2. Emergency Response Team

Individuals have the authorization to carry out their assigned tasks and obligations. A specialized Emergency Response Team (ERT) has been designated to direct the course of action and response for the Art Gallery. Should an emergency occur, the primary decision-maker will be the Response Lead or their appointed representative, who will oversee the ERT. [22]All staff members may be required to aid in the response and recovery operations, often undertaking duties beyond their typical responsibilities.[23]

2.1 To ensure an effective and timely response during emergencies, individuals are assigned specific roles and responsibilities, which they will receive training for in advance to be prepared for action.[24]

2.2 The Emergency Response Team (ERT) will convene regular meetings to coordinate efforts and make decisions regarding the museum's emergency response. [25]Minutes of these meetings will be documented by the Recording Assistant using the ERT Meeting Record found in the Emergency Preparedness Framework Binder. During salvage operations, meetings will occur at least once daily. ERT members will lead teams for large-scale disaster responses and are responsible for disseminating decisions and action plans to their respective workgroups.[26]

2.3 ERT members should be equipped with the necessary materials and communication tools for emergency response, including cell phones or radios. [27]Additional museum-issued communication devices will be procured if needed. ERT members with museum-issued cell phones are responsible for ensuring essential contacts, alert systems, and emergency response apps are accessible on their devices, even without cellular or Wi-Fi connectivity.[28]

---

[22] Bain, J. R. (2012). *HISTORICAL MUSEUM AT FORT MISSOULA MUSEUM EMERGENCY PLAN*. Historical Museum at Fort Missoula.
[23] Ibid
[24] Ibid
[25] Ibid
[26] Ibid
[27] Ibid
[28] Ibid

2.4 In instances of smaller scale or localised emergencies, the ERT may opt to operate with a modified team, ensuring that essential position functions and plan objectives outlined in Section 1.1 are addressed.[29]

Communications and Command

3. Chain of Command

Members of the Emergency Response Team (ERT) will adhere to the following Chain of Command:

• All personnel, including staff and volunteers, will comply with directives issued by emergency service authorities such as law enforcement, fire, and medical personnel.

• During evacuations, all individuals will follow instructions provided by the Chief Fire Warden and Fire Wardens.

• The designated ERT members will report to the Response Lead.

• Personnel without assigned duties will report to the Staffing Assistant initially, or to their designated team Leads as specified.

• In the event of a widespread disaster affecting the community, the Response Lead will coordinate with the Incident Command Team outlined in the Community's Disaster Response Plan.[30]

4. Communicating and Emergency

4.1 An emergency or disaster status is determined by the Response Lead in consultation with the Executive Director. If the Executive Director is unavailable, or cannot be reached, the

[29] Bain, J. R.,op. cit
[30] Bain, J. R.,op. cit

Response Lead (or their Alternate) holds the authority to declare an emergency and convene the ERT.[31]

4.2 Upon encountering an emergency or potential emergency, any member of the Art Gallery's paid or volunteer staff should promptly notify the Response Lead. If human safety is at risk, contacting emergency services takes precedence.

4.3 When faced with an emergency necessitating full or partial evacuation, established fire alarm and public address (PA) system procedures will be activated as per the Fire and Evacuation Procedure.

4.4 In the event of an emergency declared outside of regular operating hours, especially resulting in the closure of the Art Gallery to staff or the reassignment of staff to alternate locations or roles, the following protocol will be implemented:

• Staff will be contacted via text message, phone call, or email, utilizing the method typically employed for staff communication and feasible within the Art Gallery's technological capabilities.

• Supervisors should possess after-hours contact details for staff under their purview for emergency communication purposes.

• In the event of server failure or internet disruption, phone calls will be utilized.[32]

5. Disaster Warning

If a warning of an impending disaster is possible, the Art Gallery must take proactive measures to prepare itself for the anticipated emergency scenario. Such situations could include wildfires, river flooding, severe storms causing building damage or flooding, or any other event permitting preparatory actions to safeguard facilities and collections. If there is a likelihood of facility impact, the following steps should be followed:[33]

---

[31] Ibid

[32] Bain, J. R.,op. cit

[33] American Alliance of Museums. (2012). Developing a Disaster Preparedness/ Emergency Response Plan. In *ALLIANCE REFERENCE GUIDE*. essay.

• Alert all Emergency Response Team (ERT) members and pertinent staff, informing them of the potential need for their assistance should an emergency jeopardise the building or collection.[34]

• Initiate building evacuation if human life or safety is at risk due to the emergency.

• Gather emergency supplies as required.

• Conduct frequent and thorough building inspections if safe to do so. This includes comprehensive surveys of all collection storage and exhibit spaces to verify proper functioning of all systems and detect any leaks or damage.

• Safeguard vital records and equipment from water damage or other harm. Evacuate critical records and collections, prioritizing those identified as essential followed by those located in the most vulnerable areas of the building (if they can be better protected elsewhere during the emergency).[35]

Response

6. Evacuation and Fire

6.1 In the event of a fire or any immediate danger to human safety, commence evacuation procedures as delineated in the Fire and Evacuation Procedure without delay.

6.2 In the event of a fire, activate the nearest fire alarm and vacate the premises immediately. Assemble at an assigned outdoor Muster Point, refraining from using elevators. Close doors and windows while evacuating. Avoid opening hot doors or passages filled with smoke; seek alternate routes if necessary. If smoke is present, stay close to the ground. Use fire extinguishers solely if the fire is manageable (Class A fire extinguisher will be utilised during emergency)[36] and safe to do so, or if required to clear an evacuation path. Dial authorities (Fire Brigade) and provide with:[37]

• Details of the fire's nature;

---

[34] Bain, J. R.,op. cit
[35] Bain, J. R.,op. cit
[36] https://fireprevention.utexas.edu/fire-safety/fire-extinguishers-campus/abcs-fire-extinguishers#:~:text=Class%20A,involving%20these%20ordinary%20combustible%20materials.
[37] Ibid

• Precise fire location;

• Your identity;

• Notification if museum collections are at risk.

6.3 Emergency service authorities or the ERT hold the authority to order evacuations in all other circumstances.

6.4 Clearly marked means of egress and designated Muster Points should be utilized as instructed during training sessions and indicated on maps and signage.

6.5 In instances of minor emergencies where staff can safely remain to initiate emergency responses, the ERT should assess whether public evacuation is necessary for all or part of the premises. Factors to consider include:

• The potential escalation of the situation to endanger public safety;

• The necessity for staff concentration on emergency tasks;

• The safety of visitors, particularly minors, if evacuated (i.e., whether they might be safer indoors);

• The preservation of collection safety in the event of public unrest.

7. Disaster Response

7.1 Flood/ Storm Sewer

In the event of a river flood, overland flood, or storm sewer systems backup, the following steps should be undertaken:

• Notify facilities services or maintenance staff promptly.[38]

• Alert all Emergency Response Team (ERT) members.

[38] American Alliance of Museums. (2012). Developing a Disaster Preparedness/ Emergency Response Plan. In *ALLIANCE REFERENCE GUIDE*. essay.

• Prepare for potential evacuation; devise evacuation routes based on available information and execute evacuation procedures if deemed necessary.

• Exercise caution in areas where water accumulation has occurred; refrain from traversing until safety clearance is granted by qualified personnel, taking note of potential electrocution hazards.

• Assume floodwater contains contaminants and utilize appropriate Personal Protective Equipment (PPE).

• Identify and report the source of water influx to facilities services to halt or mitigate water flow, if feasible.

• Elevate computers and other electronic devices from ground level and disconnect electronic equipment and appliances in susceptible zones, mindful of electrocution risks.

• Transfer vital records, collections records, and archival collections from low drawers and shelves.

• Elevate movable objects from the floor and lower shelves.

• If lower-level flooding is anticipated, relocate objects and records to higher ground, beginning with those situated in vulnerable areas.

• If deemed necessary and safe, commence collections evacuation in accordance with evacuating or Relocating Collections procedures.

• Conduct regular and thorough building inspections for leaks or damage, prioritizing collections storage and exhibit areas, particularly those identified as vulnerable.

• Prepare emergency supplies including buckets, polyethylene sheeting, mops, towels, and Coroplast boxes for relocating affected objects or those susceptible to damage. [39]

• Initiate Building and Environmental Stabilization procedures once the primary cause of damage is contained or diminishes. Note that post-severe flooding, an assessment by a

[39] American Alliance of Museums.,op. cit

qualified engineer may be requisite before re-entry is authorized. Salvaging operations should commence at the earliest safe opportunity to minimize object or record deterioration.

• Bear in mind that mold proliferation may commence approximately 48 hours following flooding.[40]

7.2 Earthquake

In the event of seismic activity or building damage resulting from nearby explosions-

• Drop to the ground, seek cover under sturdy furniture or supported doorframes, or position yourself against interior walls. Protect your head and torso, and hold on firmly. Avoid moving around and steer clear of windows and shelves.

• In cases of severe or continuous shaking, if feasible, use the PA system to instruct people to drop to the ground, shield their heads and necks, seek cover under stable furniture or doorframes, secure wheelchair wheels, and hold on.

• If there's a gas odor, evacuate the building immediately. Otherwise, remain indoors until the shaking subsides.

Earthquakes often trigger secondary hazards like aftershocks, gas leaks leading to fires (especially post-explosion), coastal tsunamis, mountainous or hilly area landslides, or low-lying area flooding. Heed emergency directives, prioritize safety, and refrain from initiating collections salvage until it's safe.

• Once shaking ceases, contact ERT members to coordinate efforts for human safety and object preservation.

• Wear durable shoes and protective attire to mitigate injury risks from debris, particularly broken glass.[41]

• After authorities declare the building safe, conduct a thorough inspection of all systems and structures with qualified maintenance personnel. Utilise the Building and Contents Damage Assessment form for documenting any observed damage.

---

[40] Ibid

[41] American Alliance of Museums.,op. cit

[42]• Inspect collections storage and exhibit spaces meticulously, documenting initial damage through video, photos, or written records as directed by the Collections Lead. Exercise caution when opening doors, drawers, or standing beneath high shelves to prevent potential falling objects. Take immediate measures to protect fragile items from further harm, prioritising ceramics, glass, and delicate pieces by padding or repositioning them as needed.[43]

• Once all threats of structural instability or aftershocks are alleviated and areas are deemed safe, complete the damage assessment and initiate salvage operations

7.3 Bomb Threat/ Suspicious Package

If a bomb threat is received via phone call:

• Remain composed and polite while engaging with the caller. Gather as much information about the bomb threat as possible without interrupting. Pay attention to any details in the caller's voice or background noises. If feasible, initiate a call trace procedure and signal a colleague to contact the Police. Note down any information displayed on call display.

• Utilize the Bomb Threat Telephone Procedures and Checklist to document all relevant details. Keep a copy of this form with reception or individuals responsible for handling public calls.[44]

If a suspicious package is discovered:

• Immediately vacate the area, escorting others with you if possible. Secure the area by closing the door and promptly dialling 100. Follow the instructions provided by emergency services.[45]

• Refrain from handling, shaking, smelling, or tasting the suspicious package or letter. If contact has been made with a suspicious package, wash hands thoroughly with soap and water upon leaving the area. Dispose of any clothing with powders or liquids on it by sealing them in a plastic bag.

---

[42] Ibid
[43] Ibid
[44] American Alliance of Museums.,op. cit
[45] Ibid

[46]7.4 Theft/Vandalism

In the event of theft or vandalism:

• If witnessing a theft or act of vandalism, avoid confronting the individual involved. If confronted, cooperate and prioritise personal safety.

• In the event of a break-in:

If suspecting a presence inside the building, exit immediately and call the police

Cooperate if encountering a perpetrator.

Refrain from disturbing the scene or cleaning up.

Report the incident promptly

Preserve evidence and restrict access to the area.

Conduct an inventory check with law enforcement.

Contact facility services to secure the premises.

• For incidents discovered afterward:

Immediately report theft or vandalism to at least two individuals, starting with relevant authorities such as your supervisor, Executive Director, collections management staff, or security.

Notify the police and provide necessary documentation, such as photos, upon request. Use the non-emergency number unless witnessing a crime in progress .[47]

• Document the incident using an Incident Report Form and collection damage documentation as necessary.

• If a public statement is required, follow procedures outlined in the Crisis Communications Plan.

---

[46] Ibid

[47]American Alliance of Museums.,op. cit

• In cases where stolen or damaged objects are deemed unusable for the collection, collections staff will initiate deaccessioning procedures per the Collections Policy, addressing insurance and record considerations.[48]

Damage Mitigation and Salvage

8. Collections Storage

Arrangements within collections storage areas should adhere to collection storage standards with a focus on preventing and responding to emergencies and disasters.

8.1 Collection objects will only be stored in environments that pose minimal risks and align with established collection procedures. Collections staff undergo training in collection care and handling as outlined in the Collections Policy.

8.2 Collections areas should be furnished with fire suppression systems, fire extinguishers, and emergency supplies tailored for collections, such as Spill Kits and plastic sheeting, to facilitate prompt response in emergencies.

8.3 Regular inspections of collections areas should be conducted to identify maintenance issues and signs of damage. These inspections should also encompass an inventory of emergency supplies to ensure that kits contain all necessary items and that none have expired or gone missing.

8.4 When storing collections:

• Elevate items above floor level, with lower shelves either empty or utilized for non-collection storage, ensuring collection objects are at least 10 to 15 cm off the ground. Large objects can be placed on pallets, blocks, or dollies if necessary.[49]

• Avoid positioning collections under overhead pipes whenever possible. If unavoidable, take measures to minimize the risk of leaks from above. Factor in sprinkler systems, window placement, and exterior walls when selecting and placing storage shelves and cabinets.

---

[48] Ibid

[49] American Alliance of Museums.,op. cit

• Minimize storage in basements or lower levels, as some collections insurance may not cover flood damage in these areas. Attics also pose increased risks of leaks.

• Utilize boxes, trays, and wheeled pallets or dollies to facilitate swift and safe evacuation of priority or at-risk objects.

• Choose spaces or buildings with:

Proper maintenance and design, including appropriately sloped roofs, effective gutters and drains, insulation, and protective membranes.

Floodproofing measures such as backflow valves, absence of plumbing in the storage space, proper exterior grading, and wall waterproofing.

Fire detection and suppression systems.

Adequate security measures including locks, security systems, and alarms.

Easy access for evacuation efforts.

No public access to minimize potential risks.[50]

10. Building and Environment Stabilization

10.1 ERT members will collaborate with facility services or maintenance staff to conduct an evaluation of building damage and environmental conditions resulting from the incident. Insurance adjusters may also participate in aspects of the assessment. Any engagement with a restoration company, particularly if covered by insurance, will be overseen by the ERT.

10.2 The staff will be tasked with documenting building damage, with the aid of an insurance adjuster and under the guidance of the Facilities Lead. This documentation will include written descriptions and visual evidence of the damage, incorporating comprehensive photographic and video documentation.

[50] American Alliance of Museums.,op. cit

10.3 Immediate measures will be taken following the initial emergency to minimize damage to collection objects caused by fire, flood, or other disasters:

• Measures to mitigate damage such as mould growth, paper and wood distortion, and corrosion will be implemented once the emergency situation is under control and authorities have confirmed the safety of the site.

• Steps to reduce humidity levels due to water or moisture will involve tasks such as mopping up puddles, removing wet carpets, and deploying fans and dehumidifiers in affected areas.

• Efforts will be made to maintain environmental conditions as close as possible to standard operating levels for the season. However, extreme circumstances may require adjustments to lower relative humidity and temperature to mitigate mould risk on wet objects and prevent mould/corrosion on non-wet artefacts. It should be noted that mould growth on damp articles typically initiates after approximately 48 hours.

10.4 Enhanced security measures may be necessary immediately post-disaster, especially if the electronic security system is malfunctioning or the building has incurred damage. Trained external security personnel may need to be enlisted to safeguard remaining objects and records from theft and protect the building from vandalism.

10.5 To maintain liability and inventory control, access to affected areas will be restricted to staff members, volunteers, external advisors, and service providers involved in response and salvage operations. The ERT is responsible for managing and monitoring site access.[51]

10.6 Following the incident, and depending on its nature, the museum may face increased vulnerability to predation by insects, rodents, fungal agents, or other biological pests. To mitigate the risk of further damage, all entry points, particularly those in damaged areas of the building, will be sealed. ERT members and work crews will be trained to identify and report signs of pests, mould, or fungal growth. If any such signs are detected, appropriate health and safety measures will be implemented to protect workers, and affected objects will be promptly removed, bagged, labelled, and quarantined.[52]

11. Damage Assessment

[51] American Alliance of Museums.,op. cit
[52] Bain, J. R.,op. cit

Before commencing any salvage operations, the Collections Lead and Collections Assistant conduct an evaluation of the damage. In some cases, external conservation assistance might be necessary for this assessment.

If loss or damage is identified, involving collections materials, furniture, office equipment, or personal belongings of staff, the ERT will be notified to initiate an insurance assessment and claim process. Art Gallery staff will manage the documentation process, supported by adjusting personnel and directed by the Collections Assistant. Documentation will encompass both written descriptions and visual evidence of the damage, including comprehensive photographic and video documentation.

[53]Objects are assessed based on their condition:

• Dry, partially wet, or fully saturated

• Affected by smoke or fire

• Broken

• Damaged in any other manner

Details of the damage are recorded using the Initial Collections Damage Assessment form. Depending on the severity of the emergency, completion of a CCI Emergency Action Plan may be necessary to guide the initial response. In larger emergencies, this assessment might be conducted simultaneously with salvage efforts. [54]

12. Collection Salvage

12.1 When initiating collections salvage operations, prioritise stabilising objects to prevent further damage. Once stabilisation is achieved, cleaning and treatment processes can commence and be sustained over the long term. Depending on the situation, these activities may need to be conducted simultaneously. Consider both immediate and future needs to ensure stabilisation efforts align with long-term care strategies.[55]

[53] Ibid
[54] Bain, J. R.,op. cit
[55] Ibid

12.2 Seek guidance from trained conservators to ensure proper stabilisation, salvage, and treatment of collections.[56]

12.3 Following initial response actions and stabilisation of damaged objects, conservation efforts by qualified personnel will proceed according to priorities established by the ERT. The cost and complexity of conservation will also be taken into account.

12.4 Whenever feasible and safe for staff, prioritise salvaging water-damaged objects within 48 hours.

12.5 Document salvage efforts using written reports, photographs, and videos. Specify the intended media for documentation, ensuring it aligns with your Art gallery;s record-keeping practices and staff capacity.

Financial Management

13. Insurance

13.1In the event of an emergency resulting in harm or damage to the building or collection, immediate contact will be made with insurance providers. A designated liaison, appointed from either the Collections Lead, Facilities Lead, or an assigned ERT member, will establish communication to coordinate and fund damage assessment and salvage efforts.

13.2 Guidelines for assigning value to, registering, and reporting on collection objects are outlined in the relevant documentation, such as the Collections Policy or Collections Procedures.

13.3 Collaboration with insurance adjusters will be undertaken to prioritize building restoration, property and equipment replacement, and salvage of records and objects.

13.4 It is imperative to ensure that insurance adjusters comprehend the unique requirements of museum collections. Museum staff should accompany and, if feasible, supervise adjusters and restoration service professionals provided by the insurance company

14. Post-Event Documentation

[56] Ibid

14.1 After any emergency, thorough documentation compiled from information gathered by the Recording Assistant and Collections Assistant will be prepared. This comprehensive record and analysis serve several purposes:[57]

• Determining insurance coverage and liability for incurred damage.[58]

• Providing essential information to update condition reports and catalogue records of affected collection objects.

• Evaluating and assessing the emergency response plan to gauge its effectiveness and identifying areas for improvement to enhance the museum's future responses or prevent the recurrence of similar situations.

14.2 Following many emergencies, completing an Incident Report Form from the Emergency Preparedness Framework Binder will be necessary. In the case of large-scale emergencies or disasters, a comprehensive report detailing the event, lessons learned, and recommendations should be conducted.

15.Schedule of Review

The Emergency and Disaster Plan, along with its associated policies, plans, procedures, and supporting documents, should be viewed as dynamic documents. It's crucial for all staff members to be well-informed about the Plan and understand their respective roles within it. Regular training sessions and periodic drills should be conducted to ensure preparedness.

The Emergency and Disaster Plan will undergo review at intervals determined to be appropriate, such as every two years, and will be updated in accordance with the established Calendar of Review.[59]

PEST CONTROL

A thorough pest control is done every three months. Integrated Pest Management (IPM) in museums, libraries, archives and historic buildings is an important part of preventive conservation, focusing on the prevention of pest infestations and the reduction of pesticide

[57] Bain, J. R.,op. cit
[58] Ibid
[59] Bain, J. R.,op. cit

application. The concept of IPM was developed in the 1950s in the food industry. Starting in the 1980s, it has also been applied in museums.[60]

Monitoring is done by placing insect traps in locations across our galleries and stores. The best place to put them is on floors, near to doors, in undisturbed areas, in corners of rooms and behind or under furniture. In addition, we place traps in spaces where we are exhibiting objects that we know are made from materials that are highly attractive to insect pests.
The other activity we do to prevent damage by insect pests is cleaning regularly. This is very important, as insect pests like undisturbed, dark and cosy places with a food source. The food source could be a wool carpet, curtain, tapestry, wardrobes, sofas or any food leftover – however the most attractive food to protein-eating insect pests is dust.

BUDGET

Annual budget- 2 crore

Annual Salary:

Salary Benchmarks	Assistant	Co-ordinator	Team Leader	Manager
Attendants/ Front of House/ Security	INR 250,416	INR 291,576	INR 346,356	INR 502,980
Museum Technician/ Building Management	INR 292,044	INR 324,000	INR 418,800	INR 544,572
Fundraising/ Marketing	INR 292,056	INR349,848	INR 458,328	INR 580,500
Learning/ Programming/ Outreach	INR 284,376	INR 320,736	INR 387,672	INR 540,000
Conservators	INR 331980	INR 394,994	INR 485,028	INR 647,796
Curators/ collection management	INR 283,680	INR 394,944	INR 485,028	INR 647,796

[60] https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4553500/

Salary Benchmark	Assistant Director	DIRECTOR GENERAL & SECRETARY, BOARD OF TRUSTEES
Director	INR 1,800,000	INR 2,500,000

ACCESSIBILITY

The Museum aims to create a comfortable experience for all visitors as part of its Global Accessibility initiative. The museum offers the following amenities-

1. **First Aid**
2. **Lifts/Hydraulic platform stair lift**
3. **Ramps and Wheelchairs**
4. **Audio-visual guide**

Special tours are scheduled for children and people with disabilities to offer them access to the artefacts as part of our collection's efforts to become more accessible. Visitors' feedback is gathered through a feedback form to improve our services and make their future experiences more enjoyable. QR codes are present in all exhibits, which provide further information about the artefacts. There are docents present at every exhibit to help and guide visitors.

AIDS AND AMENITIES

A museum offers a variety of services and amenities in an effort to make sure that its patrons have a pleasant and educational experience. The following are some typical tools and conveniences seen in museums:

Friendly and Informed Staff: Educate museum employees to be affable, knowledgeable, and well-versed in the institution's holdings, background, and features. Employees should be on hand to help guests and respond to inquiries.

Information Desks: Information desks manned by staff members with expertise who can help with general inquiries, directions, and information about exhibits. In addition, these desks could provide guides, maps, and brochures to aid guests in navigating the museum.

Restrooms: Spotless and easily accessible restrooms with features like gender-neutral alternatives, accessible stalls, and baby-changing stations to meet the varied needs of guests.

Café or Restaurant: On-site eating establishments where guests can unwind, eat, or have some drinks while they're there. A variety of beverages, snacks, sandwiches, and hot meals may be available at cafés and restaurants.

Accessibility elements: To make sure that guests with mobility disabilities may comfortably tour the museum, accessibility elements like elevators, wheelchair ramps, and tactile maps are installed. To help visitors with visual or hearing disabilities, museums may additionally provide Braille labelling, sign language interpretation, and audio descriptions.

Interactive exhibits: It allows visitors of all ages and learning styles to actively explore and interact with the museum's collection through hands-on and interactive displays. Visitors are encouraged to participate, be creative, and be curious by these exhibits.

Free Wi-Fi and charging stations are available so that guests can connect their gadgets, see digital information, and power up their tablets and cellphones while they are touring the museum.

Lost & Found: During their visit to the museum, guests can report found things or ask questions about lost goods through the lost and found service. This service guarantees that guests have a great time and assists in getting tourists reunited with their possessions.
Museums may create lasting experiences for visitors of all backgrounds and abilities, improve accessibility and inclusivity, and improve the tourist experience by providing a well-considered array of aids and amenities.

DIVERSITY AND INCLUSIVITY

The museum endeavours to foster diversity and inclusivity by establishing settings, initiatives, and collections that mirror and welcome the diverse array of human experiences, cultures, identities, and viewpoints through various means:

1. The museum ensures that collections, exhibitions, and programs encompass a range of cultures, perspectives, and experiences. This involves actively seeking out and highlighting underrepresented voices and histories.
2. The museum has been made physically accessible to visitors with disabilities by installing ramps, elevators, and other facilities. Additionally, exhibits are designed with accessibility in mind, offering tactile experiences and audio descriptions for visually impaired visitors.
3. The museum provides interpretation materials, such as signage, labels, and audio guides, in multiple languages to cater to visitors from diverse linguistic backgrounds. Moreover, interpretive materials are offered in formats suitable for different learning styles.
4. The museum actively engages with local communities to grasp their needs, interests, and viewpoints. Collaborations with community members are pursued on exhibitions, programs, and outreach initiatives to ensure relevance and inclusivity.
5. The museum actively recruits and retains a diverse workforce, encompassing museum staff, volunteers, and leadership positions. This ensures that various perspectives are represented in decision-making processes and programming.
6. The museum seeks to provide diversity, equity, and inclusion training for museum staff and volunteers to enhance awareness and foster cultural competence, further encouraging ongoing learning and dialogue about diversity and inclusion within the museum community.
7. The museum offers free or discounted admission, along with targeted outreach programs, to make the museum accessible to economically disadvantaged communities. Additionally, we consider transportation options for visitors facing access barriers.

8. The museum ensures that collections reflect the diversity of human experiences by actively acquiring and preserving artefacts and artworks from marginalised communities.
9. Through the implementation of these strategies, the museum aims to cultivate a more inclusive and welcoming environment that celebrates diversity and engages a broader spectrum of visitors.

OUTREACH

As a public organisation, the museum acknowledges the importance of formulating an Outreach Program which would pilot greater opportunities for the visitors of the museum, researchers, students, and museum professionals. Our museum has been working to aid young museum enthusiasts with facilitating activities like exhibitions, conventions, lectures, and conferences.

Museum Activities

1. **Exhibitions**

In house exhibitions:

Izraz is dedicated to broadening its horizons through exhibitions held within its gallery space. The museum hosts a variety of exhibitions curated by our team as well as artists from around the world. While most exhibitions are held within the gallery space, some may also extend beyond depending on the objects and available area. One recent example is the exhibition titled 'An Odyssey of Female Figurines Across Civilisations.'

Out house exhibitions:

The museum has embraced outreach activities to make knowledge sharing accessible to individuals outside the gallery or museum space. This initiative includes featuring works by other artists and transforming the space into a platform for experiential learning, democratising museum culture for broader public engagement.

An outdoor sculpture park has been developed, providing a large open-air space showcasing a collection of sculptures. These sculptures, primarily crafted from durable materials like metal

and stone, are designed to withstand exposure to the elements. Visitors can stroll through the park, admiring the sculptures from different perspectives.

Non-traditional Exhibition Spaces:

In collaboration with art galleries, coffee shops, restaurants, and other non-traditional venues, workshops led by various sculptors have been organized. Additionally, exhibition setups in these unconventional spaces offer visitors a more intimate viewing experience, creating a unique and immersive encounter with the sculptures.

2. **Events-**

The museum organises an annual international conference on March 18th to commemorate the Foundation Day of the museum. Distinguished panellists, academics, and scholars from around the world are invited to deliver talks on the themes designated for each year. Additionally, scholars present papers during the seminar section of the conference. The theme for the year 2024 was 'Female Figurines of Harappa'. In addition to this event, the museum hosts various other events, seminars, and conferences throughout the year, featuring lectures from conservators, professors and museum professionals.

3. Museum Publications

The museum has released a total of five in-house publications, which include:

1. From Clay to Carving: A Visual Chronicle of Prehistoric Figurines and Sculptures
2. Stone Sentinels: Discovering the Secrets of Pre Historic Stone Figurines
3. Figurines Through Time: Unraveling Prehistoric Mysteries
4. Echoes of the Ancients: A Journey into Sculptural History
5. Pre Historic Female Figurines Around the World (which is the official catalogue of Izraz)

The research for these books has been conducted by the Research and Education Department of the museum. Additionally, the museum publishes a bulletin titled "Izraz Bulletin," which has reached volume V. This bulletin highlights the museum's key activities since its last publication and welcomes article submissions from various writers. Furthermore, the museum collaborates with artists to publish Exhibition Catalogues.

4. Grants and Collaborations

To encourage research efforts, Izraz has partnered with diverse organisations to sponsor fellowships and grants for students pursuing studies in metal ancient figurines' conservation. A recent collaboration with The British Museum supported by the Ministry of Culture, Government of India, and the Alexander Cunningham Foundation, aims to provide annual fellowships to Indian citizens.

Moreover, we aspire to collaborate with governmental, non-governmental, and private entities to advance our mission of researching, developing, collecting, and conserving ancient Indian tangible heritage.


5. Careers and Internship Opportunities


Izraz provides periodic internship opportunities from March to July and from September to January. These internships are open to university students interested in fields such as Museuology, Conservation, History, Art History, and Archaeology. Paid internships are available in areas including Research, Archives, Conservation Laboratory, and the Public Relations (PR) department. Exceptional interns may be offered employment at the museum upon completion of their academic year. The museum's in-house publications are the result of extensive research conducted by the museum's research team. At Izraz, we strive to enhance research practices and contribute to the advancement of academic studies. Providing a framework for research and development is integral to our museum's mission.

COLLABS:

The IZRAZ ART MUSEUM works closely with the Getty museum, the British Museum and works closely with the British Library, London. The dream of having this space in Mumbai with the generous financial support from the HSBC bank.

LAYOUT OF THE EXHIBIT AND FLOOR PLAN




Restroom
Storage
Storage
Restroom
Utility
Hall
AC
ENTRY
ENTRY
EXIT

Brochure

IZRAZ
ART MUSEUM

18 MARCH 2024

OPEN DAY

10AM – 5PM

PREHISTORIC FEMALE FIGURINES AROUND THE WORLD

The Izraz collection consists of over 350 works that not only epitomize their periods and movements but also touch individual high points of aesthetic beauty and historical importance

Fort, Mumbai (400001)




Display case (Plexi glass cabinets)

https://www.relicase.com/products/wall-display-cases/1025
(one case)

https://www.relicase.com/products/freestanding-display-cases/1635
(Three cases)

The color palette of the Exhibit (Neutral brown)



Tiles/Flooring



Bedrosians Tile Casablanca - Farissi 5x5
(Glazed ceramic tile)

Paint

Shade- Dark Grey
Type- Coalescence Paint



Lightings

In galleries and museums, lighting establishes the mood and atmosphere. since it has the power to arouse feelings, produce drama, and improve the visual experience as a whole. Furthermore, appropriate lighting can draw attention to particular nuances, hues, and textures, enhancing the lifelike quality of artwork. A calm and reflective environment can be produced using soft, diffused lighting. Additionally, it is perfect for admiring fragile sculptures or paintings. Conversely, directed lighting has the ability to provide a spotlight effect. It creates a sense of importance and emphasis while bringing specific artworks or objects to light. Even with protective filters, it can deteriorate quickly. However, because LED technology doesn't produce infrared or ultraviolet light, it's perfect for delicate spaces like museums and galleries.

Model- Invia 48V light structure with downlight, Uplight and spotlight.(LED 256-5222 lm)[61]

[61] https://www.erco.com

Exhibit Labels

Limestone Female Figure
Limestone
Bourgounte, Greece
Neolithic Period (4500 BC-3200 BC)

Hippopotamus ivory figure of a woman
Hippopotamus ivory
El Badari, Egypt
(4400 BC - 4000 BC)

Bone Figure
Bone and glazed composition
Egypt
Naqada I (4000 BC – 3500 BC)

Seated Female
Ceramic
Mesopotamia (Syria)
Halaf (ca. 5600–5000 BCE)

Marble Female Figure
Marble
Greece
Cycladic (4500–4000 BCE)

Seated Mother Goddess
Terracotta
Balochistan, Pakistan
Mehrgarh style (ca. 3000–2500 BCE)

REFERENCES

1. *American Alliance of Museums. (2012). Developing a Disaster Preparedness/Emergency Response Plan. In ALLIANCE REFERENCE GUIDE. essay.*
2. Bain, J. R. (2012). *HISTORICAL MUSEUM AT FORT MISSOULA MUSEUM EMERGENCY PLAN. Historical Museum at Fort Missoula.*
3. Canadian Conservation Institute. (2023, December 21). *Care of ivory, bone, horn and antler – Canadian Conservation Institute (CCI) notes 6/1*. Canada.ca. https://www.canada.ca/en/conservation-institute/services/conservation-preservation-publications/canadian-conservation-institute-notes/care-ivory-bone-horn-antler.html
4. *Cleaning marble monuments*. (n.d.). https://www.buildingconservation.com/articles/cleaning-marble-monuments/cleaning-marble-monuments.htm
5. Müller, S. (2021). CLEANING & CARING FOR LIMESTONE OBJECTS. In Durham University & University of Cambridge Museums, *Durham University*. https://www.sharemuseumseast.org.uk/wp-content/uploads/2021/07/Limestone-Object-Cleaning_Local-Museum-Guide_Version-2.0.pdf
6. *Museum Handbook: Part I, Museum Collections, chapters*. (2007). . U.S. Dept. of the Interior, National Park Service.
7. Notes on the conservation of sculpture, stone, marble and terracotta on JSTOR. (n.d.). *www.jstor.org*. https://www.jstor.org/stable/1505387
8. Odegaard, N. (2014). Ceramics: conservation and preservation. In *Springer eBooks* (pp. 1315–1318). https://doi.org/10.1007/978-1-4419-0465-2_2057