```
CREATE DATABASE SMHA;

USE SMHA;
CREATE TABLE LOCATION(
LOCAT_ID                VARCHAR(5)              PRIMARY KEY,
LOCAT_NAME                      VARCHAR(25),
LOCAT_ADDR1                     VARCHAR(25)                     NOT NULL,
LOCAT_ADDR2                     VARCHAR(25)                     NOT NULL,
LOCAT_CITY              VARCHAR(25)                     NOT NULL,
LOCAT_PROV_STATE        VARCHAR(20)                     NOT NULL,
LOCAT_ZIP               VARCHAR(5)              NOT NULL,
LOCAT_PHONE                     VARCHAR(10)                     NOT NULL,
LOCAT_EMAIL                     VARCHAR(35));

USE SMHA;
CREATE TABLE TEAM(
TEAM_ID                         VARCHAR(5)              PRIMARY KEY,
TEAM_NAME               VARCHAR(20),
TEAM_TYPE               VARCHAR(1)              NOT NULL,
TEAM_RANK               INTEGER(3));

USE SMHA;
CREATE TABLE PERSON(
PERSON_ID               VARCHAR(13)                     PRIMARY KEY,
PERSON_LNAME            VARCHAR(20)                     NOT NULL,
PERSON_FNAME            VARCHAR(20)                     NOT NULL,
PERSON_DOB                      DATE                    NOT NULL,
PERSON_PHONE            VARCHAR(10)                     NOT NULL,
PERSON_ADDR1            VARCHAR(25)                     NOT NULL,
PERSON_ADDR2            VARCHAR(25)                     NOT NULL,
PERSON_CITY                     VARCHAR(25)                     NOT NULL,
PERSON_PROV_STA                 VARCHAR(20)                     NOT NULL,
PERSON_ZIP              VARCHAR(5)              NOT NULL,
PERSON_IS_PARENT        VARCHAR(1)              NOT NULL,
PERSON_IS_PLAYER        VARCHAR(1)              NOT NULL,
PERSON_IS_LEAGUEO       VARCHAR(1)              NOT NULL,
PERSON_IS_TEAMO                 VARCHAR(1)              NOT NULL);

USE SMHA;
CREATE TABLE PLAYER(
PERSON_ID               VARCHAR(13)                     PRIMARY KEY,
PLAYER_RECREA           VARCHAR(1)              NOT NULL,
PLAYER_COMPET           VARCHAR(1)              NOT NULL,
PLAYER_IS_SKATER        VARCHAR(1)              NOT NULL,
```

```sql
PLAYER_IS_GOALIE VARCHAR(1)                    NOT NULL,
PLAYER_RANK                 VARCHAR(5),

FOREIGN KEY (PERSON_ID) REFERENCES PERSON (PERSON_ID)
);

USE SMHA;
CREATE TABLE TEAM_OFFICIAL(
PERSON_ID                VARCHAR(13)                  PRIMARY KEY,
TEAM_ID                     VARCHAR(5)            NOT NULL,
OFFICIAL_IS_HCOACH    VARCHAR(1)            NOT NULL,
OFFICIAL_IS_SAFETY    VARCHAR(1)            NOT NULL,
OFFICIAL_IS_ACOACH    VARCHAR(1)            NOT NULL,
OFFICIAL_IS_MANAGER    VARCHAR(1)            NOT NULL,

FOREIGN KEY (PERSON_ID) REFERENCES PERSON (PERSON_ID),
FOREIGN KEY (TEAM_ID) REFERENCES TEAM (TEAM_ID)
);

USE SMHA;
CREATE TABLE PARENT(
PERSON_ID                VARCHAR(13)                  PRIMARY KEY,
PARENT_EMAIL            VARCHAR(35)        NOT NULL,

FOREIGN KEY (PERSON_ID) REFERENCES PERSON (PERSON_ID)
);

CREATE TABLE LEAGUE_OFFICIAL(
PERSON_ID                VARCHAR(13)                  PRIMARY KEY,
LEAGUE_IS_REF          VARCHAR(1)            NOT NULL,
LEAGUE_IS_LINE        VARCHAR(1)            NOT NULL,

FOREIGN KEY (PERSON_ID) REFERENCES PERSON (PERSON_ID)
);

CREATE TABLE RELATIONSHIP(
RELAT_ID                INTEGER      AUTO_INCREMENT PRIMARY KEY,
PARENT_ID                VARCHAR(13)                  NOT NULL,
PLAYER_ID                VARCHAR(13)                  NOT NULL,

FOREIGN KEY (PARENT_ID) REFERENCES PARENT (PERSON_ID),
FOREIGN KEY (PLAYER_ID) REFERENCES PLAYER (PERSON_ID)
```

```
);

CREATE TABLE TEAM_PLAYER(
TEAM_PLAY_ID            INTEGER     AUTO_INCREMENT PRIMARY KEY,
TEAM_ID                     VARCHAR(5)             NOT NULL,
PLAYER_ID              VARCHAR(13)                NOT NULL,
TEAM_PLAY_START        DATE                   NOT NULL,
TEAM_PLAY_END          DATE,
TEAM_PLAY_JERSEY       VARCHAR(2)             NOT NULL,
TEAM_PLAY_TYPE         VARCHAR(7)             NOT NULL,

FOREIGN KEY (PLAYER_ID) REFERENCES PLAYER (PERSON_ID),
FOREIGN KEY (TEAM_ID) REFERENCES TEAM (TEAM_ID)
);

CREATE TABLE GAME(
GAME_ID                     INTEGER     AUTO_INCREMENT PRIMARY KEY,
GAME_DATE              DATE                       NOT NULL,
REF_ID                     VARCHAR(13)                   NOT NULL,
LINE_ID1               VARCHAR(13)            NOT NULL,
LINE_ID2               VARCHAR(13),
LOCAT_ID               VARCHAR(5)             NOT NULL,
TEAM1_ID               VARCHAR(5)             NOT NULL,
GAME_T1SCORE           INTEGER,
TEAM2_ID               VARCHAR(5)             NOT NULL,
GAME_T2SCORE           INTEGER,

FOREIGN KEY (TEAM1_ID) REFERENCES TEAM (TEAM_ID),
FOREIGN KEY (TEAM2_ID) REFERENCES TEAM (TEAM_ID),
FOREIGN KEY (REF_ID) REFERENCES LEAGUE_OFFICIAL (PERSON_ID),
FOREIGN KEY (LINE_ID1) REFERENCES LEAGUE_OFFICIAL (PERSON_ID),
FOREIGN KEY (LINE_ID2) REFERENCES LEAGUE_OFFICIAL (PERSON_ID),
FOREIGN KEY (LOCAT_ID) REFERENCES LOCATION (LOCAT_ID)
);


USE SMHA;
INSERT person VALUES ('1400003355753', 'Cohen', 'Megan', '2011-10-08','2794561245', '5421 Shady Av.','',
'Sacramento', 'CA', '94230', 'N','Y', 'N', 'N');

INSERT person VALUES (   '1400000001754',  'Huska',  'Adam',        '2012-04-20',  '2794561238',   '6223
Bateman St.',   '2',   'Sacramento',   'CA',   '94609',   'N',   'Y',   'N',   'N');
```

```
INSERT person VALUES (  '1400000097213',     'Lackey',     'Cheryl',     '2011-10-09',  '2794561239',
'6223 Bateman St.',   '3',  'Sacramento', 'CA',  '94609',  'N',  'Y',  'N',  'N');
INSERT person VALUES (  '1400000097343', 'Wall',     'Albert',     '2012-07-04',  '2794561240',  '6223
Bateman St.',   '1',  'Sacramento', 'CA',  '94609',  'N',  'Y',  'N',  'N');
INSERT person VALUES (  '1400000104996', 'Ringer',     'Anne',     '2011-03-15',  '2794561241',
'6223 Bateman St.',   '2',  'Sacramento', 'CA',  '94609',  'N',  'Y',  'N',  'N');
INSERT person VALUES (  '1400000611241', 'DeFrance',     'Michel',     '2012-05-16',  '2794561242',
'6223 Bateman St.',   '3',  'Sacramento', 'CA',  '94609',  'N',  'Y',  'N',  'N');
INSERT person VALUES (  '1400003166966', 'Panteley',     'Sylvia',     '2011-05-06',  '2794561243',
'6223 Bateman St.',   '1',  'Sacramento', 'CA',  '94609',  'N',  'Y',  'N',  'N');
INSERT person VALUES (  '1400003166967', 'McBadden',  'Heather',     '2011-08-15',  '2794561244',
'6223 Bateman St.',   '2',  'Sacramento', 'CA',  '94609',  'N',  'Y',  'N',  'N');
INSERT person VALUES (  '1400003166992', 'Stringer',   'Dirk',     '2011-06-24',  '2794561245',  '6223
Bateman St.',   '3',  'Sacramento', 'CA',  '94609',  'N',  'Y',  'N',  'N');
INSERT person VALUES (  '1400003355754', 'Raddysh',   'Dirk',     '2011-10-15',  '2794561246',  '6223
Bateman St.',   '1',  'Sacramento', 'CA',  '94609',  'N',  'Y',  'N',  'N');
INSERT person VALUES (  '1400000001733', 'Clinton',     'Bill',     '2011-01-31',  '2794561237',
'6223 Bateman St.',   '2',  'Sacramento', 'CA',  '94609',  'N',  'Y',  'N',  'N');
INSERT person VALUES (  '1400000001755', 'Clinton',     'Hillary',     '2012-04-20',  '2794561238',
'6223 Bateman St.',   '3',  'Sacramento', 'CA',  '94609',  'N',  'Y',  'N',  'N');
INSERT person VALUES (  '1400000097214',     'Bush',     'George',     '2011-10-09',  '2794561239',
'6223 Bateman St.',   '1',  'Sacramento', 'CA',  '94609',  'N',  'Y',  'N',  'N');
INSERT person VALUES (  '1400000097344',     'Trudeau',     'Justin',     '2012-07-04',  '2794561240',
'6223 Bateman St.',   '2',  'Sacramento', 'CA',  '94609',     'N',  'Y',  'N',  'N');
INSERT person VALUES (  '1400000104997', 'Brar',     'Amandeep',  '2011-03-15',  '2794561241',  '6223
Bateman St.',   '3',  'Sacramento', 'CA',  '94609',  'N',  'Y',  'N',  'N');
INSERT person VALUES (  '1400000611242', 'Singh',     'Jagmeet',     '2012-05-16',  '2794561242',  '6223
Bateman St.',   '1',  'Sacramento', 'CA',  '94609',  'N',  'Y',  'N',  'N');
INSERT person VALUES (  '1401003166966', 'Anita',     'Anand',     '2011-05-06',  '2794561243',  '6223
Bateman St.',   '2',  'Sacramento', 'CA',  '94609',  'N',  'Y',  'N',  'N');
INSERT person VALUES (  '1420003166967', 'Amos',     'Willie',     '2011-08-15',  '2794561244',  '6223
Bateman St.',   '3',  'Sacramento', 'CA',  '94609',  'N',  'Y',  'N',  'N');
INSERT person VALUES (  '1400003166993', 'Arya',     'Chandra',     '2011-06-24',  '2794561245',  '6223
Bateman St.',   '1',  'Sacramento', 'CA',  '94609',  'N',  'Y',  'N',  'N');
INSERT person VALUES (  '1400703355754', 'Bendayan',  'Rachel',  '2011-10-15',  '2794561246',  '6223
Bateman St.',   '2',  'Sacramento', 'CA',  '94609',  'N',  'Y',  'N',  'N');
INSERT person VALUES (  '1400000001734', 'Bains',     'Navdeep',  '2011-01-31',  '2794561237',  '6223
Bateman St.',   '3',  'Sacramento', 'CA',  '94609',  'N',  'Y',  'N',  'N');
INSERT person VALUES (  '1400000001756', 'Battiste',  'Jaime',     '2012-04-20',  '2794561238',  '6223
Bateman St.',   '1',  'Sacramento', 'CA',  '94609',  'N',  'Y',  'N',  'N');
INSERT person VALUES (  '1400000097215',     'Bennett',     'Carolyn',     '2011-10-09',  '2794561239',
'6223 Bateman St.',   '2',  'Sacramento', 'CA',  '94609',  'N',  'Y',  'N',  'N');
INSERT person VALUES (  '1400000097345', 'Bittle',     'Chris',     '2012-07-04',  '2794561240',  '6223
Bateman St.',   '3',  'Sacramento', 'CA',  '94609',  'N',  'Y',  'N',  'N');
```

```sql
INSERT person VALUES (  '1400000104998', 'Chagger',     'Bardish',      '2011-03-15', '2794561241',
'6223 Bateman St.',  '1', 'Sacramento', 'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES (  '1400000611243', 'Gonzalez', 'Juan',           '2012-05-16', '2794561242',
'6223 Bateman St.',  '2', 'Sacramento', 'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES (  '1400903166966', 'Filos',    'Rita',      '2011-05-06', '2794561243', '6223
Bateman St.',  '3', 'Sacramento', 'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES (  '1400603166967', 'Carr',     'Jim',            '2011-08-15', '2794561244',
'6223 Bateman St.',  '1', 'Sacramento', 'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES (  '1400003166994', 'Baker',    'Yvan',       '2011-06-24', '2794561245', '6223
Bateman St.',  '2', 'Sacramento', 'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES (  '1400003355755', 'Leung',    'Jason',       '2011-10-15', '2794561246', '6223
Bateman St.',  '3', 'Sacramento', 'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES (  '1400000001736', 'Zhao',     'Ian',        '2011-01-31', '2794561237', '6223
Bateman St.',  '1', 'Sacramento', 'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES (  '1400000001757', 'Duncan',      'Peter',       '2012-04-20', '2794561238',
'6223 Bateman St.',  '2', 'Sacramento', 'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES (  '1400000097216',    'Duguid',    'Terry',        '2011-10-09', '2794561239',
'6223 Bateman St.',  '3', 'Sacramento', 'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES (  '1400000097346', 'Easter',      'Wayne',           '2012-07-04',
'2794561240',  '6223 Bateman St.',  '1', 'Sacramento',  'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES (  '1400000104999', 'Fergus',      'Greg',            '2011-01-31',
'2794561241',  '6223 Bateman St.',  '1', 'Sacramento',  'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES (  '1400000611244', 'Fisher',   'Darren',      '2012-04-20', '2794561242', '6223
Bateman St.',  '2', 'Sacramento', 'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES (  '1404003166966', 'Fortier',  'Mona',            '2011-10-09', '2794561243',
'6223 Bateman St.',  '3', 'Sacramento', 'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES (  '1400003866967', 'Fraser',      'Sean',           '2012-07-04',
'2794561244',  '6223 Bateman St.',  '1', 'Sacramento',  'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES (  '1400003166995', 'Garneau',     'Marc',            '2011-03-15',
'2794561237',  '6223 Bateman St.',  '2', 'Sacramento',  'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES (  '1400003355756', 'Fry',         'Hedy',            '2012-05-16',
'2794561238',  '6223 Bateman St.',  '3', 'Sacramento',  'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES (  '1400000001737', 'Finnigan', 'Pat',             '2011-05-06', '2794561239',
'6223 Bateman St.',  '1', 'Sacramento', 'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES (  '1400000001758', 'Housefather',  'Anthony',      '2011-08-15', '2794561240',
'6223 Bateman St.',  '2', 'Sacramento', 'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES (  '1400000097217',     'Iacono',    'Angelo',      '2011-06-24', '2794561241',
'6223 Bateman St.',  '3', 'Sacramento', 'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES (  '1400000097347', 'Khalid', 'Iqra',               '2011-10-15', '2794561242',
'6223 Bateman St.',  '1', 'Sacramento', 'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES (  '1400000104100', 'Jowhari',      'Majid',        '2011-01-31', '2794561243',
'6223 Bateman St.',  '2', 'Sacramento', 'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES (  '1400000611245', 'Lametti',      'David',        '2012-04-20', '2794561244',
'6223 Bateman St.',  '3', 'Sacramento', 'CA', '94609', 'N', 'Y', 'N', 'N');
```

```sql
INSERT person VALUES ( '1450003166966', 'Lamoureux', 'Kevin', '2011-10-09', '2794561245', '6223 Bateman St.', '1', 'Sacramento', 'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES ( '1409603166967', 'Dominic', 'LeBlanc', '2012-07-04', '2794561246', '6223 Bateman St.', '2', 'Sacramento', 'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES ( '1400003166996', 'Lightbound', 'Joel', '2011-03-15', '2794561237', '6223 Bateman St.', '3', 'Sacramento', 'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES ( '1400003355757', 'Louis', 'Tim', '2012-05-16', '2794561238', '6223 Bateman St.', '1', 'Sacramento', 'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES ( '1400000001738', 'Long', 'Wayne', '2011-05-06', '2794561239', '6223 Bateman St.', '2', 'Sacramento', 'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES ( '1400000001759', 'MacAulay', 'Lawrence', '2011-08-15', '2794561240', '6223 Bateman St.', '3', 'Sacramento', 'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES ( '1400000097218', 'MacKinnon', 'Steven', '2011-01-31', '2794561241', '6223 Bateman St.', '1', 'Sacramento', 'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES ( '1400000097348', 'May', 'Bryan', '2012-04-20', '2794561242', '6223 Bateman St.', '2', 'Sacramento', 'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES ( '1400000104101', 'McDonald', 'Ken', '2011-10-09', '2794561243', '6223 Bateman St.', '3', 'Sacramento', 'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES ( '1400000611246', 'McKinnon', 'Ron', '2012-07-04', '2794561244', '6223 Bateman St.', '1', 'Sacramento', 'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES ( '1400923166966', 'McKenna', 'Catherine', '2011-03-15', '2794561245', '6223 Bateman St.', '2', 'Sacramento', 'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES ( '1480003166967', 'McLeod', 'Micheal', '2012-05-16', '2794561246', '6223 Bateman St.', '3', 'Sacramento', 'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES ( '1470003166997', 'Maloney', 'James', '2011-05-06', '2794561237', '6223 Bateman St.', '1', 'Sacramento', 'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES ( '1460003355758', 'Miller', 'Marc', '2011-08-15', '2794561238', '6223 Bateman St.', '2', 'Sacramento', 'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES ( '1450000001739', 'Murray', 'Joyce', '2011-06-24', '2794561239', '6223 Bateman St.', '3', 'Sacramento', 'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES ( '1440000001760', 'Oliphant', 'Robert', '2011-10-15', '2794561240', '6223 Bateman St.', '1', 'Sacramento', 'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES ( '1430000097219', 'Regan', 'Seamus', '2011-01-31', '2794561241', '6223 Bateman St.', '2', 'Sacramento', 'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES ( '1420000097349', 'Robillard', 'Yves', '2012-04-20', '2794561242', '6223 Bateman St.', '3', 'Sacramento', 'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES ( '1410000104102', 'Rodriguez', 'Pablo', '2011-10-09', '2794561243', '6223 Bateman St.', '1', 'Sacramento', 'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES ( '1470000611247', 'Rogers', 'Churence', '2012-07-04', '2794561244', '6223 Bateman St.', '2', 'Sacramento', 'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES ( '1440003166966', 'Rota', 'Anthony', '2011-03-15', '2794561245', '6223 Bateman St.', '3', 'Sacramento', 'CA', '94609', 'N', 'Y', 'N', 'N');
INSERT person VALUES ( '1484203166967', 'Saini', 'Raj', '2012-05-16', '2794561246', '6223 Bateman St.', '1', 'Sacramento', 'CA', '94609', 'N', 'Y', 'N', 'N');
```

```
INSERT person VALUES (  '1475303166998',  'Samson',      'Darrell',    '2011-05-06',  '2794561237',
'6223 Bateman St.',  '2',  'Sacramento',  'CA',  '94609',  'N',  'Y',  'N',  'N');
INSERT person VALUES (  '1406403355759',  'Sarai',  'Randeep',   '2011-08-15',  '2794561238',  '6223
Bateman St.',  '3',  'Sacramento',  'CA',  '94609',  'N',  'Y',  'N',  'N');
INSERT person VALUES (  '1407500001740',  'Sajjan',  'Harjit',    '2011-06-24',  '2794561239',  '6223
Bateman St.',  '1',  'Sacramento',  'CA',  '94609',  'N',  'Y',  'N',  'N');
INSERT person VALUES (  '1433400001761',  'Sheehan',      'Terry',    '2011-10-15',  '2794561240',
'6223 Bateman St.',  '2',  'Sacramento',  'CA',  '94609',  'N',  'Y',  'N',  'N');
INSERT person VALUES (  '1405500097220',     'Sidhu',      'Maninder',  '2011-01-31',  '2794561241',
'6223 Bateman St.',  '3',  'Sacramento',  'CA',  '94609',  'N',  'Y',  'N',  'N');
INSERT person VALUES (  '1406600097350',  'Sikand',       'Gagan',      '2012-04-20',  '2794561242',
'6223 Bateman St.',  '1',  'Sacramento',  'CA',  '94609',  'N',  'Y',  'N',  'N');
INSERT person VALUES (  '1408800104103',  'Schiefke',  'Peter',    '2011-10-09',  '2794561243',  '6223
Bateman St.',  '2',  'Sacramento',  'CA',  '94609',  'N',  'Y',  'N',  'N');
INSERT person VALUES (  '1406400611248',  'Turnbull',  'Ryan',       '2012-07-04',  '2794561244',
'6223 Bateman St.',  '3',  'Sacramento',  'CA',  '94609',  'N',  'Y',  'N',  'N');
INSERT person VALUES (  '1402103166966',  'Vaughan',      'Adam',     '2011-03-15',  '2794561237',
'6223 Bateman St.',  '1',  'Sacramento',  'CA',  '94609',  'N',  'Y',  'N',  'N');
INSERT person VALUES (  '1443003166967',  'Virani',  'Arif',       '2012-05-16',  '2794561238',  '6223
Bateman St.',  '2',  'Sacramento',  'CA',  '94609',  'N',  'Y',  'N',  'N');
INSERT person VALUES (  '1461003166999',  'Weiler',  'Patrick',     '2011-05-06',  '2794561239',  '6223
Bateman St.',  '3',  'Sacramento',  'CA',  '94609',  'N',  'Y',  'N',  'N');
INSERT person VALUES (  '1408903355760',  'Van Bynen',  'Tony',    '2011-08-15',  '2794561240',  '6223
Bateman St.',  '1',  'Sacramento',  'CA',  '94609',  'N',  'Y',  'N',  'N');
INSERT person VALUES (  '1409400001741',  'van Koeverden','Adam',      '2011-06-24',  '2794561241',
'6223 Bateman St.',  '2',  'Sacramento',  'CA',  '94609',  'N',  'Y',  'N',  'N');
INSERT person VALUES (  '1404900001762',  'McGuinty',  'David',    '2011-10-15',  '2794561242',  '6223
Bateman St.',  '3',  'Sacramento',  'CA',  '94609',  'N',  'Y',  'N',  'N');
INSERT person VALUES (  '1405600097221',     'McCrimmon',  'Alex',      '2011-01-31',  '2794561243',
'6223 Bateman St.',  '1',  'Sacramento',  'CA',  '94609',  'N',  'Y',  'N',  'N');
INSERT person VALUES (  '1407300097351',  'Smith',  'John',      '2012-04-20',  '2794561237',  '6223
Bateman St.',  '1',  'Sacramento',  'CA',  '94609',  'N',  'Y',  'N',  'N');
INSERT person VALUES (  '1405800104104',  'Coach1',      'Coach1',     '1972-04-20',  '2794561239',
'6223 Bateman St.',  '3',  'Sacramento',  'CA',  '94609',  'N',  'N',  'N',  'Y');
INSERT person VALUES (  '1409200611249',  'Coach2',       'Coach2',     '1972-04-20',  '2794561240',
'6223 Bateman St.',  '1',  'Sacramento',  'CA',  '94609',  'N',  'N',  'N',  'Y');
INSERT person VALUES (  '1500003166966',  'Coach3',       'Coach3',     '1972-04-20',  '2794561241',
'6223 Bateman St.',  '2',  'Sacramento',  'CA',  '94609',  'N',  'N',  'N',  'Y');
INSERT person VALUES (  '1500003166967',  'Coach4',       'Coach4',     '1972-04-20',   '2794561242',
'6223 Bateman St.',  '3',  'Sacramento',  'CA',  '94609',  'N',  'N',  'N',  'Y');
INSERT person VALUES (  '1500003166911',  'Coach5',       'Coach5',     '1972-04-20',  '2794561243',
'6223 Bateman St.',  '1',  'Sacramento',  'CA',  '94609',  'N',  'N',  'N',  'Y');
INSERT person VALUES (  '1500003355761',  'Manager1',      'Manager1',  '1972-04-20',  '2794561244',
'6223 Bateman St.',  '2',  'Sacramento',  'CA',  '94609',  'N',  'N',  'N',  'Y');
```

```sql
INSERT person VALUES ( '1500000001742', 'Manager2', 'Manager2', '1972-04-20', '2794561237', '6223 Bateman St.', '3', 'Sacramento', 'CA', '94609', 'N', 'N', 'N', 'Y');
INSERT person VALUES ( '1500000001763', 'Manager3', 'Manager3', '1972-04-20', '2794561238', '6223 Bateman St.', '1', 'Sacramento', 'CA', '94609', 'N', 'N', 'N', 'Y');
INSERT person VALUES ( '1500000097222', 'Manager4' , 'Manager4', '1972-04-20', '2794561239', '6223 Bateman St.', '2', 'Sacramento', 'CA', '94609', 'N', 'N', 'N', 'Y');
INSERT person VALUES ( '1500000097352', 'Manager5' , 'Manager5', '1972-04-20', '2794561240', '6223 Bateman St.', '3', 'Sacramento', 'CA', '94609', 'N', 'N', 'N', 'Y');
INSERT person VALUES ( '1500000104105', 'Assistant1', 'Assistant1', '1972-04-20', '2794561241', '6223 Bateman St.', '1', 'Sacramento', 'CA', '94609', 'N', 'N', 'N', 'Y');
INSERT person VALUES ( '1500000611250', 'Assistant2', 'Assistant2', '1972-04-20', '2794561242', '6223 Bateman St.', ' 2', 'Sacramento', 'CA', '94609', 'N', 'N', 'N', 'Y');
INSERT person VALUES ( '1500603166966', 'Assistant3', 'Assistant3', '1972-04-20', '2794561243', '6223 Bateman St.', '3', 'Sacramento', 'CA', '94609', 'N', 'N', 'N', 'Y');
INSERT person VALUES ( '1500703166967', 'Assistant4', 'Assistant4', '1972-04-20', '2794561242', '6223 Bateman St.', '1', 'Sacramento', ' CA', '94609', 'N', 'N', 'N', 'Y');
INSERT person VALUES ( '1500803166968', 'Assistant5', 'Assistant5', '1972-04-20', '2794561237', '6223 Bateman St.', '1', 'Sacramento', 'CA', '94609', 'N', 'N', 'N', 'Y');
INSERT person VALUES ( 'Official 1', 'Official 1' , 'Official 1', '1972-04-20', '2794561239', '6223 Bateman St.', '1', 'Sacramento', 'CA', '94609', 'N', 'N', 'Y', 'N');
INSERT person VALUES ( 'Official 2', 'Offical 2' , 'Offical 2' , '1972-04-20', '2794561240', '6223 Bateman St.', '2', 'Sacramento', 'CA', '94609', 'N', 'N', 'Y', 'N');
INSERT person VALUES ( 'Official 3' , 'Offical 3' , 'Offical 3' , '1972-04-20', '2794561241', '6223 Bateman St.', '3', 'Sacramento', 'CA', '94609', 'N', 'N', 'Y', 'N');
INSERT person VALUES ( 'Official 4', 'Official 4' , 'Official 4', '1972-04-20', '2794561242', '6223 Bateman St.', '1', 'Sacramento', 'CA', '94609', 'N', 'N', 'Y', 'N');
INSERT person VALUES ( 'Official 5', 'Official 5' , 'Official 5', '1972-04-20', '2794561243', '6223 Bateman St.', '2', 'Sacramento', 'CA', '94609', 'N', 'N', 'Y', 'N');
INSERT person VALUES ( 'Official 6', 'Official 6', 'Official 6', '1972-04-20', '2794561244', '6223 Bateman St.', '3', 'Sacramento', 'CA', '94609', 'N', 'N', 'Y', 'N');
INSERT person VALUES ( 'P1', 'Parent1', 'Parent1', '1972-04-20', '2794561237', '6223 Bateman St.', '1', 'Sacramento', 'CA', '94609', 'Y', 'N', 'N' , 'N');
INSERT person VALUES ( 'P2', 'Parent2', 'Parent2', '1972-04-20', '2794561238', '6223 Bateman St.', '2', 'Sacramento', 'CA', '94609', 'Y', 'N', 'N' , 'N');
INSERT person VALUES ( 'P3', 'Parent3', 'Parent3', '1972-04-20', '2794561239', '6223 Bateman St.', '3', 'Sacramento', 'CA', '94609', 'Y', 'N', 'N' , 'N');
INSERT person VALUES ( 'P4', 'Parent4', 'Parent4', '1972-04-20', '2794561240', '6223 Bateman St.', '1', 'Sacramento', 'CA', '94609', 'Y', 'N', 'N' , 'N');
INSERT person VALUES ( 'P5', 'Parent5', 'Parent5', '1972-04-20', '2794561239', '6223 Bateman St.', '2', 'Sacramento', 'CA', '94609', 'Y', 'N', 'N' , 'N');
INSERT person VALUES ( 'P6', 'Parent6', 'Parent6', '1972-04-20', '2794561240', '6223 Bateman St.', '3', 'Sacramento', 'CA', '94609', 'Y', 'N', 'N' , 'N');
INSERT person VALUES ( 'P7', 'Parent7', 'Parent7', '1972-04-20', '2794561241', '6223 Bateman St.', '1', 'Sacramento', 'CA', '94609', 'Y', 'N', 'N' , 'N');
```

```
INSERT person VALUES (   'P8',                   'Parent8',   'Parent8',        '1972-04-20',   '2794561242',
'6223 Bateman St.',   '2',   'Sacramento',   'CA',   '94609',   'Y',   'N',   'N' ,   'N');
INSERT person VALUES (   'P9',                   'Parent9',   'Parent9',        '1972-04-20',   '2794561243',
'6223 Bateman St.',   '3',   'Sacramento',   'CA',   '94609',   'Y',   'N',   'N' ,   'N');
INSERT person VALUES (   'P10',                   'Parent10',   'Parent10',        '1972-04-20',   '2794561244',
'6223 Bateman St.',   '1',   'Sacramento',   'CA',   '94609',   'Y',   'N',   'N',   'N');
INSERT person VALUES (   'P11',              'Parent11',   'Parent11',        '1972-04-20',   '2794561237',   '6223
Bateman St.',   '2',   'Sacramento',   'CA',   '94609',   'Y',   'N',   'N',   'N');
INSERT person VALUES (   'P12',                   'Parent12',   'Parent12',        '1972-04-20',   '2794561238',
'6223 Bateman St.',   '3',   'Sacramento',   'CA',   '94609',   'Y',   'N',   'N',   'N');
INSERT person VALUES (   'P13',                   'Parent13',   'Parent13',        '1972-04-20',   '2794561239',
'6223 Bateman St.',   '1',   'Sacramento',   'CA',   '94609',   'Y',   'N',   'N',   'N');
INSERT person VALUES (   'P14',                   'Parent14',   'Parent14',        '1972-04-20',   '2794561240',
'6223 Bateman St.',   '2',   'Sacramento',   'CA',   '94609',   'Y',   'N',   'N',   'N');
INSERT person VALUES (   'P15',                   'Parent15',   'Parent15',        '1972-04-20',   '2794561241',
'6223 Bateman St.',   '3',   'Sacramento',   'CA',   '94609',   'Y',   'N',   'N',   'N');
INSERT person VALUES (   'P16',                   'Parent16',   'Parent16',        '1972-04-20',   '2794561242',
'6223 Bateman St.',   '1',   'Sacramento',   'CA',   '94609',   'Y',   'N',   'N',   'N');
INSERT person VALUES (   'P17',                   'Parent17',   'Parent17',        '1972-04-20',   '2794561243',
'6223 Bateman St.',   '2',   'Sacramento',   'CA',   '94609',   'Y',   'N',   'N',   'N');
INSERT person VALUES (   'P18',                   'Parent18',   'Parent18',        '1972-04-20',   '2794561242',
'6223 Bateman St.',   '3',   'Sacramento',   'CA',   '94609',   'Y',   'N',   'N',   'N');
INSERT person VALUES (   'P19',                   'Parent19',   'Parent19',        '1972-04-20',   '2794561239',
'6223 Bateman St.',   '1',   'Sacramento',   'CA',   '94609',   'Y',   'N',   'N',   'N');
INSERT person VALUES (   'P20',                   'Parent20',   'Parent20',        '1972-04-20',   '2794561240',
'6223 Bateman St.',   '2',   'Sacramento',   'CA',   '94609',   'Y',   'N',   'N',   'N');
INSERT person VALUES (   'P21',                   'Parent21',   'Parent21',        '1972-04-20',   '2794561241',
'6223 Bateman St.',   '3',   'Sacramento',   'CA',   '94609',   'Y',   'N',   'N',   'N');
INSERT person VALUES (   'P22',                   'Parent22',   'Parent22',        '1972-04-20',   '2794561242',
'6223 Bateman St.',   ' 1',   'Sacramento',   ' CA',   '94609',   'Y',   'N',   'N',   'N');
INSERT person VALUES (   'P23',                   'Parent23',   'Parent23',        '1972-04-20',   '2794561243',
'6223 Bateman St.',   '2',   'Sacramento',   'CA',   '94609',   'Y',   'N',   'N',   'N');
INSERT person VALUES (   'P24',                   'Parent24',   'Parent24',        '1972-04-20',   '2794561244',
'6223 Bateman St.',   '3',   'Sacramento',   'CA',   '94609',   'Y',   'N',   'N',   'N');
INSERT person VALUES (   'P25',                   'Parent25',   'Parent25',        '1972-04-20',   '2794561237',
'6223 Bateman St.',   '1',   'Sacramento',   'CA',   '94609',   'Y',   'N',   'N',   'N');
INSERT person VALUES (   'P26',                   'Parent26',   'Parent26',        '1972-04-20',   '2794561238',
'6223 Bateman St.',   '2',   'Sacramento',   'CA',   '94609',   'Y',   'N',   'N',   'N');
INSERT person VALUES (   'P27',                   'Parent27',   'Parent27',        '1972-04-20',   '2794561239',
'6223 Bateman St.',   '3',   'Sacramento',   'CA',   '94609',   'Y',   'N',   'N',   'N');
INSERT person VALUES (   'P28',                   'Parent28',   'Parent28',        '1972-04-20',   '2794561240',
'6223 Bateman St.',   '1',   'Sacramento',   'CA',   '94609',   'Y',   'N',   'N',   'N');
INSERT person VALUES (   'P29',                   'Parent29',   'Parent29',        '1972-04-20',   '2794561241',
'6223 Bateman St.',   '1',   'Sacramento',   'CA',   '94609',   'Y',   'N',   'N',   'N');
```

```
INSERT person VALUES (    'P30',                      'Parent30',   'Parent30',      '1972-04-20',    '2794561242',
'6223 Bateman St.',   ' 2',   'Sacramento',   ' CA',   '94609',   'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P31',                      'Parent31',   'Parent31',      '1972-04-20',   '2794561243',
'6223 Bateman St.',   '3',   'Sacramento',   'CA',   '94609',   'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P32',                      'Parent32',   'Parent32',      '1972-04-20',   '2794561242',
'6223 Bateman St.',   ' 1',   'Sacramento',   'CA',   '94609',   'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P33',                      'Parent33',   'Parent33',      '1972-04-20',   '2794561239',
'6223 Bateman St.',   '2',   'Sacramento',   'CA',   '94609',   'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P34',                      'Parent34',   'Parent34',      '1972-04-20',   '2794561240',
'6223 Bateman St.',   '3',   'Sacramento',   'CA',   '94609',   'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P35',                      'Parent35',   'Parent35',      '1972-04-20',   '2794561241',
'6223 Bateman St.',   '1',   'Sacramento',   'CA',   '94609',   'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P36',                      'Parent36',   'Parent36',      '1972-04-20',    '2794561242',
'6223 Bateman St.',   ' 2',   'Sacramento',   'CA',   '94609',   'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P37',                      'Parent37',   'Parent37',      '1972-04-20',   '2794561243',
'6223 Bateman St.',   '3',   'Sacramento',   'CA',   '94609',   'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P38',                      'Parent38',   'Parent38',      '1972-04-20',   '2794561244',
'6223 Bateman St.',   '1',   'Sacramento',   'CA',   '94609',   'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P39',                      'Parent39',   'Parent39',      '1972-04-20',   '2794561237',
'6223 Bateman St.',   ' 2',   'Sacramento',   'CA',   '94609',   'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P40',                      'Parent40',   'Parent40',      '1972-04-20',   '2794561238',
'6223 Bateman St.',   '3',   'Sacramento',   'CA',   '94609',   'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P41',                      'Parent41',   'Parent41',      '1972-04-20',   '2794561239',
'6223 Bateman St.',   '1',   'Sacramento',   'CA',   '94609',   'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P42',                      'Parent42',   'Parent42',      '1972-04-20',   '2794561240',
'6223 Bateman St.',   '2',   'Sacramento',   'CA',   '94609',   'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P43',                      'Parent43',   'Parent43',      '1972-04-20',   '2794561241',
'6223 Bateman St.',   '3',   'Sacramento',   'CA',   '94609',   'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P44',                      'Parent44',   'Parent44',      '1972-04-20',    '2794561242',
'6223 Bateman St.',   ' 1',   'Sacramento',   'CA',   '94609',   'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P45',                      'Parent45',   'Parent45',      '1972-04-20',   '2794561243',
'6223 Bateman St.',   '2',   'Sacramento',   'CA',   '94609',   'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P46',                      'Parent46',   'Parent46',      '1972-04-20',    '2794561242',
'6223 Bateman St.',   ' 3',   'Sacramento',   'CA',   '94609',   'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P47',                      'Parent47',   'Parent47',      '1972-04-20',   '2794561239',
'6223 Bateman St.',   '1',   'Sacramento',   'CA',   '94609',   'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P48',                      'Parent48',   'Parent48',      '1972-04-20',   '2794561240',
'6223 Bateman St.',   '2',   'Sacramento',   'CA',   '94609',   'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P49',                      'Parent49',   'Parent49',      '1972-04-20',   '2794561241',
'6223 Bateman St.',   '3',   'Sacramento',   'CA',   '94609',   'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P50',                      'Parent50',   'Parent50',      '1972-04-20',    '2794561242',
'6223 Bateman St.',   ' 1',   'Sacramento',   ' CA',   '94609',   'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P51',                      'Parent51',   'Parent51',      '1972-04-20',   '2794561243',
'6223 Bateman St.',   '2',   'Sacramento',   'CA',   '94609',   'Y',   'N',   'N',   'N');
```

```
INSERT person VALUES (    'P52',                    'Parent52',  'Parent52',    '1972-04-20',  '2794561244',
'6223 Bateman St.',   '3',   'Sacramento',   'CA',   '94609',  'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P53',                    'Parent53',  'Parent53',    '1972-04-20',  '2794561237',
'6223 Bateman St.',   '1',   'Sacramento',   'CA',   '94609',  'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P54',                    'Parent54',  'Parent54',    '1972-04-20',  '2794561238',
'6223 Bateman St.',   '2',   'Sacramento',   'CA',   '94609',  'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P55',                    'Parent55',  'Parent55',    '1972-04-20',  '2794561239',
'6223 Bateman St.',   '3',   'Sacramento',   'CA',   '94609',  'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P56',                    'Parent56',  'Parent56',    '1972-04-20',  '2794561240',
'6223 Bateman St.',   '1',   'Sacramento',   'CA',   '94609',  'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P57',                    'Parent57',  'Parent57',    '1972-04-20',  '2794561241',
'6223 Bateman St.',   '2',   'Sacramento',   'CA',   '94609',  'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P58',                    'Parent58',  'Parent58',    '1972-04-20',   '2794561242',
'6223 Bateman St.',   ' 3',   'Sacramento',   ' CA',   '94609',  'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P59',                    'Parent59',  'Parent59',    '1972-04-20',  '2794561243',
'6223 Bateman St.',   '1',   'Sacramento',   'CA',   '94609',  'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P60',                    'Parent60',  'Parent60',    '1972-04-20',   '2794561242',
'6223 Bateman St.',   ' 2',   'Sacramento',   ' CA',   '94609',  'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P61',                    'Parent61',  'Parent61',    '1972-04-20',  '2794561239',
'6223 Bateman St.',   '3',   'Sacramento',   'CA',   '94609',  'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P62',                    'Parent62',  'Parent62',    '1972-04-20',  '2794561240',
'6223 Bateman St.',   '1',   'Sacramento',   'CA',   '94609',  'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P63',                    'Parent63',  'Parent63',    '1972-04-20',  '2794561241',
'6223 Bateman St.',   '2',   'Sacramento',   'CA',   '94609',  'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P64',                    'Parent64',  'Parent64',    '1972-04-20',   '2794561242',
'6223 Bateman St.',   ' 3',   'Sacramento',   ' CA',   '94609',  'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P65',                    'Parent65',  'Parent65',    '1972-04-20',  '2794561243',
'6223 Bateman St.',   '1',   'Sacramento',   'CA',   '94609',  'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P66',                    'Parent66',  'Parent66',    '1972-04-20',  '2794561244',
'6223 Bateman St.',   '2',   'Sacramento',   'CA',   '94609',  'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P67',                    'Parent67',  'Parent67',    '1972-04-20',  '2794561237',
'6223 Bateman St.',   '3',   'Sacramento',   'CA',   '94609',  'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P68',                    'Parent68',  'Parent68',    '1972-04-20',  '2794561238',
'6223 Bateman St.',   '1',   'Sacramento',   'CA',   '94609',  'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P69',                    'Parent69',  'Parent69',    '1972-04-20',  '2794561239',
'6223 Bateman St.',   '2',   'Sacramento',   'CA',   '94609',  'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P70',                    'Parent70',  'Parent70',    '1972-04-20',  '2794561240',
'6223 Bateman St.',   '3',   'Sacramento',   'CA',   '94609',  'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P71',                    'Parent71',  'Parent71',    '1972-04-20',  '2794561241',
'6223 Bateman St.',   '1',   'Sacramento',   'CA',   '94609',  'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P72',                    'Parent72',  'Parent72',    '1972-04-20',   '2794561242',
'6223 Bateman St.',   ' 2',   'Sacramento',   ' CA',   '94609',  'Y',   'N',   'N',   'N');
INSERT person VALUES (    'P73',                    'Parent73',  'Parent73',    '1972-04-20',  '2794561243',
'6223 Bateman St.',   '3',   'Sacramento',   'CA',   '94609',  'Y',   'N',   'N',   'N');
```

```sql
INSERT person VALUES (   'P74',                    'Parent74',  'Parent74',      '1972-04-20',    '2794561242',
'6223 Bateman St.',   ' 1',   'Sacramento',  ' CA',  '94609', 'Y',   'N',   'N',   'N');
INSERT person VALUES (   'P75',                    'Parent75',  'Parent75',      '1972-04-20',  '2794561239',
'6223 Bateman St.',   '2',   'Sacramento',   'CA',  '94609', 'Y',   'N',   'N',   'N');
INSERT person VALUES (   'P76',                    'Parent76',  'Parent76',      '1972-04-20',  '2794561240',
'6223 Bateman St.',   '3',   'Sacramento',   'CA',  '94609', 'Y',   'N',   'N',   'N');
INSERT person VALUES (   'P77',                    'Parent77',  'Parent77',      '1972-04-20',  '2794561241',
'6223 Bateman St.',   '1',   'Sacramento',   'CA',  '94609', 'Y',   'N',   'N',   'N');
INSERT person VALUES (   'P78',                    'Parent78',  'Parent78',      '1972-04-20',   '2794561242',
'6223 Bateman St.',   ' 2',   'Sacramento',  ' CA',  '94609', 'Y',   'N',   'N',   'N');
INSERT person VALUES (   'P79',                    'Parent79',  'Parent79',      '1972-04-20',  '2794561243',
'6223 Bateman St.',   '3',   'Sacramento',   'CA',  '94609', 'Y',   'N',   'N',   'N');
INSERT person VALUES (   'P80',                    'Parent80',  'Parent80',      '1972-04-20',   '2794561244',
'6223 Bateman St.',   '1',   'Sacramento',   'CA',  '94609', 'Y',   'N',   'N',   'N');
INSERT person VALUES (   'P81',                    'Parent81',  'Parent81',      '1972-04-20',  '2794561237',
'6223 Bateman St.',   '2',   'Sacramento',   'CA',  '94609', 'Y',   'N',   'N',   'N');
INSERT person VALUES (   'P82',                    'Parent82',  'Parent82',      '1972-04-20',  '2794561238',
'6223 Bateman St.',   '2',   'Sacramento',   'CA',  '94609', 'Y',   'N',   'N',   'N');
INSERT person VALUES (   'P83',                    'Parent83',  'Parent83',      '1972-04-20',  '2794561239',
'6223 Bateman St.',   '3',   'Sacramento',   'CA',  '94609', 'Y',   'N',   'N',   'N');
INSERT person VALUES (   'P84',                    'Parent84',  'Parent84',      '1972-04-20',  '2794561240',
'6223 Bateman St.',   '1',   'Sacramento',   'CA',  '94609', 'Y',   'N',   'N',   'N');
INSERT person VALUES (   'P85',                    'Parent85',  'Parent85',      '1972-04-20',  '2794561241',
'6223 Bateman St.',   '2',   'Sacramento',   'CA',  '94609', 'Y',   'N',   'N',   'N');
INSERT person VALUES (   'Ref1',              'Ref1',                 'Ref1`',              '1974-04-20',
'2794561241',    '6223 Bateman St.',   '2',   'Sacramento',  'CA',  '94609',  'N',   'N',   'Y',   'N');
INSERT person VALUES (   'Ref2',              'Ref2',                 'Ref2`',              '1974-04-20',
'2794561241',    '6223 Bateman St.',   '2',   'Sacramento',  'CA',  '94609',  'N',   'N',   'Y',   'N');
INSERT person VALUES (   'Ref3',              'Ref3',                 'Ref3`',              '1974-04-20',
'2794561241',    '6223 Bateman St.',   '2',   'Sacramento',  'CA',  '94609',  'N',   'N',   'Y',   'N');
INSERT person VALUES (   'Line1',              'Line1',       'Line1`',            '1974-04-20',
'2794561241',    '6223 Bateman St.',   '2',   'Sacramento',  'CA',  '94609',  'N',   'N',   'Y',   'N');
INSERT person VALUES (   'Line2',              'Line2',       'Line2`',            '1974-04-20',
'2794561241',    '6223 Bateman St.',   '2',   'Sacramento',  'CA',  '94609',  'N',   'N',   'Y',   'N');
INSERT person VALUES (   'Line3',              'Line3',       'Line3`',            '1974-04-20',
'2794561241',    '6223 Bateman St.',   '2',   'Sacramento',  'CA',  '94609',  'N',   'N',   'Y',   'N');
INSERT person VALUES (   'Line4',              'Line4',       'Line4`',            '1974-04-20',
'2794561241',    '6223 Bateman St.',   '2',   'Sacramento',  'CA',  '94609',  'N',   'N',   'Y',   'N');
```

```sql
USE SMHA;
INSERT location VALUES ('12345', 'Iceland Ice', '1430 Del Paso Blvd','', 'Sacramento', 'CA','95815', '9169253121',
'info@skatesacramento.com');
INSERT location VALUES ('23456', 'The Rink', '2900 Bradshaw Rd','', 'Sacramento', 'CA','95827', '9163632643',
'therinksacramento@gmail.com');
INSERT location VALUES ('45678', 'Skatetown Ice Arena', '1009 Orlando Ave','', 'Roseville', 'CA','95661',
'9167838550', 'info@skatetown.biz');


USE SMHA;
INSERT team VALUES ( '00001',      'Sharks',        'C',      '002');
INSERT team VALUES ( '00002',      'Royals',        'C',      '001');
INSERT team VALUES ( '00003',      'Blues','R',      NULL);
INSERT team VALUES ( '00004',      'Radcals',       'R',      NULL);
INSERT team VALUES ( '00005',      'Atoms',         'R',      NULL);


USE SMHA;
INSERT TEAM_OFFICIAL VALUES ( '1500003355761',              '00001',        'N',    'N',    'N',    'y');
INSERT TEAM_OFFICIAL VALUES ( '1500000001742',              '00002',        'N',    'N',    'N',    'y');
INSERT TEAM_OFFICIAL VALUES ( '1500000001763',              '00003',        'N',    'N',    'N',    'y');
INSERT TEAM_OFFICIAL VALUES ( '1500000097222',              '00004',        'N',    'N',    'N',    'y');
INSERT TEAM_OFFICIAL VALUES ( '1500000097352',              '00005',        'N',    'N',    'N',    'y');
INSERT TEAM_OFFICIAL VALUES ( '1405800104104',              '00001',        'Y',    'N',    'N',    'N');
INSERT TEAM_OFFICIAL VALUES ( '1409200611249',              '00002',        'Y',    'N',    'N',    'N');
INSERT TEAM_OFFICIAL VALUES ( '1500003166966',              '00003',        'Y',    'N',    'N',    'N');
INSERT TEAM_OFFICIAL VALUES ( '1500003166967',              '00004',        'Y',    'N',    'N',    'N');
INSERT TEAM_OFFICIAL VALUES ( '1500003166911',              '00005',        'Y',    'N',    'N',    'N');
INSERT TEAM_OFFICIAL VALUES ( '1500000104105',    '00001',        'N',    'N',    'Y',    'N');
INSERT TEAM_OFFICIAL VALUES ( '1500000611250',    '00002',        'N',    'N',    'Y',    'N');
INSERT TEAM_OFFICIAL VALUES ( '1500603166966',    '00003',        'N',    'N',    'Y',    'N');
INSERT TEAM_OFFICIAL VALUES ( '1500703166967',    '00004',        'N',    'N',    'Y',    'N');
INSERT TEAM_OFFICIAL VALUES ( '1500803166968',    '00005',        'N',    'N',    'Y',    'N');
INSERT TEAM_OFFICIAL VALUES ( 'Official 1',       '00001',        'N',    'Y',    'N',    'N');
INSERT TEAM_OFFICIAL VALUES ( 'Official 2',       '00002',        'N',    'Y',    'N',    'N');
INSERT TEAM_OFFICIAL VALUES ( 'Official 3',       '00003',        'N',    'Y',    'N',    'N');
INSERT TEAM_OFFICIAL VALUES ( 'Official 4',       '00004',        'N',    'Y',    'N',    'N');
INSERT TEAM_OFFICIAL VALUES ( 'Official 5',       '00005',        'N',    'Y',    'N',    'N');
INSERT team_official VALUES ( 'Official 6',       '00001',        'N',    'Y',    'N',    'N');


USE SMHA;

INSERT parent VALUES (    'P1',            'parent1@gmail.com');
```

```
INSERT parent VALUES (    'P2',        'parent2@gmail.com');
INSERT parent VALUES (    'P3',                'parent3@gmail.com');
INSERT parent VALUES (    'P4',                'parent4@gmail.com');
INSERT parent VALUES (    'P5',                'parent5@gmail.com');
INSERT parent VALUES (    'P6',                'parent6@gmail.com');
INSERT parent VALUES (    'P7',                'parent7@gmail.com');
INSERT parent VALUES (    'P8',                'parent8@gmail.com');
INSERT parent VALUES (    'P9',                'parent9@gmail.com');
INSERT parent VALUES (    'P10',               'parent10@gmail.com');
INSERT parent VALUES (    'P11',               'parent11@gmail.com');
INSERT parent VALUES (    'P12',               'parent12@gmail.com');
INSERT parent VALUES (    'P13',               'parent13@gmail.com');
INSERT parent VALUES (    'P14',               'parent14@gmail.com');
INSERT parent VALUES (    'P15',               'parent15@gmail.com');
INSERT parent VALUES (    'P16',               'parent16@gmail.com');
INSERT parent VALUES (    'P17',     'parent17@gmail.com');
INSERT parent VALUES (    'P18',               'parent18@gmail.com');
INSERT parent VALUES (    'P19',               'parent18@gmail.com');
INSERT parent VALUES (    'P20',               'parent20@gmail.com');
INSERT parent VALUES (    'P21',               'parent21@gmail.com');
INSERT parent VALUES (    'P22',               'parent22@gmail.com');
INSERT parent VALUES (    'P23',               'parent23@gmail.com');
INSERT parent VALUES (    'P24',     'parent24@gmail.com');
INSERT parent VALUES (    'P25',     'parent25@gmail.com');
INSERT parent VALUES (    'P26',     'parent26@gmail.com');
INSERT parent VALUES (    'P27',               'parent27@gmail.com');
INSERT parent VALUES (    'P28',               'parent28@gmail.com');
INSERT parent VALUES (    'P29',               'parent29@gmail.com');
INSERT parent VALUES (    'P30',     'parent30@gmail.com');
INSERT parent VALUES (    'P31',               'parent31@gmail.com');
INSERT parent VALUES (    'P32',               'parent32@gmail.com');
INSERT parent VALUES (    'P33',               'parent33@gmail.com');
INSERT parent VALUES (    'P34',               'parent34@gmail.com');
INSERT parent VALUES (    'P35',               'parent35@gmail.com');
INSERT parent VALUES (    'P36',               'parent36@gmail.com');
INSERT parent VALUES (    'P37',               'parent37@gmail.com');
INSERT parent VALUES (    'P38',               'parent38@gmail.com');
INSERT parent VALUES (    'P39',     'parent39@gmail.com');
INSERT parent VALUES (    'P40',     'parent40@gmail.com');
INSERT parent VALUES (    'P41',                'parent41@gmail.com');
INSERT parent VALUES (    'P42',                'parent42@gmail.com');
INSERT parent VALUES (    'P43',                'parent43@gmail.com');
INSERT parent VALUES (    'P44',                'parent44@gmail.com');
INSERT parent VALUES (    'P45',     'parent45@gmail.com');
```

```sql
INSERT parent VALUES (    'P46',    'parent46@gmail.com');
INSERT parent VALUES (    'P47',    'parent47@gmail.com');
INSERT parent VALUES (    'P48',    'parent48@gmail.com');
INSERT parent VALUES (    'P49',          'parent49@gmail.com');
INSERT parent VALUES (    'P50',          'parent50@gmail.com');
INSERT parent VALUES (    'P51',          'parent51@gmail.com');
INSERT parent VALUES (    'P52',    'parent52@gmail.com');
INSERT parent VALUES (    'P53',          'parent53@gmail.com');
INSERT parent VALUES (    'P54',          'parent54@gmail.com');
INSERT parent VALUES (    'P55',          'parent55@gmail.com');
INSERT parent VALUES (    'P56',    'parent56@gmail.com');
INSERT parent VALUES (    'P57',          'parent57@gmail.com');
INSERT parent VALUES (    'P58',          'parent57@gmail.com');
INSERT parent VALUES (    'P59',          'parent59@gmail.com');
INSERT parent VALUES (    'P60',          'parent60@gmail.com');
INSERT parent VALUES (    'P61',          'parent61@gmail.com');
INSERT parent VALUES (    'P62',          'parent62@gmail.com');
INSERT parent VALUES (    'P63',          'parent63@gmail.com');
INSERT parent VALUES (    'P64',          'parent64@gmail.com');
INSERT parent VALUES (    'P65',    'parent65@gmail.com');
INSERT parent VALUES (    'P66',    'parent66@gmail.com');
INSERT parent VALUES (    'P67',          'parent67@gmail.com');
INSERT parent VALUES (    'P68',          'parent68@gmail.com');
INSERT parent VALUES (    'P69',    'parent69@gmail.com');
INSERT parent VALUES (    'P70',          'parent70@gmail.com');
INSERT parent VALUES (    'P71',          'parent71@gmail.com');
INSERT parent VALUES (    'P72',          'parent72@gmail.com');
INSERT parent VALUES (    'P73',          'parent73@gmail.com');
INSERT parent VALUES (    'P74',          'parent74@gmail.com');
INSERT parent VALUES (    'P75',          'parent75@gmail.com');
INSERT parent VALUES (    'P76',          'parent76@gmail.com');
INSERT parent VALUES (    'P77',          'parent77@gmail.com');
INSERT parent VALUES (    'P78',          'parent78@gmail.com');
INSERT parent VALUES (    'P79',          'parent79@gmail.com');
INSERT parent VALUES (    'P80',          'parent80@gmail.com');
INSERT parent VALUES (    'P81',          'parent81@gmail.com');
INSERT parent VALUES (    'P82',          'parent82@gmail.com');
INSERT parent VALUES (    'P83',          'parent83@gmail.com');
INSERT parent VALUES (    'P84',    'parent84@gmail.com');
INSERT parent VALUES (    'P85',    'parent58@gmail.com');
```

```
USE SMHA;

INSERT PLAYER VALUES ('1400003355753',     'N',     'Y',     'Y',     'N',     '00001');
INSERT PLAYER VALUES ('1400000097213',     'N',     'Y',     'Y',     'N',     '00002');
INSERT PLAYER VALUES ('1400000097343',     'N',     'Y',     'Y',     'N',     '00003');
INSERT PLAYER VALUES ('1400000104996',     'N',     'Y',     'Y',     'N',     '00004');
INSERT PLAYER VALUES ('1400000611241',     'N',     'Y',     'Y',     'N',     '00005');
INSERT PLAYER VALUES ('1400003166966',     'N',     'Y',     'Y',     'N',     '00006');
INSERT PLAYER VALUES ('1400003166967',     'N',     'Y',     'Y',     'N',     '00007');
INSERT PLAYER VALUES ('1400003166992',     'N',     'Y',     'Y',     'N',     '00008');
INSERT PLAYER VALUES ('1400003355754',     'N',     'Y',     'Y',     'N',     '00009');
INSERT PLAYER VALUES ('1400000001733',     'N',     'Y',     'Y',     'N',     '00010');
INSERT PLAYER VALUES ('1400000001755',     'N',     'Y',     'Y',     'N',     '00011');
INSERT PLAYER VALUES ('1400000097214',     'N',     'Y',     'Y',     'N',     '00012');
INSERT PLAYER VALUES ('1400000097344',     'N',     'Y',     'Y',     'N',     '00013');
INSERT PLAYER VALUES ('1400000104997',     'N',     'Y',     'Y',     'N',     '00014');
INSERT PLAYER VALUES ('1400000611242',     'N',     'Y',     'Y',     'N',     '00015');
INSERT PLAYER VALUES ('1401003166966',     'N',     'Y',     'Y',     'N',     '00016');
INSERT PLAYER VALUES ('1420003166967',     'N',     'Y',     'Y',     'N',     '00017');
INSERT PLAYER VALUES ('1400003166993',     'N',     'Y',     'Y',     'N',     '00018');
INSERT PLAYER VALUES ('1400703355754',     'N',     'Y',     'Y',     'N',     '00019');
INSERT PLAYER VALUES ('1400000001734',     'N',     'Y',     'Y',     'N',     '00020');
INSERT PLAYER VALUES ('1400000001756',     'N',     'Y',     'Y',     'N',     '00021');
INSERT PLAYER VALUES ('1400000097215',     'N',     'Y',     'Y',     'N',     '00022');
INSERT PLAYER VALUES ('1400000097345',     'N',     'Y',     'Y',     'N',     '00023');
INSERT PLAYER VALUES ('1400000104998',     'N',     'Y',     'Y',     'N',     '00024');
INSERT PLAYER VALUES ('1400000611243',     'N',     'Y',     'Y',     'N',     '00025');
INSERT PLAYER VALUES ('1400603166967',     'N',     'Y',     'Y',     'N',     '00026');
INSERT PLAYER VALUES ('1400003166994',     'N',     'Y',     'Y',     'N',     '00027');
INSERT PLAYER VALUES ('1400003355755',     'N',     'Y',     'Y',     'N',     '00028');
INSERT PLAYER VALUES ('1400000001736',     'N',     'Y',     'Y',     'N',     '00029');
INSERT PLAYER VALUES ('1400000001757',     'N',     'Y',     'Y',     'N',     '00030');
INSERT PLAYER VALUES ('1400000097216',     'N',     'Y',     'N',     'Y',     '00031');
INSERT PLAYER VALUES ('1400000097346',     'N',     'Y',     'N',     'Y',     '00032');
INSERT PLAYER VALUES ('1400000104999',     'N',     'Y',     'N',     'Y',     '00033');
INSERT PLAYER VALUES ('1400000611244',     'N',     'Y',     'N',     'Y',     '00034');
INSERT PLAYER VALUES ('1404003166966',     'Y',     'N',     'Y',     'N',     NULL);
INSERT PLAYER VALUES ('1400003866967',     'Y',     'N',     'Y',     'N',     NULL);
INSERT PLAYER VALUES ('1400003166995',     'Y',     'N',     'Y',     'N',     NULL);
INSERT PLAYER VALUES ('1400003355756',     'Y',     'N',     'Y',     'N',     NULL);
INSERT PLAYER VALUES ('1400000001737',     'Y',     'N',     'Y',     'N',     NULL);
INSERT PLAYER VALUES ('1400000001758',     'Y',     'N',     'Y',     'N',     NULL);
INSERT PLAYER VALUES ('1400000097217',     'Y',     'N',     'Y',     'N',     NULL);
INSERT PLAYER VALUES ('1400000097347',     'Y',     'N',     'Y',     'N',     NULL);
```

```sql
INSERT PLAYER VALUES ('1400000104100',       'Y',   'N',   'Y',   'N',     NULL);
INSERT PLAYER VALUES ('1400000611245',       'Y',   'N',   'Y',   'N',     NULL);
INSERT PLAYER VALUES ('1450003166966',       'Y',   'N',   'Y',   'N',     NULL);
INSERT PLAYER VALUES ('1409603166967',       'Y',   'N',   'Y',   'N',     NULL);
INSERT PLAYER VALUES ('1400003166996',       'Y',   'N',   'Y',   'N',     NULL);
INSERT PLAYER VALUES ('1400003355757',       'Y',   'N',   'Y',   'N',     NULL);
INSERT PLAYER VALUES ('1400000001738',       'Y',   'N',   'Y',   'N',     NULL);
INSERT PLAYER VALUES ('1400000001759',       'Y',   'N',   'Y',   'N',     NULL);
INSERT PLAYER VALUES ('1400000097348',       'Y',   'N',   'Y',   'N',     NULL);
INSERT PLAYER VALUES ('1400000104101',       'Y',   'N',   'Y',   'N',     NULL);
INSERT PLAYER VALUES ('1400000611246',       'Y',   'N',   'Y',   'N',     NULL);
INSERT PLAYER VALUES ('1400923166966',       'Y',   'N',   'Y',   'N',     NULL);
INSERT PLAYER VALUES ('1480003166967',       'Y',   'N',   'Y',   'N',     NULL);
INSERT PLAYER VALUES ('1470003166997',       'Y',   'N',   'Y',   'N',     NULL);
INSERT PLAYER VALUES ('1460003355758',       'Y',   'N',   'Y',   'N',     NULL);
INSERT PLAYER VALUES ('1450000001739',       'Y',   'N',   'Y',   'N',     NULL);
INSERT PLAYER VALUES ('1440000001760',       'Y',   'N',   'Y',   'N',     NULL);
INSERT PLAYER VALUES ('1430000097219',       'Y',   'N',   'Y',   'N',     NULL);
INSERT PLAYER VALUES ('1420000097349',       'Y',   'N',   'Y',   'N',     NULL);
INSERT PLAYER VALUES ('1410000104102',       'Y',   'N',   'Y',   'N',     NULL);
INSERT PLAYER VALUES ('1470000611247',       'Y',   'N',   'Y',   'N',     NULL);
INSERT PLAYER VALUES ('1440003166966',       'Y',   'N',   'Y',   'N',     NULL);
INSERT PLAYER VALUES ('1484203166967',       'Y',   'N',   'Y',   'N',     NULL);
INSERT PLAYER VALUES ('1475303166998',       'Y',   'N',   'Y',   'N',     NULL);
INSERT PLAYER VALUES ('1406403355759', 'Y', 'N',   'Y',   'N',     NULL);
INSERT PLAYER VALUES ('1407500001740', 'Y', 'N',   'Y',   'N',     NULL);
INSERT PLAYER VALUES ('1433400001761',       'Y',   'N',   'Y',   'N',     NULL);
INSERT PLAYER VALUES ('1405500097220',       'Y',   'N',   'Y',   'N',     NULL);
INSERT PLAYER VALUES ('1406600097350',       'Y',   'N',   'Y',   'N',     NULL);
INSERT PLAYER VALUES ('1408800104103',  'Y', 'N',   'Y',   'N',     NULL);
INSERT PLAYER VALUES ('1402103166966',       'Y',   'N',   'Y',   'N',     NULL);
INSERT PLAYER VALUES ('1443003166967', 'Y', 'N',   'Y',   'N',     NULL);
INSERT PLAYER VALUES ('1461003166999',       'Y',   'N',   'N',   'Y',     NULL);
INSERT PLAYER VALUES ('1408903355760', 'Y', 'N',   'N',   'Y',     NULL);
INSERT PLAYER VALUES ('1409400001741',       'Y',   'N',   'N',   'Y',     NULL);
INSERT PLAYER VALUES ('1404900001762',       'Y',   'N',   'N',   'Y',     NULL);
INSERT PLAYER VALUES ('1405600097221',       'Y',   'N',   'N',   'Y',     NULL);
INSERT PLAYER VALUES ('1407300097351',       'Y',   'N',   'N',   'Y',     NULL);


USE SMHA;
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P1','1400003355753');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P2','1400000097213');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P3','1400000097343');
```

```
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P4','1400000104996');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P5','1400000611241');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P6','1400003166966');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P7','1400003166967');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P8','1400003166992');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P9','1400003355754');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P10','1400000001733');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P11','1400000001755');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P12','1400000097214');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P13','1400000097344');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P14','1400000104997');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P15','1400000611242');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P16','1401003166966');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P17','1420003166967');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P18','1400003166993');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P19','1400703355754');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P20','1400000001734');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P21','1400000001756');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P22','1400000097215');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P23','1400000097345');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P24','1400000104998');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P25','1400000611243');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P26','1400603166967');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P27','1400003166994');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P28','1400003355755');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P29','1400000001736');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P30','1400000001757');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P31','1400000097216');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P32','1400000097346');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P33','1400000104999');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P34','1400000611244');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P35','1404003166966');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P36','1400003866967');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P37','1400003166995');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P38','1407300097351');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P39','1405600097221');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P40','1404900001762');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P41','1409400001741');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P42','1408903355760');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P43','1461003166999');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P44','1443003166967');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P45','1402103166966');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P46','1408800104103');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P47','1406600097350');
```

```sql
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P48','1405500097220');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P49','1433400001761');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P50','1407500001740');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P51','1406403355759');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P52','1475303166998');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P53','1484203166967');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P54','1440003166966');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P55','1470000611247');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P56','1410000104102');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P57','1420000097349');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P58','1430000097219');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P59','1440000001760');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P60','1450000001739');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P61','1460003355758');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P62','1470003166997');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P63','1480003166967');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P64','1400923166966');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P65','1400000611246');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P66','1400000104101');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P67','1400000097348');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P68','1400000001759');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P69','1400000001738');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P70','1400003355757');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P71','1400003166996');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P72','1409603166967');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P73','1450003166966');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P74','1400000611245');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P75','1400000104100');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P76','1400000097347');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P77','1400000097217');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P78','1400000001758');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P79','1400000001737');
INSERT relationship (PARENT_ID, PLAYER_ID) VALUES ('P80','1400003355756');


USE SMHA;

INSERT LEAGUE_OFFICIAL  VALUES (    'Ref1',            'Y',      'N');
INSERT LEAGUE_OFFICIAL  VALUES (    'Ref2',            'Y',      'N');
INSERT LEAGUE_OFFICIAL  VALUES (    'Ref3',            'Y',      'N');
INSERT LEAGUE_OFFICIAL  VALUES (    'Line1',  'N',      'Y');
INSERT LEAGUE_OFFICIAL  VALUES (    'Line2',  'N',      'Y');
INSERT LEAGUE_OFFICIAL  VALUES (    'Line3',  'N',      'Y');
INSERT LEAGUE_OFFICIAL  VALUES (    'Line4',  'N',      'Y');
```

```sql
USE SMHA;

INSERT GAME (GAME_DATE, REF_ID, LINE_ID1, LINE_ID2, LOCAT_ID, TEAM1_ID, TEAM2_ID, GAME_T1SCORE, GAME_T2SCORE) VALUES
('2021-04-05',    'ref1',    'line2',    'Line4',    '45678',    '00003',    '00004', NULL, NULL);
INSERT GAME (GAME_DATE, REF_ID, LINE_ID1, LINE_ID2, LOCAT_ID, TEAM1_ID, TEAM2_ID, GAME_T1SCORE, GAME_T2SCORE) VALUES
('2021-04-05',    'ref1',    'line2',    'Line4',    '45678',    '00002',    '00004', NULL, NULL);
INSERT GAME (GAME_DATE, REF_ID, LINE_ID1, LINE_ID2, LOCAT_ID, TEAM1_ID, TEAM2_ID, GAME_T1SCORE, GAME_T2SCORE) VALUES
('2021-04-05',    'ref2',            'line4',    'Line3',    '45678',    '00003',    '00005', NULL, NULL);
INSERT GAME (GAME_DATE, REF_ID, LINE_ID1, LINE_ID2, LOCAT_ID, TEAM1_ID, TEAM2_ID, GAME_T1SCORE, GAME_T2SCORE) VALUES
('2021-04-27',    'ref2',    'Line3',    'line2',    '23456',    '00004',    '00001', NULL, NULL);
INSERT GAME (GAME_DATE, REF_ID, LINE_ID1, LINE_ID2, LOCAT_ID, TEAM1_ID, TEAM2_ID, GAME_T1SCORE, GAME_T2SCORE) VALUES
('2021-04-19',    'ref2',    'Line1',    'line2',    '23456',    '00002',    '00001', NULL, NULL);
INSERT GAME (GAME_DATE, REF_ID, LINE_ID1, LINE_ID2, LOCAT_ID, TEAM1_ID, TEAM2_ID, GAME_T1SCORE, GAME_T2SCORE) VALUES
('2021-04-22',    'ref3',            'line4',    'Line1',    '23456',    '00003',    '00001', NULL, NULL);
INSERT GAME (GAME_DATE, REF_ID, LINE_ID1, LINE_ID2, LOCAT_ID, TEAM1_ID, TEAM2_ID, GAME_T1SCORE, GAME_T2SCORE) VALUES
('2021-04-17',    'ref3',    'Line3',    NULL,            '12345',    '00005',    '00002', NULL, NULL);
INSERT GAME (GAME_DATE, REF_ID, LINE_ID1, LINE_ID2, LOCAT_ID, TEAM1_ID, TEAM2_ID, GAME_T1SCORE, GAME_T2SCORE) VALUES
('2021-04-02',    'ref3',    'Line1',    'Line3',    '12345',    '00004',    '00005', NULL, NULL);
INSERT GAME (GAME_DATE, REF_ID, LINE_ID1, LINE_ID2, LOCAT_ID, TEAM1_ID, TEAM2_ID, GAME_T1SCORE, GAME_T2SCORE) VALUES
('2021-04-06',    'ref3',    'Line1',    NULL,            '12345',    '00005',    '00001', NULL, NULL);
INSERT GAME (GAME_DATE, REF_ID, LINE_ID1, LINE_ID2, LOCAT_ID, TEAM1_ID, TEAM2_ID, GAME_T1SCORE, GAME_T2SCORE) VALUES
('2021-04-08',    'ref1',            'line4',    'Line3',    '23456',    '00003',    '00002', NULL, NULL);




USE SMHA;
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00001',
'1400003355753',    '2021-01-01', null,    '12',        'C');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00001',
'1400000097213',    '2021-01-01', null,    '41',        'C');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00001',
'1400000097343',    '2021-01-01', null,    '53',        'C');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00001',
'1400000104996',    '2021-01-01', null,    '26',        'C');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00001',
'1400000611241',    '2021-01-01', null,    '76',        'C');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00001',
'1400003166966',    '2021-01-01', null,    '97',        'C');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00001',
'1400003166967',    '2021-01-01', null,    '23',        'C');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00001',
'1400003166992',    '2021-01-01', null,    '33',        'C');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00001',
'1400003355754',    '2021-01-01', null,    '88',        'C');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00001',
'1400000001733',    '2021-01-01', null,    '73',        'C');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00001',
'1400000001755',    '2021-01-01', null,    '66',        'C');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00001',
'1400000097344',    '2021-01-01', null,    '55',        'C');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00001',
'1400000097214',    '2021-01-01', null,    '39',        'C');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00001',
'1400000611242',    '2021-01-01', null,    '34',        'C');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00001',
'1401003166966',    '2021-01-01', null,    '99',        'C');
```

```
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00001',
'1420003166967',  '2021-01-01', null,  '05',      'C');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00001',
'1400003166993',  '2021-01-01', null,  '01',      'C');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00002',
'1400703355754',  '2021-01-01', null,  '12',      'C');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00002',
'1400000001734',  '2021-01-01', null,  '99',      'C');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00002',
'1400000001756',  '2021-01-01', null,  '87',      'C');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00002',
'1400000097215',  '2021-01-01', null,  '65',      'C');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00002',
'1400000097345',  '2021-01-01', null,  '43',      'C');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00002',
'1400000104998',  '2021-01-01', null,  '21',      'C');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00002',
'1400000611243',  '2021-01-01', null,  '12',      'C');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00002',
'1400603166967',  '2021-01-01', null,  '34',      'C');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00002',
'1400003166994',  '2021-01-01', null,  '56',      'C');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00002',
'1400003355755',  '2021-01-01', null,  '78',      'C');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00002',
'1400000001736',  '2021-01-01', null,  '89',      'C');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00002',
'1400000001757',  '2021-01-01', null,  '08',      'C');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00002',
'1400000097216',  '2021-01-01', null,  '03',      'C');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00002',
'1400000097346',  '2021-01-01', null,  '35',      'C');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00002',
'1400000104999',  '2021-01-01', null,  '68',      'C');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00002',
'1400000611244',  '2021-01-01', null,  '70',      'C');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00002',
'1404003166966',  '2021-01-01', null,  '91',      'C');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00003',
        '1400003866967',  '2021-01-01', null,  '65',       'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00003',
        '1400003166995',  '2021-01-01', null,  '77',       'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00003',
        '1400003355756',  '2021-01-01', null,  '41',       'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00003',
        '1400000001737',  '2021-01-01', null,  '54',       'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00003',
        '1400000001758',  '2021-01-01', null,  '42',       'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00003',
        '1400000097217',  '2021-01-01', null,  '99',       'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00003',
        '1400000097347',  '2021-01-01', null,  '57',       'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00003',
        '1400000104100',  '2021-01-01', null,  '76',       'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00003',
        '1400000611245',  '2021-01-01', null,  '67',       'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00003',
        '1450003166966',  '2021-01-01', null,  '33',       'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00003',
        '1409603166967',  '2021-01-01', null,  '44',       'R');
```

```sql
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00003',
        '1400003166996',   '2021-01-01', null,  '32',       'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00003',
        '1400003355757',   '2021-01-01', null,  '31',       'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00003',
        '1400000001738',   '2021-01-01', null,  '93',       'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00003',
        '1400000001759',   '2021-01-01', null,  '84',       'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00003',
        '1400000097348',   '2021-01-01', null,  '48',       'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00003',
        '1400000104101',   '2021-01-01', null,  '56',       'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00004',
        '1400000611246',   '2021-01-01', null,  '65',       'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00004',
        '1400923166966',   '2021-01-01', null,  '77',       'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00004',
        '1480003166967',   '2021-01-01', null,  '51',       'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00004',
        '1470003166997',   '2021-01-01', null,  '07',       'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00004',
        '1460003355758',   '2021-01-01', null,  '09',       'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00004',
        '1450000001739',   '2021-01-01', null,  '89',       'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00004',
        '1440000001760',   '2021-01-01', null,  '22',       'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00004',
        '1430000097219',   '2021-01-01', null,  '25',       'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00004',
        '1420000097349',   '2021-01-01', null,  '52',       'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00004',
        '1410000104102',   '2021-01-01', null,  '88',       'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00004',
        '1470000611247',   '2021-01-01', null,  '19',       'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00004',
        '1440003166966',   '2021-01-01', null,  '78',       'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00004',
        '1484203166967',   '2021-01-01', null,  '94',       'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00004',
        '1475303166998',   '2021-01-01', null,  '45',       'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00004',
        '1406403355759',   '2021-01-01', null,  '46',       'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00004',
        '1407500001740',   '2021-01-01', null,  '82',       'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00004',
        '1433400001761',   '2021-01-01', null,  '67',       'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00005',
        '1405500097220',   '2021-01-01', null,  '23',       'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00005',
        '1406600097350',   '2021-01-01', null,  '35',       'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00005',
        '1408800104103',   '2021-01-01', null,  '88',       'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00005',
        '1402103166966',   '2021-01-01', null,  '51',       'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00005',
        '1443003166967',   '2021-01-01', null,  '18',       'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00005',
        '1461003166999',   '2021-01-01', null,  '12',       'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00005',
        '1408903355760',   '2021-01-01', null,  '27',       'R');
```

```
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00005',
        '1409400001741',    '2021-01-01',  null,   '90',          'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00005',
        '1404900001762',    '2021-01-01',  null,   '54',          'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00005',
        '1405600097221',    '2021-01-01',  null,   '32',          'R');
INSERT TEAM_PLAYER (TEAM_ID, PLAYER_ID, TEAM_PLAY_START, TEAM_PLAY_END, TEAM_PLAY_JERSEY, TEAM_PLAY_TYPE) VALUES ( '00005',
        '1407300097351',    '2021-01-01',  null,   '16',          'R');
```