

Patient Record Consultation Record and Doctor Consultation Revision

End to end technical file inventory and workflow reference

Document item	Value
System	SLSU Clinic Management Information System
Repository basis	Current workspace implementation inspected on 15 September 2026
Coverage	Blade views, routes, controllers, models, middleware, menu configuration, styles, scripts, database tables, PDF output, and inventory side effects
Audience	Developers, reviewers, testers, and deployment personnel

Purpose

This document identifies every directly involved component for the revised Patient Record, Consultation Record, and Doctor Consultation features. It also explains how a medical record moves between the nurse, doctor, and nurse completion stages. The current implementation uses the medicalrecord row as the workflow anchor and stores prescription lines in doctor_consultation.

Main conclusion

The three features are not independent pages. They form one campus restricted workflow controlled by record status. A record with status For Doctor appears in the doctor queue. Saving the doctor consultation stores prescription lines, deducts stock on the first doctor pass, and changes the record to For Nurse. Nurse completion changes it to Active. Patient Record exposes the same actions according to the current status.

Workflow Overview

Stage	User action	Route and handler	State or output
Patient search	Search Student Employee or Dependent	POST /patient-view-record → PatientViewMedicalRecordController searchView	Returns encrypted patient identifiers as JSON
Patient record	Open selected history	GET /patient-record → records	Displays medicalrecord history and available actions
Doctor queue	Open pending intake	GET /doctor-consultations → doctorConsultations	Lists records where status is For Doctor
Doctor consultation	Record recommendation and prescription	POST /doctor-consultation/{record} → saveDoctorConsultation	Writes doctor_consultation rows deducts inventory and sets For Nurse
Prescription PDF	Preview current form or print saved prescription	POST prescription-pdf or GET saved-prescription-pdf	Streams A5 PDF from doctor-prescription-pdf Blade
Consultation record	Review doctor completed cases	GET /consultation-records → consultationRecords	Lists records where status is For Nurse
Nurse completion	Complete treatment	POST /nurse-treatment/{record} → saveNurseTreatment	Updates purpose and recommendation then sets Active

Status Transition Rules

Current status	Visible location	Allowed next action	Next status
For Doctor	Doctor Consultations and Patient Record	Save doctor consultation	For Nurse
For Nurse	Consultation Record and Patient Record	Complete nurse treatment	Active
Active	Patient Record and patient status functions	Normal record maintenance or logout	InActive when logged out

Access Controls

- All routes in scope are inside the authuser middleware group. The middleware requires a session role and redirects unauthenticated sessions to login.
- Doctor consultation, consultation record, prescription, and nurse treatment routes are additionally inside campus.one. CampusOneOnly returns HTTP 403 unless session campus equals 1.
- MenuServiceProvider removes doctor-consultations and consultation-records menu items outside Campus 1. This hides the links while middleware still enforces access at the route level.

Patient Record Components

Patient Record provides patient search, medical history display, edit and soft delete actions, printable history, and status based links into doctor consultation or nurse completion.

Layer	File	Responsibility
Blade	resources/views/pages/patient-view-record.blade.php	Search page for Student Employee and Dependent records; posts search data and redirects with encrypted ID and role.
Blade	resources/views/pages/patient-record.blade.php	History table; print edit delete doctor consultation nurse completion and saved prescription actions.
Blade partial	resources/views/modal/editMedical-Record.blade.php	Edit form posted to /update-record including purpose findings vitals recommendation and OTC medicine rows.
Blade partial	resources/views/modal/addMedical-Record.blade.php	Included by the record page as the add record dialog.
Controller	app/Http/Controllers/PatientViewMedicalRecordController.php	Searches patients loads history edits records synchronizes inventory soft deletes records and generates PDF.
Model	app/Medical.php	Eloquent model for medicalrecord with SoftDeletes and the main record fields.
Models	app/Student.php and app/Employee.php	Resolve patient identity for Student and Employee roles.
Database query	dependent_info table	Resolves Dependent patient identity without a dedicated model in this flow.
Inventory	app/Inventory.php and app/Stocks.php	Used by record editing to reconcile OTC quantities and recalculate running stock.

Routes and Controller Methods

Method and URI	Controller method	Purpose
GET /patient-view-record	index	Render the search screen.
POST /patient-view-record	searchView	Search by role and campus; return JSON search results.
GET /patient-record	records	Decrypt patient ID, load history, detect saved prescriptions, and render record page.
POST /viewModal	viewModal	Return one medical record with patient information for the edit modal.
POST /update-record	updateViewModal	Update medicalrecord and reconcile related OTC inventory inside a transaction.
POST /delete-record	delete	Soft delete by setting deleted_at.
GET /generate-pdf	generatePDF	Generate the printable patient record output.
POST /searchItems	PatientMedicalRecordController searchItems	Inventory autocomplete used by medicine fields.

Important Runtime Behavior

- records decrypts the incoming id with AESCipher and restricts the patient and record queries by session campus. Legacy rows with blank or null campus remain visible in selected queries.
- The record page queries doctor_consultation to decide whether the Print Prescription action should appear.
- Editing OTC medicine usage calls syncMedicalInventory, findMedicalInventoryRowByMedicine, and recalculateInventoryFrom. These methods update the inventory ledger and the current stock total.
- The page uses jQuery AJAX, DataTables, SweetAlert2, JSZip, and pdfmake assets. CSRF is taken from the page meta tag.

Doctor Consultations Components

Doctor Consultations consists of the doctor queue, the three step consultation form, prescription generation, stock deduction, and persistence of prescription lines.

Layer	File	Responsibility
Blade queue	resources/views/pages/doctor-consultations.blade.php	Searchable 12 item paginated queue of records with status For Doctor.
Blade form	resources/views/pages/doctor-consultation.blade.php	Three step recommendation prescription and preview interface; medicine stock search and AJAX save.
Blade PDF	resources/views/pages/doctor-prescription-pdf.blade.php	A5 prescription layout used for preview and saved prescription printing.
CSS	public/css/pages/doctor-consultation.css	Dedicated styling for the consultation workflow and prescription preview.
Controller	app/Http/Controllers/PatientMedicalRecordController.php	Loads queue and form validates input persists consultation generates PDFs handles inventory and moves workflow status.
Database	doctor_consultation.sql	Table definition and deployment dump for prescription line records.
Inventory	app/Stocks.php and app/Inventory.php	Lock stock rows verify quantities deduct stock and append inventory ledger entries.
Doctor data	app/Doctor.php and doctors table	Find the active physician for the current campus for the form and PDF.

Routes and Controller Methods

Method and URI	Named route	Controller method
GET /doctor-consultations	medical.doctor-consultations	doctorConsultations
GET /doctor-consultation/{record}	medical.doctor-consultation	doctorConsultation
POST /doctor-consultation/{record}	medical.doctor-consultation.save	saveDoctorConsultation
POST /doctor-consultation/{record}/prescription-pdf	medical.doctor-prescription.pdf	prescriptionPdf
GET /doctor-consultation/{record}/saved-prescription-pdf	medical.doctor-prescription.saved-pdf	savedPrescriptionPdf
POST /searchItems	none	searchItems

Save Transaction

Step	Implementation
1 Validate	Recommendation is required. Medicine quantity must be at least 1. Dose unit is limited to the configured list.
2 Resolve record	Load Medical by route record ID and current campus or fail with 404.
3 Build rows	Create one doctor_consultation row per nonblank medicine and prepare matching inventory deductions.

Step	Implementation
4 Lock stock	On the first For Doctor save lock Stock and latest Inventory rows and reject missing or insufficient stock.
5 Deduct inventory	Update stock item_quantity and insert an inventory ledger row with patient stock lot and campus data.
6 Replace prescription	Soft delete existing active doctor_consultation rows for the medical record and insert the new rows.
7 Move workflow	Append OTC Medicine to purpose when needed and update medicalrecord recommendation and status to For Nurse.

Client Side Dependencies

- The form searches /searchItems as the user types, records stock ID and lot number, shows low stock and expiration warnings, and limits the entered quantity to available stock.
- The Save button submits FormData with Accept application/json and X-Requested-With XMLHttpRequest. Validation or stock errors are shown through SweetAlert2.
- The Print Prescription button uses its own formation and posts the current unsaved form to the PDF endpoint. Saved prescriptions use the separate GET endpoint from Patient Record.

Consultation Record Components

Consultation Record is the nurse facing list of doctor completed consultations. It combines each medical record with patient identity and a grouped medicine summary, then opens Nurse Treatment for completion.

Layer	File	Responsibility
Blade	resources/views/pages/consultation-records.blade.php	Displays patient date findings recommendation prescribed medicines and For Nurse status; links to Complete Treatment.
Blade	resources/views/pages/nurse-treatment.blade.php	Loads the selected record and saved doctor_consultation rows and submits nurse completion.
Controller	app/Http/Controllers/PatientMedicalRecordController.php	consultationRecords nurseTreatment and saveNurseTreatment implement the list and completion flow.
Data	medicalrecord and doctor_consultation	medicalrecord is the workflow anchor; doctor_consultation is grouped into a medicine summary by medical record ID.
Navigation	resources/data/menus/nurse-menu.json and nurse-attendant-menu.json	Expose Consultation Record for nursing roles.

Routes and Controller Methods

Method and URI	Named route	Behavior
GET /consultation-records	medical.consultation-records	Search and paginate status For Nurse records.
GET /nurse-treatment/{record}	medical.nurse-treatment	Load Medical patient and active doctor_consultation rows.
POST /nurse-treatment/{record}	medical.nurse-treatment.save	Validate purpose and recommendation then set status Active.

Query Details

- consultationRecords groups medicine_name and quantity with GROUP_CONCAT from active doctor_consultation rows.
- Patient names are resolved with role conditional joins to student_info, employee_info, and dependent_info, then combined with COALESCE.
- Only records with status For Nurse and no medicalrecord deleted_at value are returned. Results are ordered by date and time and paginated 12 per page.
- Search matches patient ID plus first or last name across all three patient types.

Shared Supporting Components

Component	Path	Why it is involved
Routes	routes/web.php	Declares every active endpoint and middleware grouping.
Route middleware aliases	app/Http/Kernel.php	Maps authuser and campus.one aliases.
Authentication middleware	app/Http/Middleware/authUser.php	Requires a session role before allowing the scoped pages.
Campus restriction	app/Http/Middleware/CampusOneOnly.php	Restricts the consultation workflow to Campus 1.
Menu selection	app/Providers/MenuServiceProvider.php	Loads role specific menus and removes campus restricted entries elsewhere.
Layout	resources/views/layouts/contentLayoutMaster.blade.php	Base layout extended by all three principal screens.
Menu data	resources/data/menus/doctor-menu.json	Links Doctor users to Consultations and Medical Record.
Menu data	resources/data/menus/nurse-menu.json	Links Nurse users to Patient Record and Consultation Record.
Menu data	resources/data/menus/nurse-attendant-menu.json	Provides the corresponding nurse attendant links.
Assets	public/vendors and public/js/scripts/datatables/datatable.js	DataTables and common client side table behavior used by Patient Record and Doctor Consultation.
PDF package	barryvdh/laravel-dompdf via composer.json	Renders prescription and patient record PDF views.

Database Objects and Key Relationships

Object	Key fields used	Relationship
medicalrecord	id patientId role campus status purpose findings recommendation vitals deleted_at	One row is the workflow anchor. id is referenced by doctor_consultation.patientId.
doctor_consultation	patientId quantity medicine_name dose route frequency duration instruction deleted_at	Multiple prescription lines belong to one medicalrecord row. The field name patientId actually stores medicalrecord.id.
student_info	StudentNo name campus	Joined when medicalrecord.role is Student.
employee_info	id name campus	Joined when role is Employee.
dependent_info	id name campus services	Joined when role is Dependent.
doctors	campus specialization deleted_at	Selects the first active physician for the current campus.
stock	id item_name item_quantity lotno campus deleted_at	Authoritative current stock record used for prescription deductions.
inventory	stockId patientId lotno item_stock stock_less remaining_stock campus date	Append only style stock movement ledger and record edit reconciliation source.

Revision and Deployment Checklist

Files that must move together

- routes/web.php
- app/Http/Controllers/PatientMedicalRecordController.php
- app/Http/Controllers/PatientViewMedicalRecordController.php
- app/Http/Middleware/CampusOneOnly.php and app/Http/Kernel.php
- app/Providers/MenuServiceProvider.php
- resources/views/pages/patient-view-record.blade.php and patient-record.blade.php
- resources/views/modal/editMedical-Record.blade.php and addMedical-Record.blade.php
- resources/views/pages/doctor-consultations.blade.php and doctor-consultation.blade.php
- resources/views/pages/consultation-records.blade.php and nurse-treatment.blade.php
- resources/views/pages/doctor-prescription-pdf.blade.php
- public/css/pages/doctor-consultation.css
- resources/data/menus/doctor-menu.json nurse-menu.json nurse-attendant-menu.json and vertical-menu.json
- doctor_consultation.sql or an equivalent production migration

Verification Checks

Check	Expected result
Authentication	Anonymous users are redirected to login.
Campus restriction	A non Campus 1 request to consultation routes returns 403 and menu entries are absent.
Doctor queue	Only active nondeleted For Doctor records appear; name and ID search works for all roles.
Doctor save	Recommendation validation works; each selected medicine is persisted; stock and inventory remain consistent.
Repeat save	Existing prescription rows are soft deleted and replaced; stock is not deducted again after status becomes For Nurse.
Prescription output	Current form PDF and saved prescription PDF render correct patient doctor medicine and instruction data.
Consultation list	For Nurse records display grouped medicine names and quantities and open Nurse Treatment.
Nurse completion	Purpose and recommendation save and status becomes Active.
Patient record	Edit delete print consultation completion and saved prescription actions appear under the correct conditions.
Cross campus data	Every record stock doctor and patient lookup is checked for intended campus behavior including legacy null campus rows.

Implementation Notes Requiring Attention

- doctor_consultation.sql is a database dump with DROP TABLE and sample data, not a Laravel migration. Production deployment should use a reviewed migration or controlled import procedure.
- doctor_consultation.patientId is named like a patient identifier but stores medicalrecord.id. This should be documented consistently or renamed through a migration to reduce join errors.
- The SQL schema limits instruction and several prescription fields to varchar 45. The controller accepts unrestricted strings, so long input may be truncated or rejected depending on SQL mode.

- The employee joins use `employee_info.id` in the revised consultation flow. Other older patient record code sometimes references `AgencyNumber`. Confirm existing `medicalrecord.patientId` values follow the revised convention.
- Legacy copies of `web.php` and controllers exist under public data or other nonstandard locations. The active Laravel files are `routes/web.php` and `app/Http/Controllers`. Do not deploy the copies as routing or controller sources.